# INDEX NUMBER.

Title ;e and Index.] [January-June, 1916.

# TROPICAL DISEASES BULLETIN

IMPERIAL INSTITUTE
20 SEP. 1916
LIBRARY

Vol. 7.

ISSUED UNDER
THE DIRECTION OF THE
HONORARY MANAGING COMMITTEE
OF THE
TROPICAL DISEASES
BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

ENTOMOLOGICAL
26 MAY 1911

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

Price 1/6 net.] [*All Rights Reserved.*

# TROPICAL DISEASES BULLETIN

ISSUED UNDER THE DIRECTION OF THE HONORARY MANAGING COMMITTEE OF THE TROPICAL DISEASES BUREAU.

General Editor:
THE DIRECTOR OF THE BUREAU.

VOL. 7.

JANUARY, 1916—JUNE, 1916.

London:
TROPICAL DISEASES BUREAU,
Imperial Institute, S.W.

Sold by BAILLIÈRE, TINDALL & COX,
8, Henrietta Street, Covent Garden, W.C.

1916.

Digitized by the Internet Archive
in 2025

https://archive.org/details/tropical-diseases-bulletin_january-june-1916_7

## HONORARY MANAGING COMMITTEE.

*Chairman:*

The Right Honourable Sir J. West Ridgeway, G.C.B., G.C.M.G., K.C.S.I., LL.D.

*(who is also Chairman of the Advisory Committee of the Tropical Diseases Research Fund).*

Sir John Rose Bradford, K.C.M.G., C.B., F.R.S.
*(representing the Royal Society).*

Surgeon-General Sir David Bruce, C.B., F.R.S.

Surgeon-General Sir R. Havelock Charles, I.M.S., G.C.V.O.

Colonel Sir William B. Leishman, C.B., F.R.S., K.H.P.

Sir John M'Fadyean, M.R.C.V.S.

Sir Patrick Manson, G.C.M.G., F.R.S.

Sir Ronald Ross, K.C.B., F.R.S.

Sir S. Stockman, M.R.C.V.S.

Mr. E. C. Blech, C.M.G.
*(representing the Foreign Office and Sudan Government).*

Mr. H. J. Read, C.B., C.M.G.
*(representing the Colonial Office),*
*with*

*of the Colonial Office, as Secretary.*

## STAFF OF THE BUREAU.

*Director:*

A. G. Bagshawe, C.M.G., M.B., D.P.H. Cantab.,
*of the Uganda Medical Staff.*

*Assistant Director:*

*Librarian and Secretary:*

R. L. Sheppard.

*Sectional Editors:*

P. S. Abraham, M.D., B.Sc.

Andrew Balfour, C.M.G., M.D., D.P.H. Cantab.

Fleet-Surgeon P. W. Bassett-Smith, R.N., C.B., M.R.C.P.

R. T. St. John Brooks, M.D., D.T.M. & H.

H. B. Fantham, M.A., D.Sc.

Edward Hindle, Ph.D.

Colonel W. G. King, C.I.E., I.M.S. (retd.).

J. C. G. Ledingham, M.B., Ch.B., D.Sc.

R. T. Leiper, D.Sc., M.B., Ch.B.

J. B. Nias, M.D., M.R.C.P.

W. J. Penfold, M.D., D.P.H.

F. M. Sandwith, C.M.G., M.D., F.R.C.P.

H. Schütze, M.D.

J. Henderson Smith, M.B., Ch.B.

C. M. Wenyon, M.B., B.S., B.Sc.

Warrington Yorke, M.D.

*Editor of the Tropical Veterinary Bulletin:*

A. Leslie Sheather, B.Sc., M.R.C.V.S.

# CONTENTS.

## SECTIONS.


| | PAGES. |
|---|---|
| Amoebiasis and Dysentery | 195–238 |
| Beriberi | 8–12, 372–9 |
| Blackwater Fever | 29–31 |
| Book Reviews | 67–74, 340–4 |
| Cholera | 239–60 |
| Dysentery (Bacillary, &c.) | 211–38 |
| Fevers in the Tropics, and Dengue | 156–61 |
| Helminthiasis | 345–71 |
| Kala Azar | 75–86 |
| Leprosy | 183–7 |
| Malaria | 13–28, 261–74 |
| Miscellaneous | 188–94, 313–39, 380–400 |
| Pappataci Fever | 162–5 |
| Pellagra | 50–66, 302–12 |
| Plague | 174–82 |
| Protozoology | 87–100 |
| Relapsing Fever | 120–2 |
| Sleeping Sickness | 101–19, 275–84 |
| Sprue | 4–7 |
| Tropical Diseases of the Skin | 123–36 |
| Typhoid and Paratyphoid in the Tropics | 32–49 |
| Typhus Fever | 137–55 |
| Undulant Fever | 166–73 |
| Yaws | 1–3 |
| Yellow Fever | 285–301 |

| | |
|---|---|
| Index of Authors | 457 |
| Index of Subjects | 465 |
| Quarterly Lists of References | Appendix, pp. vii–xlv, xlvii–lxxx |


## CHARTS.


| | |
|---|---|
| Seasonal Incidence of Bacillary Dysentery at Saigon | 220 |
| Curves of Temperature and Stools in Mild Bacillary Dysentery | 213 |
| Middle Shari District, showing the Distribution of Tsetse Flies, Sleeping Sickness, and Goitre | *facing* 278 |
| Ouellé District, showing Distribution of Sleeping Sickness at end of 1914 | *facing* 276 |


## DIAGRAMS.


| | |
|---|---|
| Two Different Cercariae found in *Physopsis africana* | 348 |
| Method for Trapping *G. morsitans* | 283 |


(C273) Wt. P3137/63. 1,200. 9.16. B.&F.Ltd. Gp.11/4.

## ILLUSTRATIONS IN THE TEXT.

PAGES.

Ankylostoma, Dorsal Rays of
Fig. 4. *A. caninum* .. .. .. .. .. .. 366
Fig. 5. *A. ceylanicum* from Sierra Leone .. .. .. .. .. 366
Fig. 6. India .. .. .. .. .. .. 366
Apparatus for Concentrating Malarial Plasmodia .. .. 268
Bilharzia Cercariae found in Molluscs around Cairo. Three unnamed figs. .. .. .. .. .. .. 346
*Bullinus cortortus* .. .. .. .. .. .. 346
*Planorbis boissyi* .. .. .. .. .. .. 346
Eggs and Newly Hatched Larvae of Indian Phlebotomus .. 165
Oöcyst of Eimeria .. .. .. .. .. .. 231
Oöcyst of Isospora .. .. .. .. .. .. 231
Puparia of *Glossina*, showing Holes of Emergence of :
(*a*) *Syntomosphyrum glossinae*, Wtst. .. .. .. 284
(*b*) *Stomatoceras micans*, Wtst. .. .. .. .. 284
*Triodontophorus deminutus*
Fig. 1. Anterior end .. .. .. .. .. .. 365
Fig. 2. Posterior end of Male, lateral view .. .. 365
Fig. 3. Posterior end of Male, dorsal view .. .. 365

## PLATE.

Sections of Skin of a Newly-born Mouse, which had been immersed for half an hour in water containing large numbers of Bilharzia Cercariae .. .. .. *facing* 346

## TABLES.

Acid Agglutination in Plague .. .. .. .. .. 179, 180
Agglutination and Bactericidal Titre, with *B. typhosus* .. 259
Alkalinity of Blood in Cholera .. .. .. .. *facing* 252
Blood Counts in Cases of Anaemia, and Crescent-shaped Red Blood Cells .. .. .. .. .. .. 329, 330
Blood Examination of Three Persons Inoculated with the Tetravaccine [for Typhoid] .. .. .. .. 257
Blood-Pressure in Cholera Cases on Day after Admission with, and without, Atropine .. .. .. .. 253
Cases Examined for Life Assurance in India: Causes of Rejection .. .. .. .. .. .. .. 387
Causes of Death in Cholera Cases, with, and without, Atropine 253
Death-rates at Wilmington, N.C., from General Diseases and from Pellagra .. .. .. .. .. 302
Comparative Viability of Various Strains of *V. cholerae* in Water of New York Bay .. .. .. .. .. 251
Equine Trypanosomiasis at Accra .. .. .. .. 92
Fevers Diagnosed in Sierra Leone (1913–14) .. .. .. 289
Helminths associated with Eosinophilia .. .. .. 369

TABLES—*cont.*


| | PAGES. |
|---|---|
| Helminths in Northern Siam .. .. .. .. .. | 367 |
| Leiper's, showing Differences in Bilharzia producing Terminal and Lateral-spined Eggs .. .. .. .. .. | 347 |
| Malarial Cases Tested with Cinchona Alkaloids | |
| Total number of Cases .. .. .. .. .. | 19 |
| Average amount of Doses required before Asexual Parasites Disappeared from Peripheral Blood .. | 20 |
| Average Total Amount of Alkaloid administered before Disappearance of Asexual Parasites from Peripheral Blood .. .. .. .. .. .. .. | 20 |
| Average Number of Hours before Disappearance of Parasites from Peripheral Blood .. .. .. | 21 |
| Non-Malarial Fevers in Sierra Leone .. .. .. .. | 289 |
| Number and Percentage of Amebas found in Groups of Children with Healthy and Unhealthy Gums .. .. | 206 |
| Ocular Affections Treated with Galyl, Ludyl, and Serums .. | 319 |
| Pneumonia, Attack-Rates in 28-day Periods after Date of Inoculation .. .. .. .. .. .. .. | 325 |
| Mortality in Uninoculated and Inoculated Cases .. .. | 323 |
| Provisional Diagnostic Table of Streptococcal Groups .. | 395 |
| Respiration in Cholera Cases on Day after Admission, with, and without, Atropine .. .. .. .. .. | 254 |
| Results of Prophylactic Inoculation with Small-pox by Djen Natives, Nigeria .. .. .. .. .. .. | 333 |
| Seidelin Bodies in Blood of Anaemic Persons and Children in England .. .. .. .. .. .. .. | 299 |
| Successive Arneth Counts in Severe Case of Malarial Fever in a Gold Coast Native .. .. .. .. .. | 337 |
| Trypanosome Infections in Animals Killed at Accra Slaughter-House .. .. .. .. .. .. .. | 92 |
| Vibricidal Power of Bile of Animals after Administration of | |
| Cystopurin .. .. .. .. .. .. .. | 248 |
| Helmitol .. .. .. .. .. .. .. | 246 |
| Urotropine .. .. .. .. .. .. .. | 247 |
| Yellow Fever Cases containing Seidelin Bodies .. .. | 299 |


## ERRATUM.

Vol. 7, p. 46, *for* Percelli-Titone *read* Porcelli-Titone.

# INDEX OF AUTHORS.


## A.

Abd-El-Aziz, Ismail. *See* Ismail, A.
Acél, D. *See* von Liebermann & Acél.
Albert, J., 10.
Albertoni, P., & Tullio, P., 64.
Alessandrini, G., & Scala, A., 310.
Allan, J. W., 145.
Allison, W. L., 304.
Alpago-Novello, L., 58, 309.
Anderson, J. F., 144.
Andruzzi, A., 362.
d'Anfreville, L., 192, 294, 390, 398.
de Angelis, G., 169.
——. *See* Tizzoni & de Angelis.
Antonini, G., 66.
Arantes, J. B., 94.
Araujo, H. C. *See* de Souza Araujo.
de Araujo Alvares, M. G. *See* Bruto da Costa, Sant'Anna, dos Santos, & de Araujo Alvares.
Arce, J., 353.
Archibald, R. G. *See* Chalmers & Archibald.
Arezzo, G., 131.
Arjona. *See* Rodriguez Arjona.
Armand-Delille, P. *See* Sarrailhé, Armand-Delille, & Richet.
Arnheim, G., 152.
Arnold, W. J. J., 235.
Ascanio Rodriguez, J. B., 352.
Aschoff, L., 148.
Ashford, B. K., 4.
Atiyah, S. *See* Chalmers & Atiyah.
Atkinson, E. L., 400.
Aubert, P., 104.
Australian Institute of Tropical Medicine, 344.
Ayuso y O'Horibe, H., 360.
de Azevedo, P., 183.

## B.

Bacot, A. W., 400.
Baglioni, S., 312.
Bahrenburg, L. P. H., 264.
Bail, O., 243.
Baily, J. D. *See* Sinton & Bailey.
Baldoni, A., 241.
Balfour, A., 236, 285.
Barbézieux, G., 183.
Barcroft-Anderson, J., 60.
Barlow, N., 199, 227, 355, 360.
des Barres. *See* Le Roy des Barres.
Barret, H. P., 265.
——, M. T. *See* Smith & Barrett.
Bass, C. C., & Johns, F. M., 266.
Bassett-Smith, P. W., 167.
Baujean, 351.
Bayma, T., 37, 201.
Bayon, H., 185.
Beall, K. H., 305.
Béguet, M. *See* Sergent, Ed. & Et., Lhéritier, & Béguet.
Bel, G. S., 125.
Berdue, E. M., 56.
Berlin, H., 178.
Biglieri, R., 27.
Bijon, R., 31, 133.
Billings, W. C., 385.
——, F., & Post, W. E., 17.
Bird, R. L., 57.
Bishop, W. A., & Brosius, O. T., 356.
Blaizot, L. *See* Nicolle & Blaizot.
Blake, F. G., 160.
Blanchard, M. *See* Mesnil & Blanchard.
——, R., 194.
Bloch. *See* Gotschlich, Schuermann, & Bloch.
Blue, R., 177.
Boetticher, E., 239.
Boletim da Sociedade Brasileira de Dermatologia, 85, 135.
Bond, H. E., 57.
Booth, B. H., 61.
Bossellini, P. L., 18.
Bouet, G., 278.
Bouilliez, M., 277, 313, 350.
Boyd, H., 23.
Brach, C., & Froelich, J., 42.
van den Branden, F., 105, 279, 329.
Brau, P., & Nogue, 7.
Bravetta, E., 59.
Breinl, A., 294, 344.
——, & Priestly, H., 328, 336.
Brill, N. E., 142.
ten Brink, K. B. M., 130.
Briscoe, J. F., 349.
Brohier, S. L., 269.
Brosius, O. T. *See* Bishop & Brosius.
Browne, J. C., 146.
Brownson, W. C., 59.
Bruce, D., 101.
Brues, C. T. *See* Strong, Tyzzer, Brues, Sellards, & Gastiaburu.

Brunton, L., 330.
Bruto da Costa, B. F., Sant'Anna, J. F., dos Santos, A. C., & de Araujo Alvares, M. G., 340.
Bujwid, C. *See* Fluegge, Gaertner, Bujwid, Kisskalt, Uhlenhuth, & Stoklosinski.
——, O., 218, 258.
Bulletin of the St. Louis University, 385.
Burkitt, R. W., 29.
Burnet, E., & Weissenbach, R. J., 49.
Butler, C. S., 1.
——, G. C., 288.

## C.

Caddy, A., 387.
Cajazeira, J. A., 8.
Carbonell, M. V., 48.
Caronia, G. *See* di Cristina & Caronia.
Carpano, M., 94.
Carreno, F. *See* Moillet, A. K., & Carreno, F.
Carter, H. R., 27, 297.
Cartron, 250.
Carvalho, 85.
Casaux, J., 354.
Cassone, G., 320,
Castellani, A., 226.
—— & Jackson, T. W., 192.
—— & Mendelson, R. W., 256.
Castelli, G., & Viganò, L., 241.
Cawston, F. G., 348.
Cayet, 120.
Celli, A., 28.
Chalmers, A. J., 382.
—— & Archibald, R. G., 93.
—— & Atiyah, S., 393.
—— & Haddad, G., 392.
—— & Macdonald, N., 123.
—— & Marshall, A., 132, 394.
—— & O'Farrell, 395.
Chand. *See* Khazan Chand & Christophers.
Chenhall, W. T., 351.
Christophers, S. R., 273.
—— & Khazan Chand, 188.
Clark, H. C., 15.
Cochran, S., 80, 368.
Cogbill, H. S., 291.
Coglievina, B., 147.
Cole, J. C., 27.
Coles, A. C., 122.
Commonwealth of Australia, 294.
Connal, A., 293.
Conte, G., Sestini, L., & Trocello, E., 47.
Converse, G. M., 300.
Cook, J. E., & Meyer, J., 329.
Coony, J. P., 385.
Cort, W. W., 353.
Cossmann, L. *See* Seligmann & Cossmann.
da Costa Lima, A. *See* Lima, A. da C.
Coyon, A., & Rivet, L., 39, 40.
Cozzolino, O., 168.
Craig, C. F., 207.
Creel, R. H., 174.
di Cristina, G., & Caronia, G., 80.
Cropper, J. W., & Drew, A. H.
Crowell, B. C., 175.
——. *See* Williams & Crowell.
Cruz, O., 97.
Cuervo Márquez, L., 69.
Cumpston, J. H. L., 294.
da Cunha, A. M., 91.

## D.

Dale, H. H., 237.
Dalziel, J. M., 288.
Damond, 127.
Daniels, C. W., & Newham, H. B., 106.
Davey, J. B., 134.
Davy, P. C. T., 145.
Dearman, W. A., 305.
Delanoë, M. & Mme. *See* Fiori & Delanoë.
Delta, C. G., 149.
Demidoff, A-P. *See* Yakimoff & Demidoff.
Denier, A., 220.
Detre, L., 140, 250.
Deutsch, F., 41.
Dible, J. H., 15.
Dorsey, R. F., 54.
Drake-Brockman, R. E., 122.
Draper, A. P., 374.
Drew, A. H. *See* Cropper & Drew.
Drummond, J., 60.
Dubarry, J. P., 43.
Dudtschenko, I. S., 181.
Duenner, L., 224.
Dumas, J. *See* Remlinger & Dumas.
Dupont, V. *See* Lafont, Dupont, & Heckenroth.
Duprey, A. B., 2.
von Dziembowski, S., 271.

## E.

Edwards, C. R., 375.
Egyedi, H., & Kulka, W., 222.
Elliott, J. B., 203.
Emily, J., 322.
Erdmann, R., 109.
Ernoul, I. *See* Job & Ernoul.
Escluse, 148.
Escomel, E., 123, 128, 204, 232.
Evans, J. S., Middleton, W. S., & Smith, A. J., 210.
Eyraud. A. *See* Velu & Eyraud.

## F.

Faichnie, N., 33, 250.
Fajardo. *See* Hernández Fajardo, D.
Fantham, H. B., 77.
—— & Porter, A., 87, 232.
Fauntleroy, C. M., 358.
Federated Malay States, 185.
Fellmer, T. *See* Schuermann & Fellmer.
Ferris, E., & Heymann, P., 360.
Fielding, J. W., 344.
Filho, S. A., 135.
Finato L., & Novello, F., 62.
Finocchiaro, F., & Migliano, L., 130.
Fiori, C., & Delanoë, M. & Mme. P., 282.
Fleming, J. S. *See* Kraus & Fleming.
Fluegge, C., 149.
——, G., Gaertner, A., Bujwid, C., Kisskalt, Uhlenhuth, P., & Stoklosinski, F., 141.
da Fonseca, O. O. R., 90.
Forsyth, C. E. P., 316.
—— & Jameson, E. T., 29
Fort, A. G., 356.
Fossier, A. E., 62.
Foster, W. D., 355.
Foy, H. A., 332.
Fraenkel, E., 225.
Fraga, C., 389.
França, C., 118.
Fraser, H., 185.
Frayser, B. H., & Smith, D. O., 55.
Froelich, J. *See* Brach & Froelich.
Futaki, K., Takaki, F., Taniguchi, T., & Osumi, S., 160.

## G.

Gabbi, U., 6, 67, 159, 168.
Gachet, 83.
Gaehtgens, W., 48.
Gaertner, A. *See* Fluegge, Gaertner, Bujwid, Kisskalt, Uhlenhuth, & Stoklosinski.
Gaide, 36.
—— & Rongier, 353.
Galli-Valerio, B., 308, 388.
Galloway, E. H., 54.
Garrison, P. E. *See* Siler, Garrison & MacNeal,
—— & Schule, P. A., 53.
Garrow, A., 2.
Gasbarrini, A., 31.
Gastiaburu, J. C. *See* Strong, Tyzzer, Brues, Sellards, & Gastiaburu.
Gastou, P., 139.
Gauducheau, A.. 156, 197, 203.
—— & Peltier, M., 243.
Gay, F. P., 45.
Gelarie, A. J.. 251.
Gibbons, A., 103.
Gill, C. A., 13.
Gioseffi, M., 252.
Given, D. H. C., 396.
Glasson, C. J., 236.
Goldberger, J., Waring, C. H., & Willets, D. G., 52, 309.
—— & Wheeler, G. A., 51.
Goldschieder, 44.
Gomez, E., 184.
Gotschlich, E., Schuermann, W., & Bloch, 153.
Green, E. M., 304.
Greggio, P. G., 103.
Greig, E. D. W., 245, 249.
Grote, C. A., 303.
Gunn, J. W. C. *See* Gunson & Gunn.
Gunson, E. B., & Gunn, J. W. C., 334.

## H.

Haddad, G. *See* Chalmers & Haddad.
Halberkann, J., 191.
Hall, G. C., 271.
Hamerton, A. E., 203.
Hammacher, J., 201.
Hänschell, H. M., 291
Harris, S., 59.
Harrison, J. H., 54.
Harvard School of Tropical Medicine, 70.
Harvey, D., 32.
——, D. S., 293
Heard, W. H., 17.
Heckenroth, F., 128,
——. *See* Lafont, Dupont, & Heckenroth.
Henão M., E., 27.
Henderson, D. K., 310.
Hernández, Fajardo D., 297.
Hetfield, W. B., 146.
Hever, K., & Lucksch, F., 218.
Heymann, P. *See* Ferris & Heymann.
Higgins, J. T. D., 162.
Hildreth, E. R., & Sutton, A. C., 127.
Hingston, C. A. F., 392.
Hintze, K., 107.
Hirsch, C., 236.
Holmes, W. H. 303.
Holst, M. K. T., 23,
Houssiau, J. *See* Rodhain & Houssiau.
Howell, B. W., 138.
Howlett, F. M., 164.
Hoxie, G. H., 210.
Humphrys, H. E. *See* Reid & Humphrys.

## I.

Irons, E., & Jordan, E. O., 40.
Ismail, A., 230.

## J.

Jackson, T. W. *See* Castellani & Jackson.
Jacob, P., 43.
Jadassohn, J., 307.
Jameson, E. T. *See* Forsyth & Jameson.
Jamison, S. C., 16.
Jellett, J. W. H., 279.
Jennissen, J. A. M. J. 35.
Jerusalémy, 184.
Job, E., 44, 214, 349.
—— & Ernoul, I., 202.
Johns, F. M., 208.
——. *See* Bass & Johns.
Johnson, J. C., 54.
——, W. B., 288.
Johnston, J. A. *See* Williams & Johnston.
——, J. E. L., 293.
——, R., 391.
——, S. J., 344.
Johnstone, R. W., 285.
Jordan, E. O. *See* Irons & Jordan.
Jouenne, 128.
Juergens, 141.
Junqueira. M., 129.

## K.

Kantor, J. L., 143.
Kennedy, J. C., 8.
Kerr, W. F. J., 367.
Kersten, H. E., 317.
Khartoum, 382.
Khazan, Chand. *See* Christophers & Khazan Chand.
Kindleberger, C. P., 134.
King, W. G., 330.
Kingston, Jamaica, 380.
Kisskalt. *See* Fluegge, Gaertner, Bujwid, Kisskalt, Uhlenhuth, & Stoklosinski.
Kittsteiner, C., 213.
Kleine, F. K., 361.
Knapp, H. H. G., 334.
Knowles, F. C., 53.
Koelisch & Otto, 241.
Kohl-Yakimoff, N., & Yakimoff, W. L., 95.
Kokoris, D. 80.
Kolmer, J. A. *See* Schamberg, Kolmer, & Raiziss.
von Korczynski, L. R., 121.
de Korte, W. E., 173.
Kraus, R., Rosenbusch, F., & Maggio, C., 115.
——, W., & Fleming, J. S., 269.
Krolunitski. *See* Ravaut & Krolunitski.
Kruse, W., 211.
Kuenen, W. A., 219.
Kulka, W. *See* Egyedi & Kulka.

## L.

Lafont, A., 166, 174.
——, Dupont, V., & Heckenroth, F., 319.
Lahille, A., 30.
Lamborn, W. A., 110.
Lane, C., 272.
——, D. T., 261.
Latham, O., 49.
Lautman, M. F. *See* Wise & Lautman.
Laveran, A., 82, 84, 85, 108, 116, 281, 397.
Lavinder, C. H., 312.
Lecomte, A., 364.
Ledingham, J. C. G., & Penfold, W. J., 226, 228.
Le Fanu, G. E. H., 291
Legendre, J., 164, 397.
Legroux, R., 193.
Lehmann, J. R., 304.
Leiper, R. T., 345, 347, 365.
Leonard, T. M. R 2 3.
Le Roy des Barres, 157.
Levy, F., 120.
Lhéritier, A. *See* Sergent, Ed., & Lhéritier.
——. *See* Sergent, Ed. & Et., Lhéritier, & Béguet.
von Liebermann, L., & Acél, D., 258.
Lima, A. da C., 191.
Little, E. G. G., 60.
——, Y. A., 61.
Loewenstein, E., 221.
Loewenthal, F., 390.
Loewy, O., 242.
——, R., Lucksch, F., & Wilhelm, E., 42.
van Loon, F. H., 175.
Lopez, V. L. *See* Velez Lopez.
Lorenz. W. F., 311.
Low, G. C., 84, 199, 200, 288.
Lucksch, F. *See* Hever & Luksch.
——. *See* Loewy, Luksch, & Wilhelm.
Lurie, G. A., 121.
Lutz, A., & Machado, A., 318.
Luz, F., 321.
Lynch, K. M., 88, 198, 207, 209.
Lyons, R., 24.

## M.

McCombie, 335.
Macdonald, A., 271.
——, N. *See* Chalmers & Macdonald.
McDonald, W. M., 2, 307.
Macfie, J. W. S., 91, 117, 139, 294, 298, 336.
MacGilchrist, A. C., 18.
MacGregor, M. E., 190.
Machado, A., 85.
——. *See* Lutz & Machado.
——, W., 135, 136.
Mackee, G. M., 59.

Mackenzie, A. J., 330.
Mackie, F. P., 77, 79.
McLaughlin, A. J., 249.
MacNeal, W. J. *See* Siler, Garrison, & MacNeal.
McWalter, J. C., 374.
Maggio, C., & Rosenbusch, F., 113.
——. *See* Kraus, Rosenbusch, & Maggio.
Malariologia, 28.
Malley, C. W., 398.
Mann, A. G. *See* Williams, von Sholly, Rosenberg, & Mann.
Mantelli, C., & Negri, G., 129.
Marchman. O. M., 55.
Marcovici, E., 234.
—— & Přibram, E., 234.
Markl, J. G., 178.
Márquez, L. *See* Cuervo Marquez, L.
Marshall, A. *See* Chalmers & Marshall.
Martelli, C., 163.
——, P. N., 270.
Martins, Pereira, J. J., 171.
Maruyama. *See* Tadaharu Maruyama.
Masters, W. E., 354.
Matas, R., 126.
da Matta, A. A., 18, 86, 321.
Matthes, M., 155, 212.
Maynard, G. D., 323.
de Mello, F., 95.
Menage, H. E., 126.
Mendelson, R. W. *See* Castellani & Mendelson.
Meredith, D., 56.
Merewether, E. R. A., 137.
Mesnil, F., 90.
—— & Blanchard, M., 280.
Messore, L., 28.
Meyer, J. *See* Cook & Meyer.
——, K. F., 324.
Michel, P. *See* Weill, Mouriquand, & Michel.
Middleton, W. S. *See* Evans, Middleton, & Smith.
Migliano, L. *See* Finocchiaro & Migliano.
Milne, A. J. *See* Pratt, Johnson, & Milne.
Minchin, E. A., 99.
Minet, J., 39.
Mitchell, D. A., 386.
Mitra, G. C. *See* Sutherland & Mitra.
Mitzmain, M. B., 265.
Moillet, A. K. & Carreno, F., 368.
Monagas, J., 270.
Moniz, G., 396.
du Mont, 235.
Montagnani, M. *See* Rondoni & Montagnani.
Moore, H. L., 304.
Morris, L. M., 263.
Mouriquand, G. *See* Weill & Mouriquand.
Mueller, P. T., 239.
Murray, W. A., 158.

## N.

Nègre, L., 225.
Negri, G. *See* Mantelli & Negri.
Nesbitt, C. T., 302.
Neve, A., 184.
Newham, H. B. *See* Daniels & Newham.
——. *See* Owen & Newham.
Nicholls, L., 327.
Nicoll, W., 363.
Nicolle, C., & Blaizot, L., 154, 155.
Niles, G. M., 62.
Nisbet, W. B., 221, 362.
Nitzesco, J. J., 64.
Nixon, J. A., 131.
Noc, F., 233.
Nogue. *See* Brau & Nogue.
Novello, F. *See* Finato & Novello.
Nuttall, G. H. F., 400.

## O.

Oda, Z., 161.
O'Farrell. *See* Chalmers & O'Farrell.
Ohler, W. R., 11.
O'Horibe. *See* Ayuso y O'Horibe.
Old, J. E. S., 103.
Olivier, P. H., 157.
Oppenheim, R., 215.
Osumi, S. *See* Futaki, Takaki, Taniguchi, & Osumi.
Otto, 141.
Otto. *See* Koelisch & Otto.
Ottow, W. M., 11.
Ovazze, V. E., 273.
Owen, S. A., & Newham, H. B., 167.

## P.

Page, B. W., 306.
Palma, R., 133.
Palmer E. E., & Secor, W. L., 62.
Parhon, C. J., 216.
Parrish, C. C., 305.
Pauliclek, E., 41.
Pelletier, J., 156.
Peltier, M. *See* Gauducheau & Peltier.
Penfold, W. J., 214.
——. *See* Ledingham & Penfold.
Percelli-Titone, 46.
Pereira, J. J. M. *See* Martins Pereira.
Petrovitch, 255.
Petruschky, J., 153.
Pietri, G. A., 332.
Pietroforte, V., 327.
Pimpini, A., 187.
Pinault, L. G., 310.
Porter, A., 99.
——. *See* Fantham & Porter.
Post, D. C., 318.
——, W. E. *See* Billings & Post.

Pratt-Johnson, J., & Milne, A. J., 219.
Pribram, E., 221.
——. *See* Marcovici & Přibram.
Priestley, H., 344.
——. *See* Breinl & Priestley.
Proescher, F., 151.
Punjab, 261.

## R.

Rabello, 85.
Raiziss, G. D. *See* Schamberg, Kolmer, & Raiziss.
Randone, F., 163.
Rauch, J., 215.
Ravaut, P., & Krolunitski, 228.
Reed, A. C., 351.
Reibmayr, H., 42.
Reiche, F., 120.
Reid, J. McG. H., & Humphrys, H. E., 15.
——, T., & Ritchie, J., 161.
Reiss, E., 47.
Reiter, H., 41.
Remlinger, P., 147.
—— & Dumas, J., 226.
Rencurel, J. E., 202, 214.
Reports of the Sleeping Sickness Commission of the Royal Society, 101.
Ribas, E., 185.
Richet fils, C. *See* Sarrailhé, Armand-Delille, & Richet.
Riegel, 266.
Ritchie, J. *See* Reid & Ritchie.
Rivet, L. *See* Coyon & Rivet.
Rivista Pellagrologica Italiana, 58.
Robinson, H., 39.
Rodhain, J., 98, 275, 314.
—— & Houssiau, J., 132.
Rodriguez. *See* Ascanio Rodriguez, J. B.
——, Arjona V., 86, 361.
Roemer, R., 331.
Rogers, L., 217, 252.
—— & Shorten, A. J., 252.
Rohberg, D. N., 244.
Romero, F., 359.
Rommel, G. W., & Vedder, E. B., 374.
Rondoni, P., 63, 308.
—— & Montagnani, M., 63.
Rongier. *See* Gaide & Rongier.
Rosenberg, C. *See* Williams, von Sholly, & Rosenberg.
——. *See* Williams, von Sholly, Rosenberg, & Mann.
Rosenberger, R. C., 364.
Rosenbusch, F. *See* Kraus, Rosenbusch, & Maggio.
——, F. *See* Maggio & Rosenbusch.
Ross, D. W., 60.
——, J. A. P., 397.
——, R., 233.
—— & Thompson, D., 195.
——, T. S., 399.
Roux, F., 272.
Rudis-Jicinsky, J., 139.
Ruediger, E. H., 389.
Ruhl, K., 65.

## S.

Safford, A. H., 39.
Sainton, P., 266.
Saleeby, N. M. *See* Williams & Saleeby.
Salm, A. J., 17.
Salóm, C. E., 30.
Salus, G., 222.
Sandwith, F. M., 50.
Sant'Anna, J. F. *See* Bruto da Costa, Sant'Anna, dos Santos, & de Araujo Alvares.
dos Santos, A. C. *See* Bruto da Costa, Sant'Anna, dos Santos, & de Araujo Alvares.
Sarrailhé, A., Armand-Delille, P., & Richet fils, C., 162.
Sawyer, W. A., 46.
Scala, A. *See* Alessandrini & Scala.
Schamberg, J. F., Kolmer, J. A., & Raiziss, G. W., 106.
Schaumann, H., 10.
Schlesinger, H., 215.
Schmidt, P., 40.
Schmitz, K. E. F., 49, 256.
Schueffner, W., 158.
Schuerer von Waldheim, 147
Schuermann, W. & Fellmer, T., 239.
——. *See* Gotschlich, Schuermann, & Bloch.
Schule, P. A. *See* Garrison & Schule.
Schwetz, J., 112.
Schwitalla, A. M., 385.
Scott, H. H., 36, 380.
——, J. W., 95.
Scriba, 44.
Secor, W. *See* Palmer & Secor.
Seccor, W. L., 310.
Seemann, W. H., 175.
Seheult, R., 331.
Seidelin, H., 286, 293, 300.
Seidell, A., 378.
Seifert, O., 390.
Seiffert, G., 260.
Seligmann, E., & Cossmann, L., 224.
Sellards, A. W. *See* Strong, Tyzzer, Brues, Sellards, & Gastiaburu.
Seppilli, G., 309.
Sergent, Ed., 301.
—— & Lhéritier, A., 117.
——, Sergent, Et., Lhéritier, A., & Beguet, M., 117.
Sestini, L. *See* Conte, Sestini & Trocello.
Shaw, T., 61.
Shircore, J. O., 282, 369.
Shlesinger, H., 215.
von Sholly, A. I. *See* Williams, von Sholly, & Rosenberg.

von Sholly, A. I. *See* Williams, von Sholly, Rosenberg, & Mann.
Shorten, A. J. *See* Rogers & Shorten.
Siler, J. F., 306.
——, Garrison, P. E., & MacNeal, W. J., 302.
da Silva, P., 77.
Silva, d'Utra. *See* D'Utra Silva.
Simpson, J. T., 104.
Sinton, J. A., 254.
—— & Bailey, J. D., 369.
Sitsen, A. E., 324.
Smith, A. J. & Barrett, M. T., 204.
——. *See* Evans, Middleton, & Smith.
——, C. A., 61.
——, D. O. *See* Frayser & Smith.
Snijders, E. P., 34, 36.
Sobel, L. L., 242.
Sommerfeld, R. *See* von Wasserman & Sommerfeld.
Sonne, C., 222.
de Souza Araujo, H. C., 130.
Spaar, E. C., 3, 158.
Spagnolio, G., 76, 78, 170.
Stanton, A. T., 189, 191.
Stanziale, B., 186.
Statham, J. C. B., 158, 288.
Stephens, J. W. W., 29.
Stern, W., 240.
Stevenson, A. C., & Wenyon, C.M., 96.
Stiles, C. W., 357, 358.
Stocker, C. J., 163.
Stoerk, E., 217.
Stoklosinski, F. *See* Fluegge, Gaertner, Bujwid, Kisskalt, Uhlenhuth, & Stoklosinski.
Stott, H., 24.
Strachan, P. D., 171.
Strauss, H., 224, 255.
Strickland, C., 189, 262, 263, 272, 274.
Strong, R. P., Tyzzer, E. E., Brues, C. T., Sellards, A. W., & Gastiaburu, J. C. *See* Harvard School of Tropical Medicine, 70.
Sutherland, W. D., & Mitra, G. C., 186.
Sutton, A. C. *See* Hildreth & Sutton.
Swellengrebel, N. H., 26, 98, 177, 193.
Sydenstricker, E., 303.
Szécsy, E., 43.

## T.

Tadaharu Maruyama, 11.
Takaki, F. *See* Futaki, Takaki, Taniguchi, & Osumi, 160.
Taniguchi, T. *See* Futaki, Takaki, Taniguchi, & Osumi.
Taylor, F. H., 295, 344.
Terra, F., 135, 136.
Thomson, D., 293.
——. *See* Ross & Thomson.
——, W. F., 55.
Tizzoni, G., 57.
—— & de Angelis, G., 58.
Tobey, E. N., 385.
Tonnini, L., 170.
Topley, W. W. C., 150.
Torrens, J. A., & Whittington, T. H., 38.
Torres, M., 116.
——, O., 127, 131.
Trantas, A., 79.
Trocello, E. *See* Conte, Sestini, & Trocello.
Tullio, P. *See* Albertoni & Tullio.
Tyzzer, E. E. *See* Strong, Tyzzer, Brues, Sellards, & Gastiaburu.

## U.

Uhlenhuth, P. *See* Fluegge, Gaertner, Bujwid, Kisskalt, Uhlenhuth, & Stoklosinski.
d'Utra Silva, 85, 136.

## V.

Valk, W., 255.
Vedder, E. B. *See* Rommel & Vedder.
Velazco, L. V., 237.
Velez Lopez, L., 173.
Velu, H., 117.
——, & Eyraud, A., 93.
Vendenhoff, 24.
Vernoni, G., 169.
Viganò, L. *See* Castelli & Viganò.
Vivié., 322.
Voerner, 187.
Volpino, G., 59.
de Vos Hugo, D., 2.

## W.

Wade, H. W., 124.
Wagener, R., 146.
Walcott, A.M., 372.
Walker, E. L., 14.
Ward, E., 70.
Waring, C. H. *See* Goldberger, Waring, & Willets.
von Wassermann, A., & Sommerfeld, R., 260.
Waterston, J., 284.
Weidman, F. D., 97.
Weill, E. & Mouriquand, G., 375, 376, 377.
——, ——, & Michel, P., 377.
Weissenbach, R. J. *See* Burnet & Weissenbach.
Weld, A. E., 78.

Wenyon, C. M., 77, 81, 231. 288.
——. *See* Stevenson & Wenyon.
Wheeler, G. A. *See* Goldberger & Wheeler.
Wherry, W. B., 181.
Whitfield, A., 132.
Whittaker, H. A., 236.
Whittington, T. H. *See* Torrens & Whittington.
Wilcox, W. H., 372.
Wilhelm, E. *See* Loewy, Lucksch, & Wilhelm.
Willets, D. G., 309.
——. *See* Goldberger, Waring, & Willet.
Williams, A W., von Sholly, A. I., & Rosenberg, C., 205.
——, von Sholly, A. I., Rosenberg, C., & Mann, A. G., 205.
——, R. R., & Crowell, B. C., 12.
—— & Johnston, J. A., 373.
—— & Saleeby, N. M., 9.
Wilson, W. T., 310.
von Wilucki, 37.
Winckel, C., 35.
Wise, F., & Lautman, M. F., 311.
Wolter, F., 145.
Wood, G. H., 55.
Wyler, E. J., 292.
Wyllie, J. A., 340.

## Y.

Yakimoff, W. L., 75, 81.
—— & Demidoff, A.-P., 242.
——. *See* Kohl-Yakimoff & Yakimoff.
Yellow Fever Commission, 285, 288.
Young, B., 312.
——, W. J., 338, 344.

## Z.

Ziemann, H., 25.
Zorini, C. O., 273.
Zuloaga, J., 227.

# INDEX OF SUBJECTS.

Compiled by Miss M. H. James.

The Sanitation Number (7) is indexed separately, as **Hygiene, Applied, in the Tropics,** and this Index follows the Index of Subjects.


**AMOEBIASIS** (Amoebic Dysentery and Liver Abscess, *see also* **DYSENTERY**), 195–211
Amoebic Dysentery
Amoebae
Bodies resembling, in Tuberculosis: Jamaica, 380
Cultural Experiments with those in Egyptian Sand, 195–6
Difficulty of Getting-rid of when other Organisms are Present, 199, 202
Morphological Variation in Pathogenic and Innocuous forms, 197
Parasitism of, by
Bacteria, 203
Spirilla, 203
Pathogenic Rôle, in regard to the Disease: Conclusions, 197
Present with *Vibrio cholerae*, in Stools, 242
Rat as Carrier, 198–9
in Sprue: Rôle of 7
in Stools of Convalescents an Indication for Repeated Treatment, 199
*Vibrio cholerae* also present, 242
*A. limax*, Bionomics, 231
Morphology, 196, 231
*A. limax*-type in Egyptian Sand: Studies on, 195–7
Entamoebae, *see also under* **Various Forms,** *infra*
Nomenclature of Pathogenic Species, 197
Non-Pathogenicity of Certain Forms, criticized, 197–8
Tonkin species, Eight-Nucleate: Identity problem, 197
*E. buccalis*, Identified with *E. gingivalis*, 207

**Amoebiasis**—*cont.*
Amoebic Dysentery—*cont.*
Amoebae—*cont.*
Entamoebae—*cont.*
*E. cercopitheci*, in Monkey: Spirochaetes also present, 204
*E. coli*, and, 199
Action on, of Emetine, 201
Bionomics and Morphology, 231
Cysts of, in Dardenelles Dysentery, &c., 230
Differential Characters, 197
and *E. histolytica*, Pathogenicity of, 197
Infection by, as affecting Children's Memories, 358
in Mediterranean Cases, 232
Usually considered Non-Pathogenic, 197, 201
*E. dysenteriae*, as Name for Pathogenic species, 197
*E. gingivalis see also, infra, under* **Various Forms,** Oral
and *E. histolytica*, Comparison of, 204–5
*E. histolytica*, in Association with *B. dysenteriae*, 228
Bionomics and Morphology, 231
Comparison of, with *E. gingivalis*, 204–5
Cysts, in Convalescents; Sign for Repeated Treatment, 199
and *E. coli*, relative Pathogenicity, 197
Emetine-affected Erythrocytes not Engorged by, 204
in Human Mouths, in Gingivitis, 208
Infections; Difficulty of Diagnosis, 200
in Rat, 198, 199

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Amoebae—*cont.*
Entamoebae—*cont.*
*E. histolytica*—*cont.*
in Mediterranean Cases: Cyst stage the Infective stage, 232
*E minuta*, Non-Pathogenic, 201
*E. phagocytoides*, Spirilla and Bacteria Invading, 203
*E. tetragena* and *E. coli*, Differential Characters discussed, 197
Bacilli present with, 220
*B. dysenteriae*, 228
Typhoid-causing Bacilli, 35, 221, 224, 226, 228–9, 234
Spirochaetes present with, 204
*Vahlkampfia* sp., *see* under **Various Forms,** ORAL, *infra*
Bismuth—X-Ray Localisation of Ulceration in, 236
*Blastocystis hominis* and, 201
Carriers
Human, 383
Danger from, 200
Post-Convalescent Treatment to Prevent, 199
Treatment by Emetine, 200
Rats as, 198–9
Chemotherapy, *see also* Treatment, *infra*
Emetine
Action of
Anti-haemorrhagic, 204
Rendering Erythrocytes Unpalatable to Amoebae, 204
Toxic, 201, 237–8
Dosage and, 238
Relapse after too Short Course of, 199
Cysts Voided by Carriers; Viability of: Dangers from, 200
Diagnosis
Differential, from Bacillary, 214
of *E. histolytica* Infections, Complications in, 200
Differential Leucoyte Count in, 200
Diagnostic Signs, 199
Difficulty of Cure, when Other Organisms are Present, 199, 202
Etiology; New Work on, Requisite, 198
Experimental, in Rat; Post-mortem Conditions, 198
Explosion of, Due to Climate, 202

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Faeces, Feeding Rat on; Results, 198–9
Need for careful Disposal of, 196–7
Flies as Vectors, 196, 197
Freedom from Infection, Mode of Determining, 383
Helminthic and other Complications: Results, 199, 202
Incidence, All forms
Geographical
Accra, 204
America, U.S., 198
New Orleans, 203
South Carolina, 209
Wisconsin, 210
Anglo-Egyptian Sudan (Khartoum), 383
Brazil (São Paulo), 201
China (Chungking), 318
Congo, Belgian (Ouellé District), 315
Egypt (epidemic), 233
France, 202
French Indo-China, 233
Great Britain, 200
Mediterranean area, 232
Morocco
Casablanca, 202
Tangiers, 202
New Pomerania, 317
Peru, 233
Senegal, 202
Spanish Honduras, 199, 355
Tonkin, 197
Race, 198
Season, 233
Spontaneous, in Rats, 198–9
Infection: Freedom from; Mode of Determining, 383
Mixed, with
Bacilli, 35, 220, 221, 224, 226, 228–9 234
Spirochaetes, 204
Typhoid Fever; Deli, 35
Insect Vectors, Actual and Possible, 196, 197
Protozoa associated with; List and Classification, 232, 233
Mortality on Tobacco Estates; Sumatra, 219
Pre-Dysenteric Jaundice, 202
Prophylaxis
Conservancy, 196, 197
Emetine, 234
Post-Cure, 199
Prevention of Soil and Water from Faecal Contamination, 196, 197
Treatment of Carriers, 200

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Rats
Amoebic Dysentery, Natural and other in, 198–9
as Carriers of Dysenteric Amoebae, 198, 199
References to Literature vii–viii, xlvii–viii
Relapse in; after too Short Course of Emetine, 199
Rigg's Disease, *see* ORAL, &c., *under* **Various Forms,** *infra*
*Spirochaeta eurygyrata*, one Resembling found with *Entamoeba cercopitheci* in Monkey, 204
Symptoms, 199
Collapse, 234
Jaundice, Post-, and Pre-Dysenteric, 202
Transmission by
Air in Motion, 195, 196, 197
Carriers
Animal, 198–9
Human, 199, 200
Flies, 196–197
Rats (possible), 198, 199
Treatment by
Adrenalin, 201, 234
Appendicostomy, 234
Arsenobenzol, in Mixed Infection, 228
Barlow's Method, 199
Bismuth, 234
Emetine (*see also under* **Various Forms,** *infra*), 202, 228 230, 233–4, 235, 238, 223, 380
in Convalescence, 234
Dosage, and Administration, 199–200, 201, 238, 383
During Pregnancy and Menstruation, 383
Failures; 200
Some Causes, 202
Poisoning by, 201, 237–8
Dosage, in relation to, 238
Relapses after too Short a Course, 199
Ipecacuanha, 199
Laxatives: Emetine more Efficacious without, 199
Magnesium Sulphate, 234
Opiates (in Cases with Diarrhoea and Colic), 199
Opium, 234
Salines, 199
Salvarsan, 200
Serum, 234
Sodium Sulphate, 234, 235
Tannic Acid, 234
Tannin, 201
Thymol, 202

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Ulceration in, Absence of Signs of, 234
Bismuth—X-Ray Localisation of, 236

**Various Forms**

AMOEBIC HEPATITIS, Relapse Rare in, 199

CHRONIC, Cured by Adrenalin, 201
Treatment by
Adrenalin, 201
Emetine, 199, 200

CRYPTIC, Latent, or Veiled Infections, 234, 383
Diagnostic Means, 200

GINGIVITIS, *see* ORAL, *infra*

HELMINTHIC, 199, 200
Treatment by
Emetine, 202
Thymol, 202

ORAL (Gingivitis), *see also* PYORRHEA, *infra*
Amoebae and Entamoebae found in Human Mouth, 205 *et sqq*
*E. buccalis*, 208–9
identified with *E. gingivalis*, 207
*E. coli*, 208
*E. confusa*, 207
*E. gingivitis* as Causal Agent,
*E. histolytica*, 208
Forms of Pyorrhoea due to, 206, 207, 208
Identity, Morphology, &c., 207–8
*Vahlkampfia* sp., 208
in Diseased Mandible, 203
with Glossitis, Amoebae in, 207
Incidence
Age, 206
in South Carolina, 209
Prophylaxis, 206, 207
Symptoms, 205, 206, 207
and Complications, 207
Stomatitis with, 207
Treatment by
Alkaline Washes, 207
Cleanliness, 206, 207
Emetine, 205, 206, 207, 208
Possible Mode of Action, 209
Ipecacuanha, 206, 207
Mouth-washes, 205, 206, 207
Surgery, 207
Watching, 206
Trichomonas with: Treatment Preliminary to Emetine, 207

**Amoebiasis**—*cont.*
AMOEBIC DYSENTERY—*cont.*
Various Forms—*cont.*
OSTEOPERIOSTITIS of Inferior Maxilla: Amoeboid Cells in, 209–10
PYORRHOEA Alveolaris, or Alveolodental
Bacteria in, 209
Causal Agents, 205, 206, 207, 208–9, 210
Aspergillus in, 210
Diplococci in, 210
Entamoebae associated with
*E. buccalis*, 208–9
*E. gingivalis*, 206, 207, 208
Not always due to Amoebae, 208, 210
Spirochaetes in, 208
Symptoms, 208–9
Treatment by Vaccines (in case *not* due to Amoebae), 210
REFRACTORY CASES, Unbenefited by Emetine, 200
SUBACUTE, Cysts in, Uni- and Tetra-nucleate, 232
in Mediterranean area, 232
TONSILLAR, *Entamoeba gingivalis* and other Organisms found, 210, 211
in Goitrous Persons in Glacier Zone, 210, 211
in Wisconsin, U.S.A., 210
Thyroid Disturbances in relation to, 210–11
Treatment by Emetine, 210, 211
LIVER ABSCESS
Acquired in Great Britain, 200
Blood-Conditions in, 203
Etiology, 233
Incidence
Geographical
America, U.S.
California, in Immigrants, 386.
New Orleans, 203
Race, 386
Multiple Abscess: Mortality, 203
Post-Dysenteric, 203
Prophylaxis
Emetine, in Convalesence from Amoebiasis, 234
References to Literature, vii, xlviii
Relapse in, Why Rare, 199
Symptoms, 203
Treatment by
Aspiration, 233
Emetine, 200
Turpentine, 233
*Trichomonas intestinalis*, as Causing, 233

**Ankylostomiasis**, *see under* **HELMINTHIASIS**

**Ascariasis**, *see under* **HELMINTHIASIS**

**Balantidiasis**, *see* CILIATE DYSENTERY, *under* **DYSENTERY**

**BERIBERI**, 8-12, 372-9
Alcoholism in relation to, 9
*B. faecalis alkaligenes* in Vomit in, 8
Bran: Value of: How Useable, 373, 376
Bread-modifications in War, and, 376
Cardiac aspects, *see under* Symptoms, *infra*
"Carence, Maladie par": French Investigations, 375-7, 377
Cotton-seed Poisoning in Pigs as Causing, 374–5
Decortication of Cereals and Legumes to be Avoided, 12, 376
Diagnosis, Early; Squatting Test in, 372
with Speedy Curtailment, 374
Diet in relation to (*see also* Etiology Food, Prophylaxis and Treatment), *passim*, 372, 373
Mixed, not always Preventive of Deficiency Diseases, 376–7
White-Flour, with little other Food, 12
Disease Resembling in
Dogs; Cause: Cure, 8
Pigs; Cause: Symptoms, &c., 374-5
Soldiers; Khartoum; Post-Mortem Findings, 384
Dietary Experiments on Man and Animals; 373, 375, 377, 378–9
Resumé of Results, 10
Etiology
Theories on
Dietary Defects, 8, 9, 10, 11, 12, 312, 375–6
Infection, 10
Nervous origin, 375
Rice (q.v. *infra*), 317
as Toxic Disease, 10, 11, 311, 312, 373, *see also* 372
Vitamine Deficiency, 8, 372, 374–5
Summary of Modern Know ledge on, 372
Experiments on
Birds, with
Decorticated Cereals, Raw and Sterilized; Results: 377
Manioc: Results, 373
Pearl Bailey Diet: Results, 375

**Beriberi**—*cont.*
Experiments on—*cont.*
Birds with—*cont.*
Yeast, after Polished Rice Diet, 378–9
Thymus Gland Preparation: Deductions, 12
White Bread, 11–12
Cats, with Sterilized, Frozen, Salt, Cooked, and Raw Meats, 377
Man, with Thymus Gland Preparation, 12
Food-Stuffs liable to Induce (*see also* Rice, *infra*), 12
Fungal Bodies in Nerves, after Death, 384
Heart in (*see also* Cardiac, *in* Symptoms *infra*) as affected by Rice-Polishings Vitamine, 9
Husks of Grain (*see also* Bran) Needed in Food, 12, 376 *et alibi*
Incidence, in
Animals
Pigs, from Cotton Seed Poisoning: Symptoms, 374-5
in Man
Age, 374, 375
Class, 372–3
Rubber Plantation hands, 373
Ships' Crews, 374
Firemen, 373
Soldiers, 8, 9, 372, 374, 384
Those on whose Metabolic Processes most demand is made, 373
Human and Animal
Geographical
America, U.S. (in Pigs), 374–5
California (in Immigrants), 386
Texas, 61
Bismarck Archipelago, 317
Brazil, 9
Amazon Valley, 372–3
British Honduras, 385
China (Chungking), 318
Dardanelles, 372
Eastern Mediterranean, 372
India, 374
Jamaica, 375
Khartoum, 384
Labrador, 11–12
Lebong, 8
Mesopotamia, 372
Newfoundland, 11–12
Persia, 372
Persian Gulf, 387
Philippine Islands, 9, 10
St. Helena, 374
West Africa, 289
Locale, 375
Race, 386
Season, 8

**Beriberi**—*cont.*
Infant Mortality higher in Breast-fed Children, 10
Investigations into, and into other Deficiency Diseases, 375–6, 377, 378, 379
Literature, Recent, on; List of, 10
Manioc, Flour in relation to, 373
Metabolism in relation to, 373
Nomenclature, 387
Organisms from Vomit; Non-Lactose-Fermenting, 8
Pathological Findings in, 11
Pearl Barley Diet as affecting Pigeons, 373
Pelagic Oedema of Persian Gulf, Identical with, 387
and Pellagra; Points of Resemblance, 50
Post-mortem Conditions, 372, 375, 384
in Pigs, 374
Predisposing Causes, 8, 372
Prolonged Cooking, as Augmenting Danger of Decorticated Flours, 377
Prophylaxis, 372, 373
References to Literature, viii-ix, xlviii
Rice in relation to (all forms), 374
Polished, 9
Polishings, extract of, *see under* Treatment, *infra*
Unpolished; Taste, Keeping-Qualities, Preservation, Testing, &c., of, 11
Rice-coverings, Curative Power of: Investigation on, 11
Scurvy, Mis-diagnosed as, at Assab, 372
Vitamine for; Difference between and that for Beriberi, 372
Silver Skin of Rice, Curative Powers of, 11
Sterilisation of Food as Destructive of Vitamines, 376–7
Summaries of Recent Knowledge, on, 10, 11
Symptoms
Animal, in Pigs with Cotton-seed Poisoning, 374, 375
Human, 10, 11
Ataxic, 375
Cardiac, 9, 11, 374
Cerebral, similar to those in Pellagra, 311
Muscular, 11, 375
Neuritic, Nervous, &c., 9, 11, 373
Tests of Unpolished Rice, 11
Tinned Foods in relation to, 373

**Beriberi**—*cont.*
Treatment (all forms), by
Allantoin, 9
Bran (Rice) in Diet, 373
Diet, 8, 9, 372, 373, 375
Hygiene, 8
Rice Polishings Extracts, *see also* Allantoin, *supra*
Hydrolized, 7
Unhydrolized, 9
Strychnin, 373
Tiqui-Tiqui Extract, 10
Yeast, &c., in Diet, 372
Dosage, 379
Treatment, Economic Aspect, 373
Vitamine-Destruction by Sterilisation, 376–7
Vitamines, in
Foods, 372, 373
Rice Polishings:
Beneficial action, 9
Value of, and Prohibitive Cost, 9
Tiqui-Tiqui Extract, 10
War Bread in relation to, 376
Water in which Grains are Boiled: Value of, 376
Wheat-Flour, Coarse, Diet of, as affecting Pigeons, 375
Yeast, Autolysed: Preparation and Use, 378–9

**Varieties**

Avian, or Polyneuritis gallinarum
Experiments on Birds, on Causation, 11–12, 373
Symptoms analogous to, Produced by Feeding with Manioc, 373
Thymus Gland Diminution, 12
Tiqui-Tiqui Extract in, 10

Human
Acute, 373
Theory of Causation, 373
Chronic, 375
Theory of Causation, 373
Dry, 375
Infantile
Etiology in Breast-fed Children, 10
Treatment by
Allantoin, 9
Rice-Polishings Extract, 9
Tiqui-Tiqui Extract, 10
Malarial Polyneuritis, non-existent, 9
Mixed, 374
Two Forms in Brazil, 9
Wet, 372, 375

**Bilharziasis**, *see* Schistomiasis *under* **Helminthiasis**

**Biting Arthropods and Ticks**, *see under* **Entomological References**

**Blackwater Fever**, 29–31
Autolysins in Blood in; Quinine as affecting, 31
Tests for, 31
Bile Pigment in Blood in, 30
Blood-Conditions in 30, 31
Decreased Alkalinity, 29
Quinine as affecting Lysin of, 31
Etiology, 29, 31
Febrile Pre-Haemoglobinuria, or "Icteroideta paludica"; Nature of; Venezuela, 30
Incidence
Geographical
British East Africa, 29
British Honduras, 385
French Cochin-China, 30
India, 29, 30
West Africa, 29
Race, 29, 30
Malaria as associated with, 29, 30, 31
Malarial Parasites found in, 29
Malarial Pigment in, found at Post-mortem, 29
Prophylaxis; Blood-Alkalinisers in, 29
Quinine as Provocative of, 23, 29, 31
References to Literature, ix
Symptoms, 29, 31
Tests for Autolysins in Blood in, 31
Treatment by
Blood Alkalinisers, 29
Neosalvarsan to destroy Quinine-Resistant Malarial Parasites, after Recovery, 29
Quinine, 29, 30, 31
Attack at times Precipitated by 23, 29, 31
Contraindicated, 23
Saline Solutions, 30
Urine in, acidity of, 29

**Bouba**, *see* **Kala Azar**

**Bubo, Climatic**
Incidence
Class (Seamen), 321
Geographical
Brazil, 321
British Honduras, 385
Italy, 320, 321
Sicily, 170, 320
References to Literature, xxxv
Treatment by
Iodides, and Iodoform, 321–2
Iodone Robin, 321
Nuclearsitol, 321
Sodium Iodide, 321

**Camp Fever,** *see* **UNDULANT FEVER**

**Carrion's Disease,** *see* **VERRUGA PERUVIANA**

**Chagas' Disease,** *see* TRYPANOSOMIASIS, HUMAN, AMERICAN, *under* **SLEEPING SICKNESS**

**CHOLERA,** 239–60
- Alkalinity of Blood in: Estimation: Treatment, 252
- Amoebae in Stools with *V. cholerae*, 242
- Antibodies in Blood, in regard to Immunity: Experiments on, 260
- *Aphiochaeta ferruginea*, as possible Vector; Experiments with, 244–5
- Bacteriology
  - Agglutination results with
    - Mixed Cholera and Typhoid Vaccine, 256–8, *Table*, 259
    - Tetravaccine, 256: *Table*, 257
  - Tests, in Examination of Suspected Cholera Carriers in American Ports, 249
  - Bacteriological Examination of Stools: Search during, for Amoebae, 242
  - Cultural Media
    - Aronson's; Advantages of, 239, 240, 241
    - Dieudonné's, 239, 240, 241
    - Esch's, 240
    - Koehlisch and Otto's, 241
    - Lange's Agar, 240
    - Pilon's, 241
    - Pilsen Beer, 242
    - Stern's, 241
    - Two New Alkaline, 249
  - Diagnosis by, 239–42
    - Difficulties, 241–2
    - Rapid, 241
  - *Vibrio* isolated in Tonkin, 243
  - *Vibrio cholerae*
    - in relation to *Aphiochaeta ferruginea*, 244–5
    - from Bile; Persistence of, 255
    - Diagnostic Experiments on, 239–40
    - Does it produce Haemotoxins? 242–3
    - Examination of Groups of Troops for Carriers of, 239
    - Proteolytic Ferment produced by, 243
    - in Stools of Prisoners of War, in Camp, 250
    - Variability of: Experiments on, 243–4

**Cholera**—*cont.*
- Bacteriology—*cont.*
  - *Vibrio Cholerae*—*cont.*
    - Viability of various strains, in Water of New York Harbour: *Table*, 251
    - Vibrios Resembling
      - Gall Stones in Rabbits, Resulting from Inoculation with, 249
      - Viability of, in Rabbits, 249
      - Vibricidal Power of Bile of Animals after Administration of Hexamethyl Tetramine and its Compounds, 245: *Tables*, 246–8
- Blood Conditions
  - Alkalinity of: Estimation Technique, 252
  - Antibodies in, in relation to Immunity: Experiments on, 260
- Blood-Pressure, as affected by Atropine, 253, 254
- Carrier-Condition after; Helmitol to Prevent, 249
- Carriers, 252
  - Suspected, Examination for, in American Ports, 249
  - Troops, on a large scale, 239
- Complications, 255
- Control of, on International Trade Routes [in America], 249
- Cystopurin, Action of, on Bile of Animals, 245; *Table*, 248
- Epidemics, *see under* Incidence, Geographical, *infra*
- Flies as Vectors, 244–5
- Gall-Stone Production in Rabbits, after Inoculation with Cholera-like Vibrios, 249
- Haemotoxin-Production during, Discussed, 242–3
- Helmitol; Action of, on Bile of Animals, 245: *Table*, 246
- Immunity, in relation to Antibodies in Blood, 260
- Incidence
  - Class
    - Prisoners of War, 250
    - Troops, 258
  - Geographical
    - America, U.S., 385
    - Anglo-Egyptian Sudan (Omdurman), 384
    - Austria (Krakow), 258
      - Trieste (epidemic), 252
    - Bulgaria (epidemic, 1912), 242
    - Cochin-China, 250
    - Dutch East Indies
      - Java (Batavia district), 255

**Cholera**—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Germany, 250
India (Kohat), 254
Roumania (epidemic, 1913), 242
Serbia, 255
Tonkin, 243
*Lamblia intestinalis* in Stools, with *V. cholerae*, 242
Mortality of Cases Treated by Rogers' Method, 254
in Vaccinated and Unvaccinated Cases, 255, 258
Phenol in Tetravaccine: Action of, 256
Prophylaxis
Drinking of Liquids, Suspect and the Reverse, Before or After Food in regard to, 250–1
Examination of Suspected Carriers in American Ports, 249
Inoculation against; Malarial Relapse induced by, 271
Segregation of Suspects, 250
Washing Stations, Cochin-China, 250
Vaccine; Experiments to ascertain how Immunity Results from, 260
Mixed: Agglutination Results, 256–8
Mixed Typhoid and Cholera: Results, 260
Results at Krakow, 258
Tetravaccine, 256; *Table*, 257
References to Literature, x–xii, xlix–li
Stomach Acidity as Bar to Infection, 250
Symptoms
Collapse, 253, 254
Dermal, 255
Diminished Alkalinity of Blood, 252
Pneumonia, 253
Subsequent to Bowel Inflammation, 396
Uraemic, 252, 253
Vomiting, 254
Transmission by
Carriers, 239, 249, 252
Insects, *see Aphiochaeta ferruginea, supra*
Flies 244–5
Markets, 252
Treatment by
Adrenalin, 254
Alkalis, 252
Atropine, 252–4; *Tables*, 253–4
Cupping over Kidneys, 254
Etelen, 390
Helmitol; in Early Convalescence, 249

**Cholera**—*cont.*
Treatment by—*cont.*
Hot Fomentations, 254
Hypertonics, 252, 254, 255
Intravenous Injections: Easy and Speedy Method, 254
Pituitrin, 254
Potassium Permanganate, 252,254
Rogers' Method, 254
Saccharine (Glucose Isotonic) Solution in, 255
Saline Injections, 255
Sodium Bicarbonate Injections,252
Chloride, 253
Strychnine, 254
Urotropine, 245
Vaccine, 255
Tetravaccine
Composition, 256
Results, 256; *Table*, 257
Urotropine, Action of, on Bile of Animals, 245: *Table*, 247
Vibricidal Powers of, and of its Compounds, 245; *Tables*, 246–8
Uraemia of
Acidosis leading to; Estimation of, 252
Action in, of Atropine, 254
Vibricidal Power of Animal Bile after Administration of Hexamethylene Tetramine and its Compounds, 245
Results (*Tables* of), with
Cystopurin, 248
Helmitol, 246
Urotropine, 247

**DENGUE,** *see also* **FEVERS IN TROPICS,** *and* **PAPPATACI FEVER,** 156, 157

Aberrant form, 157.
Diagnoses, Differential, from Sequelae of other Affections, 156
Fever resembling in Troops, Dardanelles, 162
Incidence
Class
Troops, 163
Geographical
British Honduras, 385
Dutch East Indies, 157
India, 163
Tonkin (Haiphong), 156
Inoculation Experiments on Animals, 156
References to Literature, xv, liv
Symptoms, 156, 157
Variability of, 156

**Dermal Leishmaniasis,** *see* TROPICAL SORE, *under* **KALA AZAR**

**Dracontiasis,** *see under* **HELMINTHIASIS**

**DYSENTERY** (BACILLARY), CILIATE, FLAGELLATE, MIXED or UNCLASSED, *see also* AMOEBIC DYSENTERY, *under* **AMOEBIASIS**, 211–38
BACILLARY, 211-26
Amoebae present in, in Saigon, 220
Bacteriological Diagnosis
Agglutination with Y form Bacillus ; Possible Errors, 225
Stool-Examination to be Supplemented by Serum Agglutination, 222
Bacteriology
Agglutination of Bacilli from Faeces possibly Misleading, 222
Diagnostic ; Sources of Error in, 221–2, 222
Para-agglutination, 221, 223
with Patients' Sera, in Diagnosis, 222
in Pseudo-Dysentery, Algeria, 225
in very Young Children, 214
by both Shiga and Flexner Serum, of an Organism from Galician Epidemic, 218
Specific and Non-Specific, How Distinguishable, 224
by Normal Sera, of *B. dysenteriae*, Flexner-Y type, 222–3
for Y Bacillus, 225
Agglutinins of, Stability of, 224, 225
Bacilli Associated with
Atoxic, or Para-dysentery; Agglutination, by Patients' Sera, 222–3
Bacteriology, 222–3
*B. dysenteriae*
Possibility of Mistaking in War-time-Diagnosis, 222
Flexner, 219
in Horse Pond, Hungary, Epidemic due to, 221
Infection in
German Troops, 212
Young Children, 214
Lesions of Nervous System not Produced by, 215
One Intermediate between, and *B. coli*, 225

**Dysentery**—*cont.*
BACILLARY—*cont.*
Bacteriology—*cont.*
Bacilli Associated with—*cont.*
*B. dysenteriae*—*cont.*
Flexner Type
Grouping by Maltose Fermentation, 211
in Mild form (not Pseudo), 213
Only Slight Agglutination with Flexner Serum, 221
Flexner-Y type
Agglutination of
Not Significant, 224
Upper Limit not yet certain, 224
Classification by Agglutination, 222–3
Treatment by Etelen, 390
Forms Isolated in Galician Epidemic ; Affinities, 218
Shiga-Kruse, 219
Agglutination Identification of, 224
in German Troops, 212
Infection, or True Dysentery, 211
Mortality from, in Peace, 211
Shiga
Infection, Serum-agglutination in, 215
One related to, not Agglutinated by Shiga Serum, 226
Paralytic effect on Rabbits, 215
Serological Tests, 226
Y Form
Agglutination of, for Diagnosis, 225
Epidemic from, 218
in Argonne Epidemic, 226
in Epidemic in a German Army, 212–13
Grouping by Maltose Fermentation, 211
in Mild (Pseudo) Cases, 211, 212
Prevalence and Fatality in Sumatr , 219
in Pseudo-form, 225
*B. paratyphosus* B., in Hospital Cases, 214
*B. typhosus* and *paratyphosus*, 44, 221, 224, 226, 229
Carriers
Auto-Infection of, 225
Y form Bacillus Rare in, 225
Convalescents
Protozoa in Faeces of, 226
Serological Tests of, 226

**Dysentery**—*cont.*
BACILLARY—*cont.*
Diagnosis
Bacteriological, Possible Errors in, 221–2, 225
Stool-Examination Methods, 222
Bacteriologists' Function in regard to, 221–2
Differential, between and Amoebic: Pulse Frequency in, 214
Colitis, &c., 224
True and Pseudo Forms, 211–12
Serum, of Obscure Chronic Cases, 224–5
Diagnostic Desiderata and Difficulties, 221–2
Gruber Widal Reaction and, 48
Immunisation by
Polyvalent Vaccine, 218
Sensitized, 219
Failures; and Drawbacks to, in War-time, 212
Incidence
Age (Children), 214
Class
Immigrants, Oriental, 219, 386
Troops
French (Argonne), 226
Saigon, 220
German, 211, 212, 213, 215
Geographical
Algeria, 225
America, U.S.
California (in Immigrants), 386
Australia
Queensland, North, 221
Austria, Cracow, 218
Galicia, 218
Bismarck Archipelago, 317
China (Chungking), 318
Dardanelles, 199
Dutch East Indies (Deli, Sumatra), 219
Egypt, 233
France (Argonne), 226
French Indo-China, 220, 233
Hungary (Zombor), 221
India (Calcutta), 217
Seasonal, 220, 233
Mixed Infection with Typhoid, 221, 224, 226, 229
Mortality on Tobacco Estate, Sumatra, 219
Parasitic Invasion of Leucocytes from Stools in, 203
in Peace and in War, 211–12
Prophylaxis
Hygienic Measures, 219
Quarantine, 219
Serum Treatment, 218

**Dysentery**—*cont.*
BACILLARY—*cont.*
Pulse-rate Higher in, than in Amoebic, 214
References to Literature, xii–xiii, li ii
Resembling Paratyphoid, 226
Stools, Curve for, 213
in Mild Form
(*a*) Pseudo-, Differences in, 212
(*b*) True, Fermentation in, 213
Not always Containing Blood &c., 216
Supra-Renal Insufficiency in: Grades; Symptoms; Treatment, 215–16.
Symptoms, During and After (all Forms), 212, 213, 214, 215, 217.
Myalgia, probably Neuritis, 215
Periostitis, 215
Polyneuritis, 215
Temperature and Stools, Curve for, 213
Transmission by Wind-Spread Dried Excreta, 221
Treatment, all Forms, by
Adrenalin, 213, 216, 217
Animal Charcoal, 217
Atropin, 213
Bolus Alba, 213, 217
Tea as vehicle for, 217
Calcium-Tannin Astringent, 213
Calomel, 217
Diet, Carbohydrate-free, 213
Emetine, 220, 230
Etelen, 290
Ichthyol Injections, 213
Opium, 213
Papaverin, 217
Rectal Injections
Ichthyol, 213
Tannin, 212, 213
Rest, 215
Salicylates, 215
Serum, 44, 213, 216
Adjuvants to, 217
Early Use in regard to Efficiency, 214, 218
as Made in Cracow, 218
Sodium Sulphate, 235
Tannin Lavage of Large Gut, 212
Vaccines
Flexner, 217
Sensitized, 217
Shiga, 217
Sensitized, 217
Polyvalent, 218
Warm Baths, 215
Water-Insufficiency and, 317

**Dysentery**—*cont.*
BACILLARY—*cont.*
**Various Forms**
Pseudo-Dysentery
Agglutination in, of Patients' Sera, 225
*B-dysenteriae*, Y-form in, 225
Characteristics; Incidence; Bacteriology; Treatment, 211–13
Diagnostic Differentiation of, from True form, 211-12

CILIATE (Balantidiosis), 227
Ankylostoma also Present, 227
*Balantidium coli*; Bionomics and Morphology, 231
in Mediterranean Cases, 232
in Peru, 233
Pigs as Vectors of, 227
*Balantidium coli* var. *hondurense*, 227
Balantidium-like Infusorians, in Sand, Egypt, 195, 196
Incidence
Climatic, 227
Geographical
America, U.S.
California (Immigrants), 386
Colombia, 227
Honduras, 227
Race, 386
Symptoms, 227
Temperature Limits, 227
Treatment
(*a*) if Uncomplicated by Amoebae, 227
(*b*) if so Complicated, 227
(*c*) if Complicated by Ankylostoma, 227
Treatment by
Emetine, 227
Ipecacuanha (Alcresta Ipecac.), 227
Magnesium Sulphate, 227
Methylene Blue, 227
Thymol, 227
Why Possible in Troops in Serbia, 232

FLAGELLATE, 226
Incidence, Geographical
China (Chungking), 318
Dardanelles, 230
France, 230
Mediterranean Areas, 232
Peru, 233
Lamblia Infection, as affecting Children's Memories, 358
*L. intestinalis* as Cause of Diarrhoea, 200
Action on, of Various Drugs, 200
Liver Abscess associated with, Peru, 233

**Dysentery**—*cont.*
Various Forms—*cont.*
FLAGELLATE—*cont.*
Mixed Infection with, 230, 233
Protozoa in, 231, 232, 233
*Cercomonas hominis*, 232
*Lamblia intestinalis*, 230, 232, 233
*Tetramitus mesnili*, 232
Trichomonas, in Mixed Infection, 233
*T. hominis*, 230, 232, 233
*T. intestinalis*; Bionomics and Morphology, 231
Treatment by
Emetine, 227
Ipecacuanha, 227
Methylene Blue, 227
Turpentine, 230
*Trichocephalus*, in Mixed Infection, 233

MIXED, or UNCLASSED, *see also* Mixed Infection, *under* BACILLARY, *supra*.
Bacteriology
Agglutination in Dardanelles cases, 228-9
*B. dysenteriae*, Present with Amoeba; the latter more important, 228
Typhoid-Causing Bacilli, 221, 224, 226, 228–9, 234
Flexner-Y type, Dardanelles Cases, 228–9
Shiga, in
Dardanelles Cases, 229
Paratyphoid A. Fever, 229
Chemotheraphy, *see also* Treatment
Allphen, Composition, Preparation and Dosage, 234–5
"Bolus," Nature of, 235
Coolie Anaemia associated with; Assam, 316
Emetine Poisoning, 237–8
Dosage in relation to, 238
Etiology, Hirsch's views, 236
Peruvian forms, 237
Water Contamination, 237
Etiology of Chronic Diarrhoea in French Cochin China, 233
Experiments on Animals with Allphen, and with Dried Garlic, 235–6
Flies as Vectors, 318
Forms found in Peru; Causative Agents, 232–3
Incidence
Age, in Infants, 235
Class, 316
Troops, 228–9, 230, 233
Geographical
America, U.S.
St. Paul, Min., 236–7

**Dysentery**—*cont.*
MIXED, &c.—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Assam, 316
British Honduras, 385
Cochin China, 233
Dardanelles, 228–30
Egypt, 233–4
France (Steenvoorde), 228
India (rare at Calcutta), 388
Mediterranean, 232
Peru (Arequipa), 232–3
West Africa, 289
Seasonal
Relative, of Amoebic and Bacillary Forms, 232
Race, 386
Insect Vectors, 318
Paludismal, Haematozoa present, in, 233
Proctitis-form, in Peru; Etiology, 233
Prophylactic use of Emetine, 234
Protozoal Parasites and Fungus in
Dardanelles Cases, 230
Peruvian Forms, 233
References to Literature, xiii–xv, lii–iv
Spirochaetes in, 232
Symptoms, 229, 230
Anaemia, in Coolies; Assam, 316
Tenesmus, 236
Transmission by Flies, 318
Treatment, Common for Dysentery and Diarrhoea, 236
by Various Means
Allphen, 234–5
Animal Blood-Charcoal, 236
Arsenobenzol, 228
"Bolus," 235
Dermatol, 235
Diet
Milk Restriction, 235
Oatmeal, 235
Emetine, 228, 230, 233–4
Ipecacuanha, 234
Opium, Tincture, 235
Sodium Sulphate (for Children), 235
Turpentine, 230
in Youth, as Productive of Inferior Adult Physique, 388
PROTOZOAL (*see also* **AMOEBIASIS**), 199

**Elephantiasis,** *see under* **HELMINTHIASIS**

**Enteric Fever,** and **Enterica,** *see under* **TYPHOID AND PARATYPHOID FEVER IN THE TROPICS**

**ENTOMOLOGICAL REFERENCES,** *see also* Anopheles, *and* Mosquitoes, *under* **MALARIA**; Fleas, *under* **KALA AZAR,** and **PLAGUE**: Glossina, *under* **SLEEPING SICKNESS**: Pediculi, *under* **TYPHUS,** *Phlebotomus, under* **PAPPATACI FEVER,** *Stegomyia under* **YELLOW FEVER**; &c.
*Acanthaspis sulcipes*, Reduviid Bug, Possible Vector of Goitre, 314
Acarus, causing Skin Diseases in Dockers, 131, 132
Ammonia Gas as Destructor of Clothes Lice, 193
Anopheles
Arabian and Mesopotamian, 188
African character of the former, 188
Brazilian
Breeding Places, 97
Two new Species, 97
Malayan
Larvae of; Characters of, 189
Moroccan, 398
Sumatran, 191
Synonymy, 191
*A. brevipalpis*, n.g. (*Memnemyia*), Malaya, 189
*A. maculipennis*, in Morocco, 398
Antimosquito measures, 191, 192, 396, 400
*Argas brumpti*, Life History of; Sudan, 385
Arsenite of Soda Insecticide, for Destruction of Houseflies, 398
Bed-bugs, Insecticides for, 192-3
Beef-Worm (*Dermatobia cyaniventris*), Skin Disease due to; British Honduras, 385
Benzine for Lice Eviction from Clothes, 194
Biting Arthropods and Ticks
References to Literature, xl-ii
Biting Insects of Brazil: List, 319
Borax Solution as Preventive of Fly-Breeding in Excreta, 399
Botlass Fly; British Honduras, 385
Bugs, Temperature Destructive of, 400
*Calliphora erythrocephala*, Breeding-places and Control of, 400
*Calliphora vomitoria*, Breeding-places and Control of, 400
Camphorated Alcohol, &c., as Lotions for *Pediculus capitis*, &c., 194

**Entomological References**—*cont.*
Chalcidoidea bred from, *Glossina morsitans (ill.)*
*Stomatoceras micans*, 284
*Syntomosphyrum glossinae*, 284
Chigger Flea, Skin Diseases due to; British Honduras, 385
*Cimex lectularius*, Temperature Destructive of, 400
Clothes, Freeing from Lice, 193, 194
Cloths, to Protect against Night-biting Mosquitos, 192
Coal-Tar Derivatives and Essential Oils, as Lice-destroyers, 193-4
Cockroaches, Temperature Destructive of, 400
Culex Larvae: New Mode of Transportation, 397–8
Culicidae
*C. pipiens*, *Herpetomonas culicis*, harboured by, Pathogenic to Birds, 87
Moroccan
*C. annulatus* var. *Marocanus*, 398
*C. fatigans*, 398
"Doctor"-fly; British Honduras, 385
Dog-fly as Vector of Leishmaniasis, 83-4
Eucalyptus for Destroying *Pediculus vestimenti*, 194
*Fannia canicularis*, Manure-Breeding: Control of, 400
*Fannia scalaris*: Breeding-places, and Control of, 400
Fleas, Action on, of
Iodoform, 192–3
Vaseline, 192
Temperature Destructive of, 400
as Vectors of Kala Azar, 76, 77
Flies, Breeding in Manure: Preventive Methods, 398, 399
British Honduras
Botlass fly, 385
Doctor fly, 385
Sandfly, 385
Gallipoli; Breeding-places, and Control by Liquid "C," 400
as Vectors of Disease, Actual and Suspect, 82–4, 385, 398–9, 400
Formalin with spir. sap. Kalin, as Anticulicide, 191
Fumigation as Antipediculus Measure: Hints on, 192, 193, 194
Giemsa's "Mückenfluid," Constituents of, 191
Guiacol as Insecticide, 192, 193
Heat as Insecticide, 192, 400
Horse Flies as Vectors of *Leishmania*, 82
Hot Air, as Insecticide, 192
**Entomological References**—*cont.*
Hot Ironing, as Insecticidal Measure, 194
House-fly, Poisoned Bait for Controlling, 398–9
*Hyalomma aegyptium*, in relation to Cattle Coast Fever, Mediterranean region, 94.
Insect Pests of British Honduras, 385
Insecticides, for
Bugs, 192–3
Fleas, 192
Lice, *see under* Pediculi, *infra, and under* **TYPHUS FEVER**
Iodoform as Insecticide for Lice but not for Bugs, 192-3
Insomnia from Mosquito Bites as Chief Cause of Death in Whites in Senegal, 192
Kerosene-oil as Insecticide, 192, 193
Lard and Lanoline as affecting Lice and Fleas, 192
Lemon-Grass, with Mint, Eucalyptus and Naphthalene; as Antipediculus Solution, 194
against Lice, 194
Lice, *see* Pediculi, *infra, and under* **TYPHUS FEVER**
Locusts, Anglo-Egyptian Sudan: Mode of Destroying, 385
Lotions: Pediculicide, 194
*Lynchia maura*, Ecto-parasite of Pigeons; Goa, 95
as Possible Host of the Sergents' Herpetomonad, 87
Menthol Powder as Insecticide and Insect Repellant, 193
Mosquito-Rarity, Sekondi, 291
Mosquitoes, *see* also Anopheles, Culicidae, Stegomyia
Bites of
Insomnia from, as Cause of Death, 192
Protection against, 192
Solutions to Prevent or Relieve, 192
of Brazil, 319
of Freetown, 291
of Morocco: List and Description, 398
Temperature in relation to Anopheles, 398
Pyrethrum roseum, and other Anti-culicides, 191
Fumigation with, 191
Painting with, 191
Temperature Destructive of, 400
*Musca domestica* Breeding in Manure: Means of destroying, 398, 399, 400

**Entomological References**—*cont.*
Naphthaline as Insecticide, 192, 193, 194
*Nepa cinerea, Herpetomonas jaculum* in, Pathogenicity of, to Birds, 87
*Ornithodorus moubata* as Vector of Relapsing Fever, 315
Pediculi
Insecticides for, 192–4
in Soldiers: Instructions for Dealing with, 194
*P. capitis*
Insecticides for, 192, 194
*P. corporis*
Insecticides, for, 192, 194
*P. pubis*
Insecticides for, 192, 194
*P. vestimenti*
Measures against, 193–4
Temperature for Destruction of, and of its Ova, 400
as Vector of Typhus Fever, 193
*Pediculoides ventricosus*, Cutaneous Affections ascribed to, 131
*Periplaneta americana*, Temperature Destructive of, 400
Petroleum-sprinkling of Excreta, to prevent Fly-Breeding in Faecal Pits, 399
*Polderus* Beetle, Dermatitis due to, 132
Potash or Soda Soap as Anti-culicide, 191
Pyrethrum as Insecticide for Mosquitoes, 191
Pediculi, 192, 194
References to Literature, xxxvii, xl-ii, lxxvii-viii
Salt, Common, as affecting Eggs of *Stegomyia fasciata*, 190
Sandfly; British Honduras, 385
Stegomyia, *see also under* **YELLOW FEVER**
*S. fasciata*
Bionomics, 189–90
Bred in London from Dried Eggs from Sierra Leone; Gregarine Parasite Persisting in, 96
Larvae: as affected by Common Salt, 190
in Morocco, 398
Rearing, in London, 190
Temperature Destructive of, 400
Uninfluenced by Pyrethrum, 191
Substances Non-Effective as Anti-pediculides, 192
Sulphur as Insecticide: Various Ways of Using, 192, 193
Steam, action of, on Lice and Nits, 192
Ticks of Belgian Congo, and the Diseases Conveyed by them, 400

**Entomological References**—*cont.*
Ticks as Vectors of
Coast Fever in Cattle: Mediterranean Region, 94
Piroplasmosis; Gold Coast, 91
Relapsing Fever; Somaliland, 122
Tobacco-Fumigation for *Pediculus corporis*, 194
*Triatoma*, *see also under* Chagas' Disease, *in* **SLEEPING SICKNESS,** (Trypanosomiasis, Human, American)
Brazilian Vectors of Chagas' Disease, 98
*Tryroglyphas longior*, "Copra Itch" due to, 134
Vaseline as Insecticide for Lice, Fleas, Nits, &c., 192, 194
*Xenopsylla cheopis*, Temperature Destructive of, 400

**Espundia**, *see under* **SKIN DISEASES, TROPICAL**

**FEVERS IN THE TROPICS,** Unclassed (*see also* **DENGUE,** *and* other Fevers *under* Names), 156–61
Bilious Remittent Fever, and Malignant Fever, induced by Malaria, 290.
Differential Diagnosis from Yellow Fever, 293
Liver-Insufficiency in relation to, 290
Enteritis, Supra-Renal Insufficiency in, 215
Febrile Diseases of Children, Sierra Leone, 290
Fever due to *Bacterium columbense*, in Ceylon, 158
Hysterical form, in Sicily; Incidence: Treatment, 159–60
Indeterminate form; Single-flagellate Bacillus from, 156
Inflammatory Fever, Antilles and French Guiana, probably Larvate form of Yellow Fever, 297
Jaundice also present, 290
Low Fever; Race Incidence at Chittagong: Blood Conditions: Treatment by Orsudan, and by Salvarsan: Probable Etiology, 158
Non-Malarial, in West Afric 288, 289, *et sqq*

**Fevers in the Tropics**—*cont.*
Puerperal Fever, Anglo-Egyptian Sudan
Infection: Causes and Nature, 383, 393
Mortality from, in Natives, Ceylon, &c., 393
Streptococcal
Diagnosis, Differential, from Malaria, 394
Streptococci associated with; Anglo-Egyptian Sudan, 383, 393–6
List of those known to Cause, 394
*S. bovis*, 383, 393
*S. faecalis*, 383, 393, 395
*S. salivarius*, 383, 393, 395–6
*S. versatilis*, 383
Vaccine Treatment, 383, 395–6
Dosage: Adequate urged, 396
Pyrexias, due to Damp Summer Heat, Persian Gulf: Course: Symptoms, 386–7
Medical, at Sierra Leone, 158–9
Seidelin's Bodies, Diagnostic Value of, 159
References to Literature, xv, liv
Relapsing Form, in French Indo-China; Symptoms: Rash: Cure by Neosalvarsan, 157
Rocky Mountain Spotted Fever; References to Literature, lxxii
Septicaemia of Morphine Injectors; Rangoon, 334–5
Bacillus Associated with, 333
Symptoms, 335
Streptococcal, 392–3, 394
*S. equinus*, in, Anglo-Egyptian Sudan, 383, 392–3
*S. faecalis* as Causal Agent, 394
Treatment by Etelen, 390, 391
Slight Fevers of uncertain Origin in Sicily; Etiology; Symptoms, 159
Tonsillitis due to *Streptoccus versatilis*, 394
Various
China (Chungking), 318
West Africa (Sierra Leone, &c.), 158–9, 288–9, *et sqq.*
Albuminuria in: Significance of, 159, 290, 291, 294
Whitmore's Disease, *see* Septicaemia of Morphine Injectors, *supra*

**Filariasis**, *see under* **HELMINTHIASIS**

**FLAGELLATE DYSENTERY**, *see* **DYSENTERY**, FLAGELLATE *with* **DYSENTERY** (BACILLARY, &c.)

**Gangosa**, *see under* **SKIN DISEASES, TROPICAL**

**Goitre**, *see under* **MISCELLANEOUS**

**Guinea-Worm**, *see* DRACONTIASIS, *under* **HELMINTHIASIS**

**Haemoglobinuric Fever**, *see* **BLACKWATER FEVER**

**Heat Stroke**, Persian Gulf (rare), 387
References to Literature, lvi
Sunstroke, Persian Gulf, 387

**HELMINTHIASIS**, 345–71.
**General and Unclassed References**
Anthelmintics, Various; Results with, 367
*Aulastoma gulo*, Inimical to Intermediate (Snail) Host of *Fasciola hepatica*, 389
Bloodsucking habit of *Ascaris lumbricoides*: Appearances in favour of, 389
Carriage of Helminth-ova by House-flies, 369–71
as Complication of *E. histolytica* Infection, 200, 202
Concentration of Ova from Faeces; Rapid Method, 368–9
Dysentery of, 199
Eosinophilia in Cases with Various Parasites, 364, 369
House fly as Vector of Ova, 369–70, 371
Intestinal Parasites of the Isthmus of Tehuantepec, Mexico, 368
in White and Coloured School Children, U.S.A., Table of, 358
*Lymnaeus truncatula*, Intermediate Host of *Fasciola hepatica*, Leech inimical to, 389
Memory Tests of School Children, U.S.A. according to Sanitary Grouping, 358
Parasites presumably Rare in Man, 365–7

**Helminthiasis**—*cont.*
General and Unclassified—*cont.*
References to Literature, xvi–xviii, lvi.
Sulphuric Acid, Concentrated to Destroy ova of *A. lumbricoides*, and *T. trichuris* in Faeces, 389
Worm Nodules in Cattle: Negative Observations, etc., 363

**Cestode Infections**
General References
Haemoglobinuria as Complication: Result: Possible Cause, 354
References to Literature, xvi, lv
Treatment by Male fern, 354
*Diplogonoporus grandis* in Immigrants, U.S.A., 386
*Dipylidium caninum*, Polyradiate, 355
*Hymenolepis diminuta* Ova: Viability, 389
Polyradiate Cestodes; Two new Cases; Classification and List, 355
Sparganosis, Ocular
Annam (Hué), 353–4
Tonkin, 354
*Sparganum mansoni*: Where Found, 354
Symptoms, 354

Taeniasis
in California (in Immigrants), 386
Taenia, rare in Minatitlàn, 368
in Immigrants to U.S.A., 386
*T. bothriocephalus latus*, 386
*T. nana*, 386
*T. pisiformis*; Triradiate form; New, 355
*T. saginata*
Carriage by House-flies, 370, 371
Infection, in Immigrants to U.S.A., 386
at Mombasa, 370
in Siam, 367
Polyradiate forms, 355
*T. solium*, 386
Treatment by
Beta-naphthol, 367
Eucalyptus mixture, 367
Santonin, 367

**Nematode Infections**
Arthritis due to *A. duodenale*, 359
Parasites in Prisoners; Chiengmai, 367

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
*Physaloptera mordens* where Found: Characters and Location, 365
*Triodontophorus deminutus*; where Found: Character: Locale, 365–6
References to Literature, xvii, lv

Ankylostomiasis (Uncinarias, or Hookworm Disease)
Aliens Infected with: How Dealt with
Honolulu, 358–9
San Francisco, 386
Anaemia of, as affecting Lepers, 184
Other Diseases producing a like, 355
Campaign against, at Iquitos, 301
Directions for, 355
in Cats and Dogs: Parasite of, Sierra Leone, 366
as Cause of Indeterminate Fevers in Sicily, 159
in Ciliate Dysentery, 227
Dysentery due to, Peru, 233
Coolie Anaemia due to, 316
Treatment by Beta-napthol, &c., 316
Due to Defective Sanitation, 357–8, 368
Examination for, of Faeces, Jamaica, 380
Flies as Vectors, 357, 369–71
Food-Infection as Agent of Spread, 357
Incidence
Class
Coolies, 316
Oriental Immigrants to U.S.A., 386
Prisoners, 366
School Children, U.S.A., 357–8
Geographical
America, U.S., 357–8
California (in Immigrants), 386
Bismarck Archipelago, 317
British Honduras, 385
China, 318
Egypt, 51
Gold Coast, 291
Honduras (Cuyamel), 355–6
Honolulu, 358–9
Jamaica, 380
Peru (Iquitos,) 301
Siam, 366
West Africa, 289
Sex: Reasons, 318
Insect Vectors, 357, 369–7

**elminthiasis**—*cont.*
Nematode Infections—*cont.*
ANKYLOSTOMIASIS—*cont.*
Parasites causing
Ankylostoma
Action on, of Chenopodium, 357
in Chungking Cases, 318
at Cuyamel, Honduras, 355–6
Details differentiating from *Triodontophorus*, 366
Distribution in Jamaica, 380
in Prisoners, Chiengmai, 367
*A. caninum*, Association of, with *Uncinaria stenocephala*, 366
*A. ceylanicum*, of Cats, Dogs, and occasionally of Man, where Found, 366, 367
*A. duodenale*, Arthritis due to, 359
Eosinophilia with, 369
Infection; Mombasa, 371
in Siam, 367
Transmission by Houseflies, 370, 371
*Necator*, Action on, of Chenopodium, 357
Infection as affecting Child-Memory, 358
in Mexico, Parasites associated with, 368
Percentage of, 368
*N. Americanus*, in Prisoners, Siam, 367
*Uncinaria stenocephala*, Association of, with *Ankylostoma caninum*, 366
Pellagra, Co-existent with, 51, 53
Privies as Sources of Spread, 357–8
References to Literature, xvii, lv
Rheumatic Cases in Sierra Leone, possibly really Ankylostome Infections, 290
Sanitation, Defective, as Chief Cause, 357–8, 368
Symptoms, 368
Arthritic, 359
Transmission by
Flies, 357, 369–71
Food Infection, 357
Sanitary defects, 357–8, 368
Treatment (all forms) by
Arseno-ferruginous Tonics, 359
Beta-naphthol, 356
Calomel, 356
Castor Oil and Chloroform, 357

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
ANKYLOSTOMIASIS—*cont.*
Treatment by—*cont.*
Castor Oil, Chloroform and Eucalyptus Mixture, 368
Chenopodium, 356, 357
Eucalyptus with Chenopodium, Chloroform and Castor Oil, 368
Magnesium Sulphate, 356
Male fern, 368
Salines, 356
Epsom Salts, 357
Santonin, 356
Thymol, 356, 357, 359, 368, 380

ASCARIASIS
Incidence, Geographical
America, U.S.
California (in Immigrants), 386
Honduras (Cuyamel), 355, 360
Indo-China, 360
Mistaken for Enteric: Symptoms: Cure by Santonin, 360
Parasites Causing
Ascaris
Associated with Hookworm; Mexico, 368
Infection by, as affecting Child-Memory, 358
in Jamaica, 380
in Natives, Honduras, 355
Peritonitis due to, 360
Skin of, 365
*A. lumbricoides*, in association with *Physaloptera mordens*, 365
Blood-sucking by; Appearances supporting this view, 389
Carriage by Flies, 370, 371
Eosinophilia with, 369
Fatal Obstruction of Ileum by, 360
Infection by, Mombasa, 370
Ova: Viability: Mode of Destroying, 389
in Prisoners: Chiengmai, 367
References to Literature, xvii, lv
Symptoms, 360
Treatment by
Chenopodium, 357
Santonin, 360
Surgery, 360

DRACONTIASIS (Guinea-worm)
*Filaria* (*Dracunculus*) *medinensis*; Eosinophilia with, 369

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
DRACONTIASIS—*cont.*
Incidence
Baguirmi District, 313
Middle Shari, 313

FILARIASIS
Chrysops as Vectors
*C. dimidiata*, 361
*C. silacea*, 361
Incidence, Geographical
Australia (Queensland), 362
French Central Africa, 313
Kamerun (Eseka), 361
Papua, 336
Infectivity, 362
Mixed Infection with Schistosomiasis, 364
Mosquitoes as Vectors, 362
References to Literature, xvii–xviii, lvi
Parasites; Filaria and Microfilaria
Filaria as Complication in Relapsing Fever, 120
*F. bancrofti*; Embryos resembling in an Egyptian, 364
*F. loa*; Transmission by Insects, 361
*F. volvulus*; in Middle Shari, 313
*M. diurna*, Middle Shari, 313
*M. perstans*: Middle Shari, 313
*M. nocturna*; in Epidemic Hydrocele and Orchitis, 328
in Middle Shari, 313
Symptoms, 362
Transmission by
Insects, 361, 362
Person to Person, 362
Treatment by Salvarsan (in case associated with Schistosomiasis), 364

**Various Forms**
ELEPHANTIASIS, 315
or Acute Lymphangitis of Scrotum and Penis; Cured by Fibrolysin, 362–3
Incidence
Geographical
California (in Immigrants), 386
India, 387
Queensland, 362
Race, 386, 387
Microfilariae in Nocturnal Blood, 362
*Onchocerca volvulus* in relation to, 315
Sequel to Extirpation of Inguinal Glands, 322–3

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
FILARIASIS *cont.*
Various Forms—*cont.*
ELEPHANTIASIS—*cont.*
Symptoms, 315
Treatment by
Elevation, 363
Massage, 363

ONCHOCERCIASIS
Onchocerca
*O. gibsoni*, Experiments with, on Calves, 363
*O. volvulus* in French Soudan, 364
in Natives affected with Elephantiasis: Location: Symptoms Probably due to, 315
Symptoms, 364

OXYURIASIS
in Mexico (rare), 368
Oxyuris
*O. vermicularis*
Eosinophilia with, 369
Infection; Mombasa, 370
in Prisoners, Chiengmai, 367
References to Literature, xviii

STRONGYLOIDOSIS
in California (in Immigrants), 386
in Mexico, with Hookworm, 368
References to Literature, lvi
Stages of, 360–1
Strongyloides, in Dysentery, 233
*S. intestinalis*, Evacuated by Chenopodium, 357
Symptoms ascribed to, 360, 361
*S. stercoralis* Infection: Mombasa, 370
in Prisoners: Siam, 367
Symptoms, 360–1
Treatment by
Chenopodium, 357
Male fern, 361
Thymol, 361

TRICHOCEPHALIASIS
in California (in Immigrants), 386
in Honduras, 355
in Mexico, associated with Hookworm, 368
Parasites causing
Tricocephalus with other Parasites, in Mixed Infection, 233
*T. dispar*, as cause of Chronic Enteritis, 361
Carriage by House-flies, 370, 371
Infection, Mombasa, 370

**Helminthiasis**—*cont.*
Nematode Infections—*cont.*
TRICHOCEPHALIASIS—*cont.*
Parasites causing—*cont.*
Tricocephalus, &c.—*cont.*
*T. trichura(is)*, Eosinophilia with, 369
Ova: Sulphuric Acid to Destroy, 389
in Prisoners; Chiengmai, 367
References to Literature, xviii
Tricocephalus Enteritis, Treatment by Thymol: Exceptions, 361

**Trematode Infections**
Parasites in Prisoners, Chiengmai, 367
References to Literature, xvi, liv–v
*Artyfechinostomum sufrartyfex*, from Assam, 366
Bilharziasis, *see* SCHISTOSOMIASIS, *infra*
Clonorchiosis: in California (in Immigrants), 386
*Euparyphium malayanum*; Identity discussed, 366
*Fasciola hepatica*; Intermediate Host of, *Aulastoma gulo* Inimical to, 389
*Fasciolopsis buski*; in Immigrants, U.S.A., 386
*Opisthorchis*
*O. felineus*, from Siam (so recorded), 366, 367
*O. viverrini*, from Siam: Characters of; New in Man, 366–7
Paragonimiasis, in Peru, Introduced by Chinese and Japanese Coolies, 353
*Pneumonoeces similiplexus*; Egg-Variation in, 353

SCHISTOSOMIASIS (Bilharziasis)
Bibliography, 347
Filariasis associated with, in an Egyptian, 364
Forms menacing to
America, U.S., 352
Australia, 351
Western Countries, 351
Incidence
Class, 350. 351
Naval Seamen, 352
Troops; Black and White, 349–50
Geographical: all Forms
Chad Territory, 350
China, 318
(Yang-tze basin), 351
Egypt, 345–7
Japan, 351
Morocco, 349

**Helminthiasis**—*cont.*
Trematode Infections—*cont.*
SCHISTOSOMIASIS—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Natal, 348
Philippine Islands, 351
South Africa (Rustenburg District), 349
Parasites
Schistosoma (Bilharzia)
Cercariae of
Bifid-tailed: Origin: Name proposed, 349
Diagnostic Characters, 346
Infective Stage, 345
Penetration by, 346–7
Two found in *Physopsis Africana*, (*ill.*), 348
Bifid variety, 349
Differences between those producing Ova
Lateral-spined, 347
Terminal-spined, 347
Intermediate Hosts
Snails as, 345 (*ill.*), 346, 347, 349
Development in, 345
Miracidia of: Development of, in Intermediate Hosts, 345, 347
Ova: Resistance to 1,000 per cent. Solution of Hydrochloric Acid, 350
*Planorbis boissyi*, as Intermediate Host, 345, 347
Sporocysts of, 345
*S. haematobium*, 350
Bullinus as Intermediate Host, 347
in Natal
Biology, 348–9
Cercariae, 348–9
Terminal-spined Ova of, 347, 348, 350
in Urine of Scottish Soldiers in S. Africa, 349
Vesical Schistosmiasis caused by, 347, 350
*S. japonicum*: Researches on, 351
*S. mansoni*, 350
Carriage by House-flies, 370, 371
in Ouellé region, 315
Infection at Mombasa, 370
Intermediate Host Non-essential, 351
Ova of, Lateral-spined, 347, 350
Rectal Schistosomiasis due to, 347
in Vesical form; Exceptional Finding, 350

**Helminthiasis**—*cont.*
Trematode Infections—*cont.*
SCHISTOSOMIASIS—*cont.*
Post-mortem Findings, 352-3
References to Literature, xvi, xviii, liv–v
Results of Mission in Egypt, 345–7
Symptoms, all forms, 352
Transmission Experiments, on Animals, 349
Transmission, Husband to Wife direct, 351
Treatment, all forms
Bladder Lavage, with Quinine Solution, 349
Emetine Hydrochloride, 350
Iron, 349
Male fern, 349
Methylene Blue, 349
Salvarsan, 350
Urinary Sedatives, 349

**Various Forms**
Asiatic (Schistosomiasis japonica)
Bibliography, 352
Clinical and Pathological Characters, 352
Endemic areas, 351
Infective Foci, 351
Parasite, 351
Spread, 351
Menace to other Lands: U.S.A. precautions, 352
Symptoms, 352
Cattle-kind; not Demonstrated in Natal, 349
Hepatic; Symptoms, 352
Intestinal; Transmission, 351
Rectal; Parasite Causing, 347, 348, 349
Rare in Morocco, 350
Vesical: Adeno-Carcinoma Complicating, 351
Incidence in
Morocco, 350
Natal, 348
South Africa, 349
Parasite Causing, 347, 348, 349
Prophylaxis: Clearance of Bathing Pools, 349
Treatment by
Bladder Lavage, 349
Diuretics, 349
Male Fern, 349
Urinary Antiseptics, 349

**KALA AZAR** (and **Tropical Sore**, *see also* LEISHMANIASIS, *under* **PROTOZOOLOGY**), 75–86
in Animals, *see* **Canine**, *and* **Experimental**, *infra*

**Kala Azar**—*cont.*
Human and General
Alimentary Tract as Route of Infection, 384
Blood-Conditions in, 77–8, 79
Haemorrhagic Tendency, 81
in relation to Canine, 76, 77, 78
Complications, *see* Symptoms and, *infra*
*Ctenocephalus canis* as Vector, 77
Diagnosis by Spleen or Liver Puncture, 78
Eye-Conditions in, 79
Fleas as Vectors; Observations, Experiments and Deductions, 76, 77
Forms in South America, 86
Classification, 86
Incidence
Age, 76, 78, 80
Class, 78
Geographical
America, 85
South, 81, 85, 86
Assam, 77–8
Blue Nile region, 384
China, 80–1
French Central Africa, 313
Greece, 80
India, 75
Italy, 78, 81
Malta, 78
Mediterranean Littoral, 75
Sicily (Palermo region), 76
Sierra Leone, 290
Turkestan, 81
Russian, 75–6
Endemic Foci, 75
West Africa, 289
Locational, 76
Seasonal, 76, 384
Sex, 384
Infection, *see also* Transmission, *infra*
Medium of, 384
Route of, 384
Insect Vectors, *see* Fleas, *supra*
Leishmania, *see also under* **PROTOZOOLOGY**, *and* **SKIN DISEASES, TROPICAL**
More Numerous in Internal Organs than in Circulating Blood, 87
in Peripheral Blood, Assam, 77–8
Problems Connected with, 77
in Spleen, Liver, or Bone Marrow, 78
Schizogony in, 75
*L. braziliensis*, Forms due to, 86
*L. donovani*
Flagellate forms, in experimentally Infected Dog, 81

**Kala Azar**—*cont.*
Human and General—*cont.*
Leishmania—*cont.*
*L. donovani*—*cont.*
Fungus-Contamination of, and its Abolition, 82
Infection not found in S. America, 86
*L. furunculosa*, Sore due to, Brazil, 86
*L. infantum*; Infection not found in S. America, 86
*L. nilotica*; Nodules due to, Egypt, 86
*L. tropica*
Experiments with, on Animals, 84–5, 313
Turkestan Variety, Size-Variation in, 81
Liver and Spleen in, 181, 389
*Pulex irritans* as Vector, 77
Route of Infection, 384
References to Literature, xviii–xix, lvi–vii
*Staphylococcus albus* in, 79.
Symptoms and Complications
Cardiac, 78
Cutaneous (*see also* Tropical Sore, *infra*), 79, 83
Ophthalmic, 79
Splenomegaly, 80
Transmission by
Fleas, 76, 77
Water, 384
Treatment (all forms) by
Antimony Tartrate, *see* Tartar Emetic, *infra*
Arsenic and Iron, 79
Blood-Transfusion, Pre-Operative, 81
Carbon Dioxide Snow, 80
Emetine, 79
"914," 85
Permanganate of Potash Powder, 86
Salvarsan, 78, 79
Splenectomy, 80–1
Tartar Emetic, 79–80
Wassermann Reaction in, 186

**Various Forms**
Dermal or Cutaneous
Incidence
Age, 85, 86
Class, 86
Geographical
America, South, 85
Summary of Literature on, 85
Brazil, 86
Yucatan, 86
Treatment by
"914," 85
Permanganate of Potash Powder, 86
Tartar Emetic, 85

**Kala Azar**—*cont.*
Various Forms—*cont.*
Mucosal
American; Summary of Literature on, 85
Treatment by
Carbon Dioxide Snow, 80
Tartar Emetic, 79–80

**Canine**
Diagnostic Difficulties, 76
in Relation to Human, 76, 77, 78
Incidence, Geographical
India, 75
Mediterranean Littoral, 75
Russian Turkestan, 75, 76
Insect Vectors, 76
Experiments with, 77
Leishmania in, Variations in, 81
Post-mortem Findings, 76

**Experimental**
Incubation-Period, 81–2
*Leishmania donovani*, Flagellate forms of, in Experimentally-Infected Dog, 81
*Leishmania tropica*, Inoculations with, 84–5
Transmission Experiments, 75, 77, 84–5

Tropical Sore
in Dogs, Persia, 83
Arsenobenzol for, 83
Experimental, Transmission, 82
Flies as Vectors
Dog-Flies, 83–4
House-Flies, 82
*Hippobosca canina* as Vector, 83–4
Immunity to Infection of, 83
Incidence
Geographical
America, South, 84
Brazil, 86
Egypt, 86
Persia, 83
Sierra Leone (rare), 159
Racial, 313
Insect Vectors, 82, 83–4
Leishmania in, in Man and Dogs, 82–4
Identity of with that of Kala Azar, 76
*L. nilotica*, Leishman's Nodules due to: Egypt, 86
*L. tropica*, experiments with on Animals, 84–5, 313
Nodules (Leishman's) due to *L. nilotica*; Egypt, 86
Prophylaxis; Dog-destruction, 84.
References to Literature, xix–xx, lvii
Possible Reservoir, 82
Rocky Soil in relation to, 313
Symptoms, 79, 83, 84, 85

**Kala Azar**—*cont.*
TROPICAL SORE—*cont.*
Transmission by
Contact, 82
Flies
Dog, 83–4
House, 82
Inoculation, 82, 83
Treatment by
Arrhenal, 83
Arsenicals, 83
Arsenious Acid, 83
Atoxyl, 83
Hectine, 83
Methylene Blue Ointment, 84
Neo-Arsenobenzol, 83
Salicylic Ointment, 84
Tartar Emetic, 84

**Leishmania,** *see under* **KALA AZAR**

**Leishmaniasis,** *see* TROPICAL SORE, *under* **KAL AAZAR**; *see also under* **PROTOZOOLOGY,** DISEASES

**LEPROSY,** 183–7
Ainhum not a Manifestation of, 133
Bacteriology
Bacillus (i)
Acid-Fast
Kedrowsky's: Experiments with 185, 186
One Resembling, Produced by Inoculation, in Rabbit's Eye, 187
*B. leprae*
Cultvation Experiments with Preserved Fish, 185
Fraser and Fletcher's views on, 185
Hansen's
Cultivation Experiments, and Importance of Negative Results, 185–6
Found in Nasal Mucus in Chinese Case, 184
Never Found in Nasal Mucous Membrane, Brazil, 183
"*B. phlei*," Experiments with, 185
Inoculation Experiments on Animals, 105, 186–7
Comments on, 186
Production of Lesions in Rabbit's Eye, 186–7
Clinical Features, 186
Diagnosis, Radiographical, 184
Diseases Predisposing to, 184
Effect in, of Vaccination against Smallpox, 135
Etiology, *see also* Transmission, *infra*
Riverine Habitat Theory, 183

**Leprosy**—*cont.*
Fish in relation to: Results of Cultivation Experiments, 185
Gangosa not connected with, 134
Hospitals for Lepers, Conditions in, Bogotá, 184
Incidence
Class, 183
Geographical
America, U.S., 385
California (in Immigrants), 386
Belgian Congo (Ouellé District), 314
Bismarck Archipelago (rare), 317
Brazil, 183, 185
British Honduras, 385
China, 184
Chungking, 318
Colombia (Bogotá), 184
India, 186
Malaya, 185
New Caledonia, 314
Sandwich Islands, 185
Tonkin, 183
Race, 184, 386
Luctin Reaction in, 185
Myxoedema simulated by, 184
Non-Bacillary Manifestations of Hereditary Type, 187
Prophylaxis
Leper Colonies, Actual [and Suggested
Brazil, 185
Sandwich Islands, 185
References to Literature, xx, xxxvi, lviii
Rivers in relation to Prevalence, 183
Soft Cirrhosis of Liver in, 187
Symptoms
Cutaneous, 184
Hepatic, 187
Myxoedemic, 184.
Osteological, 184
Treatment by
Chaulmoogra Oil, 184
Eucalyptol, 184
Potassium Iodide, 184
Thyroid Extract, 184
Tuberculosis associated with, 184
Wassermann Reaction in, 185, 186

**Various Forms**

ANAESTHETIC, or NERVOUS
Incidence
Belgian Congo (Ouellé District), 314
New Caledonia, 314
Tonkin, 183
Prevalence believed to mark Decline of Epidemic Stage, 314
Wassermann Reaction in, 186

**Leprosy**—*cont.*
Various Forms—*cont.*
BIBLICAL; Voerner on, 187
MIXED
Belgian Congo (Ouellé District), 314
Wassermann Reaction in, 186
NODULAR
Wassermann Reaction in, 186
TUBERCULAR, in Belgian Congo, 314
"ZARAATH," *see* BIBLICAL, *supra*

**MALARIA**, 13–28, 261–74
Alcoholism, in regard to Masking of Symptoms, 269, 270
Anaemia associated with, 16–17, 316, 355
Accelerating Cause of Leprosy, 18
Following, Blood-picture in, after (*a*) Ordinary Acute Attack, 16, 17 (*b*) Chronic, Persistent Disease, 16
Characteristics of, 16–17
Anopheles associated with
Biting-times, 97
Breeding-places, 28, 97, 261, 265
Sawdust for Filling up, 27
Campaigns against, *see* Antimosquito Measures *under* Prophylaxis, *infra*
Distribution
America, U.S.
North Carolina, 265
Texas, 265
Belgian Congo (Ouellé District), 314
Flanders, 266
French Central Africa, 313
India, 159
Punjab (Lahore), 261
Italy (Maccarese District), 273
Malaya, 263, 272
Mexico (Tampico), 263–4
Philippine Islands, 14
West Africa, 159
Larvae of, Malayan, Identification of, 272
List of
*aitkeni*, 263
*albirostris*, 263
*alboapicalis*, *see febrifer*, *infra*
*christophersi*, *see febrifer*, *infra*
*crucians*, 265
*febrifer*, 14, 15, 313
Synonymy of, 15
*fuliginosus*, 263
*funesta*, *see also febrifer*, *supra*
*karwari*, 263
*kochi*, 263
*ludlowi*, 263
*lutzii*, n. spp. (*Myzomia* and *Myzorhyncella*), 97

**Malaria**—*cont.*
Anopheles, &c.—*cont.*
List of—*cont.*
*maculatus*, 263
*maculipennis*, 398
*mangyana*, *see febrifer*, *supra*
*punctipennis*, 265
*quadrimaculatus*, 265
*rossii*, 14, 263
*sinensis*, 263
*tessellatus*, 263
*umbrosus*, 263
Male Genitalia, 273
Pilotaxy, 273
Storm-borne, and an Outbreak of Disease at Galveston, 264–5
Anti-Malarial, and Anti-Mosquito Measures, Actual and Suggested, *see under* Prophylaxis, *infra*
Auto-agglutination in, of Erythrocytes: other Diseases in which seen, 27
*B. paratyphosus B.*, present in, 44
Bilious Remittent Fevers as Product of, 290
Blackwater Fever as associated with, 29, 30, 31
Blood-Conditions during and after, 16–17, 27, 184
Arneth Counts as affected by, 336, 337, 338
Auto-agglutination, 27
Parasites in; *see* Plasmodia, *infra*
Blood-Examination in Diagnosis, 15
Blood-Films in Control of Observations, 15–16, 19, 267, 269
Placental, Diagnostic Value of, in Aestivo-Autumnal Form, 15-16
Carriers
Afebrile patients, 21
Imperfectly Cured persons, 273
Case-Rate Reduction among Railway Employees by Quinine, and Water-Prophylaxis, 28
Celli, Professor, Death of; Work in relation to, 28
Children Specially Liable to, Punjab, 13
Chromatin in
*P. camaranense*, 26
*P. perniciosum*, 25
Schizonts of *P. malariae*, 26
Cinchona, *see also* Quinine
Dosage in relation to Body Weight, 19, 20, 21
Alkaloids; Action on Asexual forms of Parasite, 19
Relative Therapeutic Value of; Report of Tests, 18–22

**Malaria**—*cont.*
Cinchona—*cont.*
Derivatives; Desiderata in Manufacture, 22
Ethyl-Hydro-Cupreine; Relative Therapeutic Value of, 18–22
Hydroquinine; Nature, 22
Relative Therapeutic value, 18–22
Febrifuge, Nature, 22
Residual Alkaloid; Nature, 22
Cinchonidine; Relative Therapeutic Value, 18–22
Cinchonine; Relative Therapeutic Value, 18–22
as Complication of
*E. histolytica* Infection, 200
Relapsing Fever, 120
Typhus, 140
Complications in, 290, 291
Coolie Anaemia and; Assam, 316
Copper-wire gauze Screens for Ship Mosquito-proofing, 264
Croupous Pneumonia, concomitant with Splenomegaly of, 324
Cure, Spontaneous, in, 22
Dák-bungalows as Nurseries of, 261
Diagnosis
Blood-Examination in, 15
Concentration of Plasmodia for: Methods, 266–7, 269
Placental Blood-Film in, Value of, 15–16
Plasmodia in relation to, 290, 294
Differential, from Relapsing Fever, 120
Diminution of, in Lomellina, 273
Disappearance of; Natural Tendency to, 14
Epidemiology and Endemiology, 13, 14
Spleen-Censuses of School-Children as Elucidating, 13, 14
Jungle Clearances in relation to, 262–3
Experiments on
Animals and Infusoria, on Toxicity of Cinchona Alkaloids, 18, 19
Clinical application of Results to Man, 19 *et sqq.*
in relation to Febrile Diseases of Children; Sierra Leone, 290
Forest and Jungle Clearances in relation to, 262–3
Furrowing of Nails in: Cause, 18
Hemp-Steeping-Tanks as *Anopheles* Breeding Places, 28
Incidence, all Forms
Age
Children, 13–14, 18, 159, 261, 270, 290, 291, 313, 314

**Malaria**—*cont.*
Incidence—*cont.*
Class
Coolies, 316
Pilgrims, 25
Sailors, 264
School-Children, 13–14, 261
Troops, 15, 17, 159, 266, 270
Indian, 271
Prisoners, 24
Geographical
America, U.S., 17
North Carolina, 265
Texas, 265
Galveston, 264–5
Anatolia, (Baghdad Railway), 24
Ancon, 15
Anglo-Egyptian Sudan
Khartoum District, 25
Argentina, 27
Assam, 316
Belgian Congo
Ouellé District, 314
Bismarck Archipelago, 317, 318
Brazil, 18
Amazon Valley, 97
British East Africa, 17
British Honduras, 385
Burma, Upper, 271
Camaran Island, 25
Ceylon, 24
China (Chungking), 318
Colombia,
Antioquia Railway, 27–8
Dutch East Indies, 324
Formosa, 25
France (probably contracted in Flanders), 266
French Central Africa, 313
French Flanders, 15, 266
Germany (Russian Prisoners), 24
Gold Coast, 269, 288, 291, 293, 337
Honduras, 355
India
Calcutta (rare), 388
Punjab, 13–14, 221, 261–2
Lahore, 261
Italy, 25
Campagna, 28
Candia Lomellina, 273
Maccarese District, 272
Marcianise District, 28
Jamaica, 380
Kamerun (Cameroon), 25
Mardan, 23
Mexico (Tampico), 263–4
Nigeria, 288
Nyasaland, 23, 24
Papua, 336
Philippine Islands, 14–15
Poland, North, 266
Porto Rico, 270
Sierra Leone, 288, 290
West Africa, 25, 159, 289, 290

**Malaria**—*cont.*
Incidence—*cont.*
Race, 15, 24, 316, 381
Region, 314
Season, 261, 273
Indian Troops in Europe, and the spread of, 15
Insanity, in Case with Tertian Parasites present, 17
Jaundice in, 290, 291
Larvae, associated with, *see under* Anopheles
Liver and Spleen in, 389
Masked Cases, 266, 269–70
Maternal Infection in regard to Viability of Foetus, 16
Maurers Dots, and *P. camaranense*, 26
Meningitis with Amaurosis, attributed to *Laverania malariae*, 18
Mortality: Punjab, 13, 261, 262
Mosquito Nets, *see under* Prophylaxis, *infra*
Mosquito-proofing, *see under* Prophylaxis, *infra*
Mosquitoes as Vectors (*see also Anopheles*), 15
Haunts: Sampans, 396
Infected, in France, 15
Rare, at Sekondi, 291
Culicidae
Dry-Weather Prevalence accounted for, Ouellé District, 314
Pool-Breeding-places of, 314
Motor Paralysis of Legs, associated with, 17
Nails in Furrowing of, after Tertian attack: Cause, 18
Parasites, *see* Plasmodia, *infra*
*Laverania malariae*, *see P. falciparum*
Placental Blood-Film, Diagnostic Value of 15–16
Plasmodia
Action on, of Quinine, 16–17
Asexual Forms as affected by Cinchona Alkaloids, 19 *et sqq*
in Blood in
Children, Sierra Leone, 290
Jamaican Case, 380
Polish Case, 266
Yellow Fever, 291
in Cases with Symptoms not Indicating Malaria, 266, 269–70
Crescent-forms as affected by Cinchona Alkaloids, 22
in Blood of Polish Case, 266
Methods of Concentrating, for Diagnosis, 266–7, 269
Present in, and in other Fevers; Lagos, 293
Quartan-causing, presumed Variety of, in Brazil, 97

**Malaria**—*cont.*
Plasmodia—*cont.*
Quinine-Resisting, in Brazil, 97
Sub-tertian forms associated with Motor Paralysis, 17
Tertian, Benign form, Fatal Cerebral Attack due to, 17
*P. camaranense*, *see P. vivax*, var. *minuta*, *infra*
*P. falciparum* (*Laverania malariae*), *see P. praecox*, *infra*
*P. immaculatum see P. praecox*, *infra*
*P. kochi*, in Monkey; French Central Africa, 313
*P. malariae* in
French Central African Cases, 313
Jamaican Cases, 380
Schizogony of, 26
Variety of, in Brazil (presumed), 97
*P. perniciosum*, Chromatin Development Extraordinary, in; W. Africa, 25
*P. praecox* or *falciparum* (*Laverania malariae*), in Blood in
Cases with Limb-Tremor, 27
French Central African Cases, 313
Jamaican Cases, 380
Pernicious form, with Amaurosis, 18
Points of Distinction from *P. perniciosum*, 25
Synonyms, 25
Where Prevalent, 25
*P. tenue*, Nomenclature, Identity, and Affinities, 25
*P. vivax*, Tertian form, associated with Malarial Insanity, 17
in French Central African Cases, 313
in Jamaican Cases, 380
also found in Typhus, 140
*P. vivax* var. *minuta*, or *Camaranense*
Characters of, 25–6,
Name given to, 26
Pools as Anopheles Breeding-places, 261
Petrolization of, 28
Prophylaxis
Alcohol, Auxiliary use in, 264
Antimalarial and Antimosquito Measures and Campaigns, Actual and other, 27
on Board H.M.S. "Cadmus," Hankow, 396
Where easiest Carried out, 27

**Malaria**—*cont.*
Prophylaxis—*cont.*
Clothing-precautions, 264
Disinfection of Carriers' Blood, 27
Drainage, 28, 261
Filling-up of Anopheles Breeding-Places, 27, 261
Isolation, 27
Japanese Joss Sticks, 396
Jungle-Clearances, 262–3
Mosquito Destruction by
Pyrethrum, 397
Sulphurous Acid, 397
Vaporized Creolin or Cresyl, 396–7
Mosquito Nets, 264, 397
Mosquito-Proofing of Ships, 263–4, 396
Oil of Citronella, 396
Petrolization of Pools, &c., 28
Railway, Colombia, 28
Quinine and Quininisation, 28, 261, 264, 273
Sanitation, 27
*versus* Quininisation, 271
Screening, 264, 396
Symposium on, 23-4
Quinine and (*see also* Prophylaxis, *and* Treatment), 55
Action of, on Parasites, 16
Administration
Various methods; for Various forms, 18, 19, 23, 24
Advantages over, of Neosalvarsan, 24
Resistance to, of Brazilian Parasite, 97
School Quininisation, Punjab, 261
Symptoms due to, 23, 24
Therapeutic Value of, relative to other Cinchona Alkaloids, 18–22
Quinidine, Relative Therapeutic Value, 18–22
Quinoidine, Relative Therapeutic Value, 18–22
References to Literature, xx–xxii, xxxvi, xxxix, lix-lxi
Relapse Case, after Typhoid Inoculation, 271
Relapses in Cases treated with Cinchona Alkaloids, &c., 22
Dosage in reference to, of Neosalvarsan, 24
Quinine, 22
Rice-cultivation in relation to, 14
Sawdust for Filling up Possible Anopheline Breeding-Places, 27
School Quininisation, Punjab, 261
Schüffners Dots in Emin's Plasmodium, 25, 26
Ship-Proofing against Mosquitoes, 263–4, 396

**Malaria**—*cont.*
Spleen-Censuses of Children, Punjab, 261–2
Method of Carrying out, 13
Results, 14
Spleen-Test: Value of, 13, 14
Splenomegaly, *see* Spleen Censuses, *and under* Symptoms
Symptoms, *see also* Blood-Conditions, *and* Complications, *supra*
Absence of, with Plasmodia present, 266, 269–70
Associated with Treatment by Cinchona Alkaloids and Derivatives, 21
Due to Quinine in Various Forms, 23
Cerebral, in Young Children, 270
General, 15, 16, 17, 18
Hepatic, 389
Mental, with Motor Paralysis, 17
Nail-Furrowing, 18
Optical, 18
Splenomegaly, 13–14, 261–2, 314, 389
Action on, of Intravenous Administrations of Pseudo Solution of Basic Quinine, 272
Extent, in relation to Atypical Croupous Pneumonia, 324
Tremors of Limbs, 270
Tetanus in relation to Hypodermic Administration of Quinine, 24
Time before Asexual Parasites Disappear from Blood, in Treatment with Cinchona Alkaloids, &c., 21, 22
Transmission by
Carriers, 21, 273
Indian Troops in Europe, 15
Insects, *see* Anopheles, *&* Mosquitoes
Treatment (all forms), by
Baths, 270
Calomel, 270
before Cinchona Alkaloids, &c., 19
Cinchona Alkaloids and Derivatives; Relative Value of; Tests of, 18–22
Iron (suggested Substitution of, for Quinine), 271
Mercuric Chloride, 24
Neosalvarsan, 24
Speedy action of, *ib.*
Quinine, 15, 16, 17, 18, 23, 44, 266, 270
Administration, Modes of
Hypodermic, 18
Alternatives to, 272
Tetanus, from, 24

**Malaria**—*cont.*
Treatment—*cont.*
Quinine—*cont.*
Administration, &c.—*cont.*
Intramuscular, 23, 24
Intravenous, 23, 272
Oral, 19, 23, 270, 272
Rectal, 23, 272
Subcutaneous, 24
Dosage, 23
Experiments on, 19–23
Experimental, 19–22
Forms used in Injections
Bi-hydrochloride, 272
Bi-muriate, 23
Ethyl-carbonate, 23
Hydrobromide, 23
Pseudo Solution of Basic, 272
Sulphate, Drawbacks to and Substitutes for, 23
Tannate, 23
Views depreciating value of, 271
in Youth, as Productive of Inferior Adult Physique, 388
Wassermann Reaction in, 186

**Various Forms**

Aestivo-Autumnal
in Children: Limb-Tremors associated with, 270
Diagnostic Value in, of Placental Blood-Film, 15–16
in China (Chungking), 318
Treatment by
Mercuric Chloride, 24
Quinine, 24

Cerebral, *see infra, under* Pernicious

Chronic
Anaemia of, 16
in Assam Coolies, 316
Symptoms
Anaemia, 16, 316
Splenomegaly, 316.
Treatment by
Arsenic, 316
Iron, 316
Quinine, 23, 316
Dosage, 23

Cryptic or Obscure, 266, 269–70
Arneth Count in, 337

Doubtful, Butler's Division of, 290

Malignant, *P. falciparum* of, in Jamaica, 380

Pernicious (Cerebral) from Infection by Parasite of Benign Tertian, 17
Parasite, 18
in Porto Rico, 270
Symptoms, 18
Treatment by Quinine, 18
Administration and Dosage, 23

**Malaria**—*cont.*
Various Forms—*cont.*
Quartan
Auto-agglutination of Erythrocytes in, 27
in Children, 290
Incidence, Geographical
Brazil, 97
Jamaica, 380
Sierra Leone, 290
Parasite (probable) of, 17
*P. malariae* of, Schizogony of, 26
Symptoms, 97

Sub-tertian
Auto-agglutination of Erythrocytes, in 27
Incidence, Geographical
Mexico, on Ship-board, 264
Sierra Leone, 290
with Motor Paralysis and Mental Dulness, 17
Parasite differing in W. Africa from elsewhere, 159
Parasites present with no Typical Symptoms, 269-70

Tertian
Affected by Extrinsic Factors, 24
Furrowing of Nails in, 18
Incidence in
China (Chungking), 318
Sierra Leone, in Children, 290
with Insane Symptoms, 17
Benign
Auto-agglutination of Erythrocytes in, 27
Incidence:
Gold Coast, 291
Jamaica, 380
Mexico, on Shipboard, 264
Sierra Leone, 290
Induced by Anti-Typhoid Inoculation, 271
Parasite of, causing Fatal attack of Cerebral, 17
Transmission in Flanders and France, 15
Treatment by Neosalvarsan, 24
Malignant
Spontaneous Cure in, 22

**Malta Fever,** *see* **UNDULANT FEVER**

**MISCELLANEOUS** (not including at this place references to Diseases which have separate Headings), 188–94, 313–39, 380–400
Acclimatization of Europeans in Tropics, 388

**Miscellaneous**—*cont.*
Adenitis, Tropical; Frequency and Severity, 322; Predisposing Causes, 322; Symptoms, 322
Treatment, by
Iodoformed Ether Injections, 322
Mercurial Cream, Friction with, 322
Potassium Iodide, 322
Rest in Bed, 322
Sodium Cacodylate Injections, 322
Albuminuria in West African Natives: Etiology, 290
Anaemia, in Boils and Pyrexias of Persian Gulf, 386, 387
Coolie, *see* Coolie Anaemia, *infra*
Severe, associated with Remarkable Erythrocytes, and Chronic Leg Ulcers in Mulatto, U.S.A., 329–30
Anthrax, Epidemic, associated with Epizootic, in Assam Coolies, 335
Prophylaxis, 335
Symptoms, 335
Treatment by Carbolic Injections, 335
Bacteriological Work
Jamaica, 380–2
Khartoum, 382–4, 392–6
Bacteriology
Buchanan's Medium, Method of Preparing in Tropics, 384
Bacillus, Acidfast, from Rat, Lausanne: Proposed Name, 388
*B. coli communis* in Peripheral Blood in Life, 389–90
*B. smegmatis* var. *muris*, from Rat; Lausanne, 388
*Cryptococcus farciminosus*, Parasite of Epizootic Lymphangitis, 326
Diplo-streptococcus, causing Endemic Funiculitis, 328
*M. smegmatis*, *see B. smegmatis*, *supra*
*Meningococcus*: Isolation from Nasal Swabs: Value of, 384
Streptococcal Infections, Work on, at Khartoum, 383, 392–5
Streptococci, associated with Epidemic of Acute Hydrocele and Orchitis, 328
Group-Classification, 383, 393, 394–5
Holman's Medium for Examination of, 383

**Miscellaneous**—*cont.*
Bacteriology—*cont.*
Streptococci, &c.—*cont.*
*S. equi*, Causative Agent of Strangles in Horses: Classification, 393
*S. equinus*, Septicaemia due to; Sudan, 392–3
Experiments with, on Rabbits, 393
Morphology, Biology, &c., 393
*S. faecalis*, and Pathogenic kinds, A.-E. Sudan, 383, 394–5
*S. versatilis*: Definition: Diseases associated with, 394
Banga, in Belgian Congo (Ouellé District), 315
Sex Incidence 315
Symptoms and Analogies, 315
Baracouta Poisoning, British Honduras; Seasonal Incidence, 385
Biological Station for British Honduras, recommended, 385
*Blastocystis hominis*, in Dardanelles Dysentery, 230
Blastomycotic Nature of Parasites causing Epizootic Lymphangitis and Sporotrichosis, 326
Pathogenicity to Humans, 326
Rarity of Infection, 326, 327
Blood-cells, Red, of Remarkable Shape, in Severe Anaemia, with Chronic Leg Ulcers, U.S.A., 329–30
Other Symptoms, 330
Blood Conditions in Natives of Papua, 336
Arneth Counts in
Europeans
Healthy
Gold Coast, 336, 338
Philippines, 336
with Malarial Fever, 337
Natives
Healthy, 337
with Malarial Fever, 337
Yellow Fever, 337
North Queensland Children, and Papuan Adults, 336
Leukaemia (rare), in Honduras, 355
Blood-Counts, Differential, and Neutrophile Blood Picture of Adults and Children, Natives of Papua, 336
Body-Temperature of Europeans in the Tropics: Oral and Rectal; Observations chiefly in Queensland, 338–9

**Miscellaneous**—*cont.*
Boomerang Leg; Bone Disease of Australian, Papuan, and other Aborigines, 328-9
Cancer at Honduras (rare), 355
Cerebro-spinal Meningitis, Vomiting Sickness Differentiated from, 381
Epidemic; at Khartoum, 382
Chungking, Position, Soil, Population, Heat, Sanitation and Disease at, 318
Colitis, Ulcerative; Etelen in, 390
Conjunctivitis, *see under* Eye Diseases, *infra*
Coolie Anaemia; Assam: Causes, 316
Conditions associated with, 316
Haemoglobin-index, 316
Obscure Cases: Dropsy in, 316
Symptoms (all forms), 316
Treatment; Haemoglobin Index, as Guide to, 316
Various forms, by
Beta-naphthol and Purgatives, 316
Iron Sulphate, Magnesia Sulphate and Nux Vomica Mixture, 316
Izal, 316
Quinine, Iron, and Arsenic, 316
Countries referred to
America, 394
U.S., 329
Anglo-Egyptian Sudan (Khartoum, &c.), 382–5, 392–5
Assam, 316, 335
Australia
North and West, 328, 329
Queensland, 338
North, 336
Belgian Congo, 329, 400
Ouellé District, 314
Bismarck Archipelago, 317
Brazil, 318–19, 321
British East Africa, 328
British Honduras, 385
Burma (Rangoon), 334–5
Ceylon, 393
China
Chungking, 318
Yunnan-Fou, 318
Dutch East Indies (Batavia), 324, 331
Ecuador (Guayaquil), 337
Egypt (Alexandria), 334
Eritrea (Assab), 327
French Central Africa, 313
Baguirmi District, 313
Middle Shari, 313
French West Africa, 319
Gallipoli, 400
Gold Coast, 336, 338
Honduras, 355
India, 315, 387–8, 392, 399

**Miscellaneous**—*cont.*
Countries referred to—*cont.*
Italy, 320, 321, 399
Jamaica, 380–2
Malaya, 315
Morocco, 390, 398
New Lauenberg, 317
New Pomerania, 317
Nigeria, 332
Panama Canal Zone, 332
Papua (Brit. New Guinea), 328, 336
Philippine Islands, 336, 389–90
Senegal (Dakar), 319
Sicily, 170, 320
South Africa (Rand), 323–4
Torres Straits Islands, 328
Uganda, 315
Corneal Ulcers, *see under* Eye Diseases, *infra*
Cows' Dung as Used in the Sudan, in relation to Puerperal Sepsis, 383, 393
Damp Heat of Summer in Persian Gulf; Anaemias, &c., due to, 386, 387
Dead Bodies, Flies Breeding in: Control of, by Liquid "C," 400
Diagnostic value of Arneth Count, in regard to Yellow Fever, 337
Diarrhoeal Affections, Etelen in, 390–1
Diseases and Conditions due to Damp Heat, Persian Gulf, in Summer, 386–7
Non-Malarial, in West Africa, 288, *et sqq.*
Seen on the Upper Yangtze River, China (see those said to occur at Chungking), 318
Etelen, a new Intestinal Astringent: Diseases in which of Use, 90–1
Adrenalin with, Advised, 391
Europeans, Arneth Counts in, in Tropics in
Healthy Persons, 336, 338
Malarial Fever Cases, 337
in India
Acclimatisation of, 388
Causes of Rejection for Life Insurance, 388
Eye Diseases, Bacteriological Examination in, 319
in China, Chungking, 318
in Senegal, Dakar, 319
Treatment (all forms) by
Arsenicals, 320
Galyl, 319, 320
Ludyl, 319, 320
Mercury Oxycyanide Solution, 319
Serums, 319–20

**Miscellaneous**—*cont.*
Eye Diseases—*cont.*
Conjunctivitis
Chronic: Complications, 319
in French West Africa: Serum and other Treatment, 319–20
Infective, in Bismarck Archipelago, 317
Corneal Ulcers: French West Africa, 319
Glaucoma: French West Africa, 319
Hypopyon: French West Africa, 319
Iridochoroiditis: French West Africa, 319
Iris, Prolapsed: French West Africa, 319
Iritis: French West Africa, 319
Keratitis, Phlyctenular; French West Africa, 319
Leucoma: French West Africa, 319
Staphyloma: French West Africa, 319
"Frostbite" in China, without Frost, 318
Funiculitis, Endemic: Diplo-Streptococcus Causing, 328
Fungi Imperfecti: Classification, 384
Gall-Stones in Natives, &c.
Panama Canal Zone, 332
Trinidad, B.W.I., 331
Rarity or Prevalence in West Indies, 331, 332
Galyl for Eye Diseases; French West Africa, 319, 320
Glanders: Resemblance to, of Morphine Injector's Septicaemia, 335
Glaucoma, *see under* Eye Diseases
Glycosuria in India, in Europeans and Natives, 387, 388
Goitre: *Acanthaspis sulcipes* as Possible Vector, 314
Experiments with, on Animals, 314
Incidence
Age, 315
in Animals and Man 314
Geographical
Belgian Congo
Ouellé District, 315
Middle Shari District, 314
India, 315
Sex, 315
as Sequel to Fever, 314
Gonorrhoea, in
Bismarck Archipelago, 317
China (Chungking), 318
Gout or Arthritis Urica as a Tropical Disease, 331
Purin Metabolism and, 331
Symptoms, 331
Haemin Test for Blood, Improved, as Used at Khartoum, 384–5

**Miscellaneous**—*cont.*
Haemoglobin Index, in reference to Coolie Anaemia; in Assam, 316
Haemorrhages, in Morocco, 390
Heart Disease, India, in Europeans and Natives, 387
Why Less in the Latter, 388
Streptococcal, 394
Hernia, in India, 388
Hornet-Stings: Treatment by Potassium Permanganate, 330
House-Burial, in relation to Disease; Sulka race, 317
Hydrocele, in India in relation to Asiatic Blood ratio, 388
Acute Epidemic, with Orchitis, in Native Porters, with British East Africa Field Forces, 327–8
Etiology, 328
Symptoms, 327–8
Treatment, Surgical, 327–8
Hygienic Measures to Prevent Falling Population, in Kanakas, 317
Hypopyon, *see under* Eye Diseases
Immigrants to U.S.A., Inspection of, to Exclude Tropical Diseases, 385–6
Indian Hemp Consumption, India, 388
Infant Mortality, Native, West Africa; Etiology, 294
Inferior Physique in India, 387
Definition: Causation, 388
Inflammation of External Auditory Meatus: Damp Heat in relation to, 386
Infundin, *see* Pituitary Extract
Inguinal Glands, Extirpation of, followed by Elephantiasis, 322–3
Iridochoroiditis, *and* Iritis, *see under* Eye Diseases, *supra*
Jaundice: Epidemic, in Soldiers, Alexandria; Symptoms, 334
Kanakas of New Pomerania, &c.: Diseases Prevalent among, 317
Keratitis, *see under* Eye Diseases, *supra*
Kidney affections: Persian Gulf in Summer, Prevalence, 387
Nephritis, Acute, 387
Pyelitis, 387
Renal Tuberculosis, 387
Latah: Malaya: Symptoms, 315
Leucoma, *see under* Eye Diseases
Life Insurance, India: Causes of Rejection of Europeans and Natives (chiefly Bengalis), 387–8

**Miscellaneous**—*cont.*
Liver, Acute Infective, 332–4
Diagnostic Difficulty, 322
Nomenclature, 332
Symptoms, 332–4
Treatment, Operative, 334
Liver and Spleen in Tropics, Pathological relation between, 389
Liquid " C," as Fly Destroyer, 400
Ludyl, for Eye Diseases: French West Africa, 319, 320
Lymphangitis, Epizootic, and Sporotrichosis
Incidence, Geographical
Algeria, 326
Jamaica, 326
South Africa, 326
U.S.A., 326
Parasites of, 325–6
Manure: Prevention of Fly-Breeding in, 398, 399
Obesity, in India, 387
Causes, 388
Opium Consumption, India, 388
Orchitis with Hydrocele in Native Porters with British East African Field Force, 327, 328
Etiology, 328
Symptoms, 327, 328
Treatment, Surgical, 328–9
Otitis media (mainly Tuberculous), in China, 318
Pituitrin in Pregnancy and Labour, in Europeans in Tropics, 391–2
Adjuvant Preliminaries to
Hot Sitz Baths, 392
Olive-oil Inunction, 392
Meatless Diet, 392
Chloroform with, 391, 392
Morphia with, 392
Pneumonia: Inoculation for, on the Rand; Results, 323–4
Croupous: Atypical, in the Tropics, 324
Spleen-weight in relation to, 324
Population of New Pomerania, Neu-Lauenberg
Decrease or Increase of, 317
Diseases prevalent, 317–18
Potassium Permanganate, for Stings and Bites of
Hornets, 330
Scorpions, 330
Snakes, 330
Prophylaxis
Immigrant-Inspection to Exclude Tropical Diseases from U.S.A., 383–6
Prevention of Fly-Breeding in
Dead Bodies, 400
Manure, 398, 399

**Miscellaneous**—*cont.*
References to Literature, xxxv–xl, lxxii–vii
Reports of Government Bacteriologist, Jamaica (Mar.-Sept., 1915), 380–2
on Research Work of Wellcome Tropical Research Laboratories, Khartoum (1915), 382–5
St. Louis University Expedition to British Honduras for Study of Tropical Diseases (1916), 385
Rheumatic Fever: Rarity in India, in relation to Native Heart Disease, 388
Rheumatism: Chungking, 318
Scorpion Sting, References to Literature, xxxv
Treatment by Potassium Permanganate; Incision, Ligature, Scarification, 330–1
Sherboro District, Sierra Leone; Visit to, 291
Snake-Bite, References to Literature, xxxv, xxxvi, lxxii
Treatment by Potassium Permanganate, 330
Spleen-Tumours: Chungking, 318
*Sporothrix Schencki-Beurmanni*, and Sporotrichosis of Animals, 326
Sporotrichosis of Domestic Animals,
Parasite of, 325–6
Relation of, to Human, 325, 326–7
Staphyloma, *see under* Eye Diseases
Sulkas, of New Pomerania, 317
Diseases Prevalent among, 318
Total Extirpation of Inguinal Glands followed by Elephantiasis, 322–3
Traumatic Pleural Effusion, Streptococci in, 394
Trenching in relation to Fly-Breeding in Excreta, 399
Tropical Climates as affecting Europeans, 336, 338,388
"Uto Enyen" Disease, Lagos; 293
Vaccination in India, 380
" Zibla," as source of Infection: Nature of, 383, 394
Water-Supplies Bismarck Archipelago, in relation to Diseases, 317

**Myiasis,** References to Literature, xxii
Screw-worm (*Chrysomyia*): Pathological conditions due to, British Honduras, 385

**Onchocerciasis,** *see under* **HELMINTHIASIS**

**Oriental Sore,** *see* TROPICAL SORE, *under* **KALA AZAR**; *see also* Ulcers and Sores, *under* **SKIN DISEASES, TROPICAL**

**Oxyuriasis,** *see under* **HELMINTHIASIS**

**PAPPATACI FEVER,** 162–5
- Affections Resembling, 162, 163
- After-Effects, 162
- Diagnostic Data, 163
- Differential Diagnosis from Yellow Fever, 293
- Epidemic, Familial, at Syracuse, 163
- Etiology, 162–4
- Fever, Resembling, among Troops, Dardanelles, 162
  - Two Features to note, 162
- Incidence
  - Class
    - Troops, 163
  - Geographical
    - Adriatic, 162
    - Dardanelles, 162
    - Italy
      - Campagna, 163
      - Naples, 163
    - Lagos, 293
    - Malta, 162
    - Mediterranean (Eastern), 162
    - Sicily, (Syracuse), 163
- Phlebotomus Flies in relation to Breeding-places, 163, 164
  - Larvae: Breeding times &c., of, 164: (*ill.*) 165
  - Various Forms, and Where Found
    - *P argentipes.*
      - India 164, (*ill.*) 165
      - Southern Europe, 164
    - *P. minutus*
      - Bengal, 164, (*ill.*) 165
      - Southern Europe, 164
    - *P. papatasii*
      - Dardanelles, 162
      - Eastern Mediterranean, 162
      - France (Somme region), 164
      - India, 164, (*ill.*) 165
      - Southern Europe, 164
- Prophylaxis, 163
- References to Literature, xxiii, lxi
- Symptoms of, and of Diseases Resembling, 162–3
  - During Convalescence, 162

**PELLAGRA,** 50–66, 302–12
- Addison's Disease and, 57, 61
- Alcoholism-caused Symptoms Resembling, 307, 308, 311
- Alimentary Canal as Route of Entry of Infection, 55
- in Animals, in Italy and U.S.A., 56
- Ankylostomiasis associated with, 51, 53
- Bacteriology
  - *B. Welchii* in Stools: Diet in relation to, 303
  - *Streptobacillus pellagrae* (T), 50, 57, 58, *& see* 56
- Beriberi and, Points of Resemblance, 50, 311
- Blood-conditions, 312
- Brain-cell Degeneration in, similar to that in Alcoholism, and in Beriberi, 311
- Carbohydrates in relation to, *see* Diet
- Case of, in Non-Meat-Eater, 310
- Case-rates, U.S.A., 302, 304
- Causal agent, 306, 307
- Colloidal Silica in Water in relation to, 50, 56, 310
- Colon as Focus, 54
- Communicability; Arguments against, 51
- Diagnosis
  - Delay in; Risks from, 55
  - Difficulties in connection with Alcoholism and, 307, 308
  - Digestive Symptoms in Aid of, 59
  - Essentials in, 54
  - Early; Desirability of, 55, 59
- Diarrhoea due to High Carbohydrate Diet, 303
- Diet, in relation to (*see also* Etiology *&* Maize, Prophylaxis, *and* Treatment), 52–3, 54, 55, 62
  - Experiments with, on
    - Animals, 51, 63, 64–5
    - Men
      - Convicts, 51–2
      - Pellagrins, 64
- Diseases Associated with
  - Ankylostomiasis, in
    - Egypt, 51
    - U.S.A., 53
  - Resembling
    - Addison's, 57, 61
    - Beriberi, 50, 63
    - Influenza, 54
    - Scurvy, 63
  - With which it may be Grouped, 63
- Drinking-Water in relation to, 50, 56
- Economic Conditions in relation to, U.S.A., 302, 303
- Epidemiology, 302, 304, 305, 308

**Pellagra**—*cont.*
Etiology, Theories on
Acidosis, 50
Alcoholism, 307, 308
Amoebic, 305
Bacteriological, 50, 56, 57, 306
Chemo-Toxic, 311
Colloidal Silica in Water, 50, 56, 310
Dietetic and Nutritional, 50, 54, 55, 56, 59, 61, 62, 63, 64, 306, 312
Facts Militating against, 306
Funk's Vitamine, 59, 65
Maize in relation to, 308, 309
Spoiled, Toxins from, 308
Diet-Deficiency, 302, 303, 304, 305, 306, 307
Not necessarily Associated with Maize, 308
Obscurity as to Exact Nature, 312
Sex-Incidence as Invalidating, 305
Specific, 50–1
Experimental Contribution to, 63
Food-Contamination, 306
Fungoid, 56, 58
Infection, 306
Alimentary Canal as Portal, 55
of Chronic Nature, 312
Contact, not proven, 304, 312
by Insects, 55, 56, 304
Person to Person, 306
by Soil-Pollution, 54, 55, 305–6
Intoxication, 65, 311
*via* Alimentary Canal, 55
Chronic, due to Colloidal Silica in Water, 50, 56, 310
Intra-cellular Parasites, 382
Neurine Poisoning, 54
Organisms from Faeces, 306
Parasitic, with Focus in Colon, 54
Photodynamic, 65
Protozoal, 50
Simulium-spread, 50, 307
Views of Dallas Committee, 304
Experimental, in
Animals, 56
Adrenalin in, 63
Convicts, U.S.A., 51–2
Induced by High Carbohydrate Diet, 303
Factors of Importance in, 54
Faeces: Organisms Isolated from, 303, 306
Feeding Experiments with Proteins: Results, 312
Fleas as Vectors, 57
Route of entry, 55

**Pellagra**—*cont.*
Foci
Colon, 54
Tonsils, 54
Food-supply and Prices in relation to, U.S.A., 302, 303
Fungus of Double Cycle associated with, and with Maize Bole-worm, 56, *see also Streptobacillus pellagrae* (*T*) & page 58
Glandular Lesions in Animals on Exclusive Maize Diet, 63
Histology of Experiments with Exclusive Maize Feeding, &c., 63
History, 312
Incidence
Age, 52, 53–4, 302, 305
in Association with Alcoholism, 307, 308
Class
Lunatics and Institution Inmates, 50, 52, 54, 57, 60, 61, 304, 306, 308, 309, 382
Morphine-takers, 304
Peasantry, and the Poor, 50, 54
Well-off Folk, 304, 308
Workers in Soil, 306
Familial, 53
Geographical
America, U.S., 51, 52, 53, 57, 59, 60
New York (Rare) 311
Georgia, 55, 61, 62, 304, 309
Southern States, 302, 303, 304, 305, 309
Kentucky, 54
Mississippi, 55
Marked Increase, 54
North Carolina, 302
South Carolina, 302
Texas, 55, 56, 61, 62, 304
Increase, 305
Antigua, 307
Barbados, 306
Canada (First case), 310
Egypt, 50, 51
England, 60
Europe, 55
Italy, 56, 57, 58, 62, 64, 66, 304, 309
Epidemic, 308
Jamaica. 57, 306–7
Natal, 60
Oriental Countries, 54
Panama Canal Zone, 55
Roumania (Epidemic), 308
Russia (Bessarabia), 57
Scotland, 60, 310
Switzerland (in Alcoholics), 307, 308
Race, 50, 53, 55, 59, 60, 61, 302, 305
Region (Rural), 306
Sex, 53, 302, 304, 305

**Pellagra**—*cont.*
Infection in, *see also under* Etiology, Theories, *supra*
Route of Entry, 55
Insect Vectors
Alleged and Suspect, 55, 304
Fleas, 57
*Simulium*, 50, 307
Leuconychia of Nails in, 59
Light and, *see* Red, Light, *&* Sun's Rays
Maize, and; Organism in Bole-worms in, similar to one in Human Pelagrins, 56
Spoiled: Toxin from, 308
Maize Diet in relation to, 50, 51, 58, 59, 62, 63, 64, 308, 309
and the Anti-Maize Vitamine, 63
Experiments with, on
Animals, 51, 63, 64–5
Man, 51–2, 64
Old and New, Feeding Experiments with, 62
Maize Extract and, *see under* Prophylaxis, *and* Treatment, *infra*
Maize Inspection, Drying, &c., in Italy, 58
Mild Cases, sometimes Refractory to Dietetics, 304
Milk-deprivation in relation to, 303
Mortality in relation to Age, Race, &c., 302
in Children: Reduction in, 54
in U.S.A., 57
Increase in
Mississippi, 54
North Carolina, 302
Texas, 304
Nails in, Leuconychia of, 59
Nature of, *see* Etiology, Theories, *supra*
Neurine or Muscarine Formation as Cause, 54
Nitrogenous Defect in Maize Diets, 64
Non-Contagious in character, 304, 312
Organism from Blood in, Experiments with, on Animals, 56
Similar Organism found in Bole-worm of Maize, 56
Organisms Isolated from
Blood, 56, 57
Cerebro-spinal Fluid, 57
Faeces, 303, 306
Pigmentation in, (*see also* Symptoms, Cutaneous), 56, 59, 60
Production of, Theory on, 57
Pini's Share in Struggle against; Milan, 66
Post-mortem Conditions, 382
Pre-disposing Causes
Alcoholism, 307
Anaemia, 51
Exanthemata, 53, 301

**Pellagra**—*cont.*
Pre-disposing Causes—*cont.*
Morphinism, 304
Poverty and Economic Depression, 50, 54, 300, 303, 304
Prognosis, 302
Prophylaxis
Diet-test, U.S.A., 309
Dietetic Measures, 53, 58, 63, 303, 309
Distribution of Seed, Food, and Salt, 58
Grants to Pellagrin Mothers, 309
Instructional, &c., 58, 309
Maize Extract, 62
Maize Inspection, &c., 309
Sanitation and Hygiene, 55
Divergent Views, 302, 305
Protein-Deficiency, and, 51, 55
Proteins, Feeding Experiments with, 312
Pseudo-pellagra (Merck's suggestion), 307
Recurrence in relation to Diet, 52
and Immunity, after Initial Attack, 302
Preventable by Diet, 304, 309
Red Light Experiments on Animals, 65
References to Literature, xxiii–v, lxii–iv
Reports on, in Italy, 58
Rice-Diet in relation to, 50, 61
Sanitation in relation to, 55, 302, 305
Silica in Water in relation to, 50, 56, 310
Simulium and; Various Views, 50, 307
Skin lesions in relation to Severity and Progress, 307
Sugar-Elimination from Diet and, 55
Sun's Active Rays and, 57, 61
Experiments on Animals, 65
Symptoms in, 310
Alcoholism-caused, 307, 308
Cutaneous, 52, 57, 59, 60, 61, 62, 64, 307, 311
in relation to Diagnosis, 54, 55
Diarrhoeal, 62, 303, *et alibi*
Drugs, Diet, and Enemata for, 62
Digestive, 59
Gastro-Intestinal, 52, 54, 62, 64
Lymphocytosis, 312
Mental, 59, 60, 62, 311–12
Nervous, 52, 54, 57, 62
Neuritic, 57
Tongue-lesions, 60
in Disease Resembling, 60-1
Three Classes
Endemic, 308
Institutional, 305, 307, 308
Control by Diet, 309
Epidemic (*see also* Epidemiology), 308
Sporadic, 304, 308

**Pellagra**—*cont.*
Tonsils as Starting-Point of Infection, 54
Transmission by
Infection (q.v. *under* Etiology, *supra*), 304, 305, 306, 312
Insect Vectors, 50, 55, 57, 304 307
Person to Person; Arguments Against, 51
Treatment, 304; by
Alkalies, 56
Arsenic, 61
in Toxic Doses, 310
Arsenical Preparations, 61
Autoserotherapy, 62, 310
Bismuth, 62
Catechu, 62
Change in Summer, 61
Dietetic Measures, 50–1, 54, 55, 59, 61, 303, 304, 305, 309, 310
Drugs (failure), 310
Fowler's Solution, 54
Gastro-Intestinal Antiseptics, 57
Isolation, 305
Kerosine Oil Enemata, 62
Kino, 62
Maize Extract, 62
Pepsin, 61
Picric Acid, 55, 310
Protective Ointments, 57
Psychic Suggestion, 59
Rest, 50, 51
in Bed, 55, 61
Sodium Cacodylate, 55, 61, 62
Citrate, 50, 56
Surgical Means, 54, 55
Tannigen, 62
Tonsillectomy, 54
Tri-Sodium Citrite, 62, 310
Vitamines, Anti-Maize and Anti-Scurvy, 63
Water and, *see* Drinking-Water, *and* Colloidal Silica, *supra*

**Phlebotomus Fever,** *see* **PAPPATACI FEVER**

**PLAGUE**, 174–82
**Animal**
Rat, in New Orleans, 174
Infection by, apart from their Fleas, 177
Latent Infection and, 174
"Resolving," in Rats, 174

Squirrel, (Disease like), affecting Man, in Ohio, 181–2

General References
Antigen used in Ascoli's Precipitation Method, 178–81

**Plague**—*cont.*
General References—*cont.*
Bacteriology,
Acid Agglutination Method, 178
Limitations, 178
Capsulation of Pseudo Plague Bacilli, 181
*B. avicida*, from Pneumonic Plague Sputum, 178
*B. danysz*, from Pneumonic Plague Sputum, 178
*B. pestis*, in Bubonic case, 175
in Meningeal case, 177
Others not Differentiable from, by Acid Agglutination, 178
Pneumococcus, Streptococcus, and *B. mucosus capsulatis* associated with, 176
in Rats: Long Inactive Periods of, 174
*B. proteus* from Pneumonic Plague Sputum, 178
*B. pseudo tuberculosis rodentium*, from Pneumonic Plague Sputum, 178
*B. tularense* Infection, attacking Man, in Ohio, 181–2
Pfeiffer's "Kapselbacillus," One Resembling used in Experiments on Pseudo-Plague Bacilli, 181
Pseudo Plague Bacilli Experiments on Polar Staining, Polymorphism, and Involution Forms among, 181
Cement as Prophylactic Agent, 174, 177
Diagnosis, Differential, from Typhus, 146
Diagnostic Methods
Bacteriological Diagnosis, 181
Sero-diagnosis; Ascoli's Precipitation Method, 178–81
Disease like, of Californian Ground Squirrels, affecting Man, in Ohio, 181
Epidemics, *see under* Incidence, Geographical, *infra*
Fleas, Destruction of, to be Simultaneous with that of Rats, 174
Rat, as Vectors, *see under* Transmission, *infra*
When Attacking Man, 174
Incidence, all Forms
Geographical
America, U.S., 385
New Orleans (epidemic), 174, 175
Ohio, 181

**Plague**—*cont.*
GENERAL REFERENCES—*cont.*
Incidence—*cont.*
Geographical—*cont.*
British East Africa, 295 *n*
Dutch East Indies, 175
England (East Anglia), 274
Europe, 274
Greece (Salonika, with high mortality), 137
Philippine Islands (Manila), 175
Portugal (Obidos), 171
Senegal (Dakar, epidemic, 1914–15), 174
Prophylaxis
Cement as Factor in, 174, 177
Port and Marine Protection, 177
Rat Destruction, 174, 177
Rat-exclusion, 174, 177
Rat-proofing, 174
Rats and; Controversy on, 274
Examined for; Jamaica, 380
References to Literature, xxv–vi, lxiv
Ships, and Exclusion of Rats: Importance of, 177
Transmission by
Ants, 177
Contact with Rats: Experiments in, on other Animals, 177
Fleas, Controversy on, 274
Rat-Fleas, 174, 177, 274
Rats, 174, 274
*Xenopsylla cheopis*, infectivity of, 177

HUMAN
Rat-population in relation to spread of, 174
Sputum when Infective in, 176
Symptoms
Associated with *B. tularense* infection, 181–2
Pharyngeal, 176
Tonsillar, 176
Treatment by Yersin's Serum Method, 175
Two Main Types of, 175

**Various Forms**

*B. TULARENSE* Infection, affecting Man, in Ohio, 181–2

BUBONIC
Associated Lesions, 176–7
Incidence in
Dutch East Indies, 175
Philippines (Manila), 175
Locations of Buboes, 175, 176
Pathologic Anatomy, 175–7
Sub-divisions, 175
Symptoms, 175, 176–7

**Plague**—*cont.*
HUMAN—*cont.*
Various Forms—*cont.*
MASKED (*Pestis minor*), and Climatic Bubo, 321

MENINGEAL, 177–8

MIXED INFECTION CASES, 176

PNEUMONIC, 175
Incidence in
Dutch East Indies, 175
Senegal (Dakar), 174
Plague-like Organisms from Sputum in, 178
Recovery, 175

SEPTICAEMIC, Objection to Term, 176

**Polyneuritis gallinarum**, *see* **BERIBERI**, AVIAN

**PROTOZOOLOGY** (excluding most Amoebae and most Trypanosomes), 87-100
GENERAL
**Animals, Birds, Fish, Insects, &c.**
Bats; Plasmodium of; Belgian Congo, 99
Birds
Herpetomoniasis, Induced, in, Experiments on, 87–8
Cattle, &c.
Gold Coast; Piroplasmosis of, 91–2
Mediterranean region: Coast Fever of, 94
*Cricetomys gambianus*, Haemogregarine &c., in, and Larval Ticks on, 98–9
*Culex pipiens* as Host of *Herpetomonas culicis*, 87
Dogs, Piroplasmosis of, Gold Coast, 91
*T. congolense*-Type Parasite Infecting, in Gold Coast, 92
Equines; Gold Coast; Trypanosomiasis of: Trypanosomes found, 92–3
Fish, Neapolitan, Haemogregarines of, 95–6
Foxes, Swift, Coccidiosis in; U.S.A., 97
*Hyalomma aegyptium*, as Vector of Parasite of Coast Fever of Cattle; Tripoli, 94
Insects as Hosts and Vectors, *see Anopheles, Culex, Hyalomma, Lynchia, Stegomyia*, Ticks, *Triatoma, under* various Sections

**Protozoology**—*cont.*
GENERAL—*cont.*
Animals, &c.—*cont.*
Invertebrates, Flagellates of; Infection by (Experimental), of Mammals, 87, 88
*Lynchia maura*
Ecto-parasite of Pigeons, 95
Possible source of Sergent's Herpetomonad, 87
Mammals: Experimental Infection by, with Flagellates of Invertebrates, 87, 88
Mice, Herpetomoniasis of, Natural and Induced, Parallel between, 87–8
Climbing, Trypanosome of, 98
*Nepa cinerea* as Host of *Herpetomonas jaculum*, 87
Pigeons
*Lynchia maura* as Ecto-parasite of, 87
New Haemogregarine of, Goa, 95
Sergent's Herpetomonad of, 87
Rats of the Gold Coast; New Piroplasmid in, 91–2
Rodents, New Flagellates from Caecum of, 91
Sheep in relation to *Sarcocystis tenella*, 95
*Stegomyia fasciata*, Bred from Dried Eggs in London: *Lankesteria culicis* in, 96
Ticks
Larval, on *Cricetomys gambianus*, 99
as Vectors of
Parasite of Coast Fever in Cattle, Tripoli, 94
Piroplasmosis, Gold Coast, 91
Vertebrates, Blood of; Anaplasma-like Bodies in, 99–100
Muscle-Parasites of, Darling's Suggestion as to, 95

**Countries from which Observations are Noted**
Africa, South, 99
America, South, 96
Tropical, 98
United States, 89, 95, 97
Brazil, 91, 97, 98
Turkey-in-Asia
Bagdad district, 96
Congo, Belgian, 98–9
Europe, 98
Gold Coast, 91
India, 96
Portuguese, 95

**Protozoology**—*cont.*
GENERAL—*cont.*
Countries, &c.—*cont.*
Italy, 94, 95
Naples Fisheries, 95
Sardinia, 94
Serbia, 94
Sicily, 94
Sierra Leone, 96
Tripoli, 94
Tunis, 94
Morphology, Comparative, Value of, to Therapeusis, 88
References to Literature, xlii-iv, lxxviii-ix

DISEASES OF PROTOZOAL ORIGIN
Spread of, by
Flies, 357
Infected Food, 357
Privies, 357
Ticks, 94
Anaplasmosis of South African Cattle, 99
Babesiasis, *see* Piroplasmosis, *infra*
Coast Fever in Serbian Cattle in Tripoli, 94
Parasite: Vector: 94
Treatment, 94
Inoculation Experiments, 94
Coccidiosis in Foxes, 97
Dysentery, *Enteromonas hominis*, n.g., n.sp., from Faeces in, 90
Gingivitis; Causal Agent: Action on of
Alkaline Washes, 89
Emetine, 89
Herpetomoniasis
Flagellate Stage in, 87, 88
Induced, in Birds, Experimental Researches on, 87–8
Natural, in the same, and in Mice, parallel between, 87–8
Leishmaniasis, *see also* **KALA AZAR**
in Brazil; Virulence; Treatment, 97
Flagellate Stage in, 88
a Flagellosis, 88
Treatment by Tartar Emetic, 88
Vertebrate Reservoirs (possible) of, 88
Leptomoniasis *see* Herpetomoniasis, *supra*
Malaria, *see also* that Section
in Brazil; Form: Quinine-Resistance of Parasite: Insect Vector, &c., 97

**Protozoology**—*cont.*
DISEASES, &c.—*cont.*
Piroplasmosis
Bibliography of Recent work, 94
Bovine
Gold Coast, 91–2
Morocco (Casablanca), Causal Agent: Treatment by Salicyl-arsenate of Mercury, 93
Canine: Gold Coast, 91
Small-pox Parasite (presumed), Isolation of, 98
Trichomonas "Diarrhoea," 231–2
Trichomoniasis of Vagina and Mouth; Causal Agent, Cultivation of, and Experimental Infection with, 88–90
Treatment by Bicarbonate of Soda, 89–90
Trypanosomiasis *see also under* **SLEEPING SICKNESS**
Animal
Equine, &c., Gold Coast; Trypanosomes associated with, 92–3
Human, with Goitrous symptoms, in Tropical America; Vector: Prophylaxis, 98
Protista, and the Rules of Nomenclature, 93
Cytological Problems in Light of Researches on, 98
PROTOZOA
**General References**
Associated with Dysentery, Amoebic and other, 200
List and Classification, 232, 233
Asexual Multiplication: alleged Consequences, 98
as Cause of Chronic Diarrhoea in French Indo-China, 233
Common Intestinal; Stool-Examination and, 231
in Dysentery and Diarrhoea Cases from the Dardanelles, 230
Endogenous Buds or Cell-Granules, *see* "Infective Granules," *infra*
in Faeces of Bacillary Dysentery Convalescents, 226
Forms Complicating Abolition of Amoebae, 199
"Infective Granules"; Nature and Significance, 99
Muscle Parasites of Vertebrates, considered as Aberrant forms, 96
Parasite (presumed) of Small-pox, Isolation of, 98

**Protozoology**—*cont.*
PROTOZOA—*cont.*
General References—*cont.*
Present in, and possible in, Dysentery from Mediterranean region, 232
in Sand, Egypt, in which Dysenteric Stools were Buried, 195–6
Viability of, 196

Infusoria
Ciliata
*Balantidium coli*, Dysentery due to, 232, 233
Mastigophora
Flagellata
Flagellates of Invertebrates, Experimental Infection by, of Mammals, 87, 88
Flagellates in Sand, Egypt, associated with Amoebic Dysentery, 195, 196
in Sprue, Rôle of, 7
Bodo, Possible Occurrence in Human Faeces, 231
Cercomonas, Possible Occurrence in Human Faeces, 231
*C. hominis* in Dysentery, 232
Dardanelles Dysentery and Diarrhoea, 236
*C. longicauda*, from Human Faeces, 90
*C. parva*, from Human Faeces, 90
*Chilomastix*, *see Tetramitus*, *infra*
*Crithidia*, Experimental Introduction of, into Vertebrates, 99
*Enteromonas hominis*, n.g. et n. sp.; Morphology, 90
*Giardia* genus *Lamblia intestinalis* placed in, by da Fonseca, 90
Herpetomonas, Experimental Introduction of, into Vertebrates, 99
Morphology of, in Insect and Avian Hosts in Acute and in Chronic Infections, 87
in Pigeon's Blood, Algeria, 87
*H. culicis*, Pathogenicity of, to Birds, 87
*H. jaculum*, Pathogenicity of, to Birds, &c., 87
*Hexamastix* genus; Limitations of, 90
Lamblia, complicating Amoebiasis, 202

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Mastigophora—*cont.*
Flagellata—*cont.*
Lamblia, &c.—*cont.*
*L. intestinalis*, Classification, by Fonseca, 90
Bionomics and Morphology, 231, 232
in Dardanelles Dysentery and Diarrhoea Cases, 230
in Dysentery, 232, 233
in Faeces of Bacillary Dysentery Convalescents, 226
Leishmania, *see also under* **KALA AZAR**
Morphological Cycle, 88
Probably Herpetomonads, 88
*L. donovani* found as Flagellate in Dog, 88
*L. tropica* found as Flagellate in Man, 88
*Macrostoma mesnili*, in Dardanelles Dysentery, &c., 230
*Polymastix batrachorum*, the *Hexamastix* of Alexeieff, 90
*Selenomastix* genus, *see Selenomonas do.*
*Selenomonas* n.g., from Caecum of Rodents, 91
Protomonadine Flagellates of Man, 90
Prowazekia: Possible Occurrence in Human Faeces, 231
Tetramitidae, New Flagellate of, 90
*T. mesnili* in Dysentery, 232
*Trichomonas* genus
Complicating Amoebiasis, 202
in Faeces of Convalescents from Bacillary Dysentery, 226
in Oral Endamoebiasis, 207
*Pentatrichomonas* sub-genus of, 90
*T. hominis* in Dysentery, 232
in Dardanelles Dysentery and Diarrhoea, 230
Turpentine Treatment, 230
*T. intestinalis*; Dysentery to; Liver Abscess incidental to: Treatment, 233
*T. vaginalis*, from Vagina and Gums, 88–90

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Mastigophora—*cont.*
Flagellata—*cont.*
*Trichomonas*—*cont.*
*T. vaginalis*, &c.—*cont.*
Cultivation, and Experimental Infection with, 89–90
Morphology of, 89
Trypanosoma, *see under* **SLEEPING SICKNESS**
Sarcodina
Amoeba, *see also under* **AMOEBIASIS**
Amoebae, as Causal Agent in Pellagra, 305
Amoeba-like Bodies in Haemoptysis; Jamaica, 380
Entamoeba, *see under* **Amoebiasis**
Sporozoa
Coccidia
Coccidian Cysts, in Dardanelles Dysentery, &c., 230
*C. bigeminum* Oöcysts, in Swift Foxes, U.S.A., 97
*C. canivelocis* suggested new name for *C. bigeminum* of Foxes, 97
*Eimeria* genus, Oöcysts of, in Human Faeces, 232
*Isospora* genus, Oöcysts of, in Human Faeces, 231, 232
*Coccidium bigeminum*, referred to, 97
Gregarinida
*Lankesteria culicis*, in *Stegomyia fasciata* from West Africa, 96
Haemosporidia
Anaplasma
Morphological characters of, 99–100
Nature of, 100
Structures Resembling, in Vertebrates, 99–100
*Babesia* or *Piroplasma* (*q.v.*), Nomenclature Questions, 93
*B. xanthopyretica*, Problem of Nature of, 93
Halteridium (Haemoproteus)
*H. columbae*, Bionomics of, 98
Haemogregarina
*H. clavata* in *Solea lutea* (fish, &c.), 96
*H. franca* n.sp., of Pigeons Morphology of, 95
*H. hartochi* n.sp., from *Gobius aurantus* (fish), 96

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Sporozoa—*cont.*
Haemosporidia—*cont.*
Haemogregarina—*cont.*
*H. lo Bianci* n.sp., from Torpedo fish, 96
*H. londoni* n.sp., from *Blennius* (fish), 96
*H. marzinowskii* n.sp., from *Gobius jozo*, 96
*H. polyparlita*, in *Gobius paganellus* (fish), 96
*H. wladimirovi* n.sp., from *Gobius cruentatus* (fish), Morphology of, 96
*H. yakimowi-kohl*, from *Gobius capito* (fish); Morphology, Bionomics, &c., 95–6
in *Cricetomys gambianus*, Described, 98–9
Haemoproteus, *see* Halteridium, *supra*
*Nuttallia decumani*, n. sp., in Rats, Gold Coast, 91–2
*Piroplasma* or *Babesia* (*q.v.*): Nomenclature Problems, 93
Forms observed in Moroccan Cattle, 93
*Haematococcus*, Nomenclature; Problems of, 93
*P. annulatum* (=*tropicum*), in Coast Fever of Cattle; Tripoli, 94
*P. bigemina* in Gold Coast Cattle &c., 91
Plasmodium, *see also under* **MALARIA**
of Bat, Belgium Congo, 99
Theileria, Probably present in Bovine Piroplasmosis; Morocco, 93
*T. mutans* in Gold Coast Cattle, &c., 91
*T. parva*, in Coast Fever of Cattle; Tripoli, 94
Toxoplasma
*T. canis*, Experimental Infections with: Schizogony of, 94
Sarcosporidia
Sarcocystis
*S. tenella*: Experiments with: Deductions, 95
Uncertain
Grahamella bodies in Rats; Gold Coast, 92
Others Resembling, in Erythrocytes of *Cricetomys gambianus* 99
Unclassed
*Pneumocystis cuniculi* in Sick Rabbit, 118

**Protozoology**—*cont.*
PROTOZOA—*cont.*
Unclassed—*cont.*
Spirochaetes in
Dysentery, 232
Pyorrhoea alveolaris, 208
*S. eurygyrata*, one Resembling, 232

**Rat-Bite Fever,** 160–1
Causal Agents, 160-1
Etiology, 160
Incidence, Geographical
America, U.S., 160
Great Britain, 161
Japan, 160–1
Pathology, 160–1
Rash, 160, 161
References to Literature, xxxv
Spirochaetes present, 161
*Streptothrix muris ratti*, as Causal Agent, 160
Symptoms, 160–1
Treatment by
Mercury, 161
Salvarsan, 161

**RELAPSING FEVER and SPIROCHAETOSIS,** 120–2
HUMAN AND GENERAL
Ankle and Foot Protection, against Ticks, 122
Blood-Conditions, 120, 121
Bugs as Vectors, 121, 315
Castellani's Bronchospirochaetosis, 121–2
Treatment by Liq. Fowleri and Pil. Glycer. co., 122
Chronic Cases, 120
Complication in Typhus, 140
Complications, *see also infra*, Symptoms and
Diagnosis; Differential, from
Malaria, 120
Typhus, 120, 146
Epidemiology, 120, 121
Incidence
Class
Soldiers, 121
Prisoners, 120
Geographical
Bosnia (Sarajevo Epidemic), 121
China (Chungking), 318
Germany, 120
Lügumkloster Epidemic, 120
Serbia, 121–2, 137
Somaliland, 122
Uganda, 315
Insect Vectors, 121, 122, 315

**Relapsing Fever**—*cont.*
HUMAN AND GENERAL—*cont.*
Latent; Intracellular Stages in, of Spirilla, 203
Mixed Infection with Typhus, 120
Oedema in, ascribed to Beriberi, 120
*Ornithodorus moubata*, dreaded as Vector, 315
*Ornithodorus savignyi*, Bionomics of, 122
Pleural Complications, 120
Prophylaxis against Ticks, 122
Rash, 121
References to Literature, xxvi-vii, lxv
Spirochaetes associated with
in Blood, Rare in Apyretic periods, 120
in Blood-Stained Sputum, 120
in Castellani's Bronchospirochaetosis: Morphology; Coccoid Stage in, 122
Staining Method for, 120
*S. bronchialis*; Researches on: Khartoum, 384
*S. pallida:* Method for Detecting, 122
*S. recurrentis* Infection; Varied Symptoms, 120
Symptoms and Complications, 120, 121
Bronchial, 120, 121–2
Cutaneous, 121
Pleural, 120
Ticks as Vectors, 122
Transmission by
Bugs, 121, 315
Ticks, 122
Vermin, 121
Treatment by
Neosalvarsan, 120, 121
Salvarsan, 121
Tartar Emetic (Antimony Tartrate), 121
Turpentine fatal to Ticks, 122
Urine in, 120
Vermin as Vectors, 121

**REVIEWS OF BOOKS**, 67–74, 340–4
Australian Institute of Tropical Medicine: Collected Papers. Vol. I. (Breinl, Priestley, Johnston (2), Nicoll, Taylor, Young, and Fielding), 344
Beriberi. Its Etiology, Symptoms, and Treatment, with a detailed Clinical Account of Thirty-two Cases occurring in Sierra Leone, (Ward), 70

**Reviews of Books**—*cont.*
Geografia Medica y Patologia de Colombia. Contribucion al Estudio de las Enfermedades Intertropicales (Cuervo), 69–70
Report of First Expedition to South America, 1913 (Harvard School of Tropical Medicine, Strong, Tyzzer, Brues, Sellards, and Gastiaburu) 70–4
Sleeping Sickness: A record of Four Years' War against it in the Island of Principe, da Costa, 'Sant Anna, dos Santos and de Araujo Alvares), 340–4
Trattato Elementare di Patologia Esotica ad uso di Medici e Studenti (Gabbi), 67–9

**Ringworm**, *see* Tinea Capitis, *under* **SKIN DISEASES, TROPICAL**

**Rocky Mountain Spotted Fever**, *see under* **FEVERS UNCLASSED**

**Salek**, *see* TROPICAL SORE, *under* **KALA AZAR**

**Sandfly Fever**, *see also* **PAPPATACI FEVER**
in Troops *en route* to Rangoon: Vaccine Treatment, 163

**Schistosomiasis**, *see under* **HELMINTHIASIS**

**Scorpion-Sting**, *see under* **MISCELLANEOUS**

**Scurvy**, Blood-changes in, in Native Prisoners at Assab, 327
in Armies, 372
Mis-diagnosed as Beriberi, 327
in Eritrea (Assab), 327
Symptoms, 327
Treated by Lemon-juice, 327
Vitamine for: Compared with that for Beriberi, 372

**SKIN DISEASES, TROPICAL,** (*see also* **LEPROSY**; Tropical Sore *under* **KALA AZAR**; *and* Yaws), 123–36
Diseases
Actinomycosis in Peru; Second Case: Cause: Symptoms, 128
Ainhum, at Bamako; Locale: Differentiation from Leprosy, 133
in Brazil: Race-incidence, 135
References to Literature, xxvii
Atrophodermia biotriptica, Sudan: Differential Diagnosis, 384
Baldness or Favic Alopecia; Sudan: Causal Agent, 384
Barley Itch, in Dock Labourers: Acarus-caused, 131
Blastomycosis, *see also* Espundia, *infra*
Bacteriology and Pathology, 124–5
Conditions from which to be Distinguished, 124, 125
Diagnosis, Microscopic, Essential, 124, 125
Incidence, Geographical
America, U.S.
Chicago, 124
New Orleans, 125
Bolivia, 123
Brazil, 123, 136
Peru, 123
Prophylaxis, proposed, 126
References to Literature, xxxvii, xxxviii, lxvi, lxvii
Symposium on, 124–6
Symptoms, 123–4, 125
Treatment by
Cautery, 123
Salvarsan, &c., 124
Buccal, in Brazil, 136
Treatment by Iodide of Potassium, 136
Cutaneous, 124–5
Clinical Features, 126
Incidence
Age, 126
Sex, 126
Treatment by X-rays, 126
Oral, 123–4
Systemic, 124-5
Conditions from which to be Distinguished, 124, 125
Medical Aspects, 125
Mortality, 126
Post-mortem Findings, 125
Prognosis, 126

**Skin Diseases, Tropical**—*cont.*
Diseases—*cont.*
Systemic—*cont.*
Treatment by
Blastomycete Vaccine, 125, 126
Potassium Iodide, 126
Surgery, 126
X-rays, 126
Boils, *see* Furunculosis, *infra*
Buccal Leishmaniasis, a Blastomycosis resembling, 124
Bullous Eruptions, *see* Boils, Pyosis, *&c.*
Busse-Bushke Affection of Mouth, 124
Congenital Cutaneous Markings of Eskimos, 133
Maoris, 133
Mongolians, 133
Peruvian Aborigines, 133
Red Indians, 133
Mendelian aspect of, 133
Copra Itch, Acarus-Caused, 132
Cotton Seed Dermatitis, from Acarus in Cotton Cargoes, 131
Cuchipe or Pian, *see* **YAWS**, 124
Dermatitis due to *Pediculoides ventricosus*: Italy, 131
Due to Insects: British Honduras, 385
Vesicular, due to a Beetle, Belgian Congo; Clinical features: Experiments with Beetles, 132
Epithelioma, to be Differentiated from Systemic Blastomycosis, 125
Erysipelas, in Serbia, 137
Espundia, Inexact use of Term, 86
Favus in Anglo-Egyptian Sudan: Causal Agent, 384
Furunculosis
Nile Boils: Causal Agent, and Epidemic of Pyosis corletti associated with; Sudan, 383
Organisms from, 132–3, 383
Prophylaxis, 133
Treatment by Autogenous Vaccine, 133
Persian Gulf Boils; Damp Heat in relation to, 386
Gangosa in Guam
Etiology and Affinities of, 133–5
Luetin and Noguchi Reactions and Tests, 134
Treatment by
Iodine, 134
Mercury, 134
Salvarsan, 134
Granuloma
Coccidioidal, of Pacific Coast, 124

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Granuloma—*cont.*
Tropicalis, 135–6
Cured by Tartar Emetic, 136
Ulcerosum, in Brazil; Organisms associated with, 131, 135
Treatment by
Tartar Emetic, 131
Trixidine, 135
Venereum
in Bismarck Archipelago, 317
Treatment by
Mercury and Salvarsan, 130
Tartar Emetic, 135
X-Rays; Cure, 130–1
Impetigo, in China, 318
Juxta-Articular Nodules, Subcutaneous in Nyasaland, in relation to Yaws, 134
References to Literature, lxvi
Madura Foot, *see* Mycetoma pedis, *infra*
Miller's Itch, due to *Pediculoides ventricosus* in Italy; Plants harbouring, 131
Mycetoma pedis with
Black Grains, 129
Red Grains, 128–9
References to Literature, xxviii, lxvi
Nile Boils, *see under* Furunculosis, *supra*
Otomycosis, in Cochin China, 127–8
Causation; Fungus; Symptoms, 127, 128
Treatment by
Hydrogen Peroxide, 128
Iodine Vapour, 128
Nascent Iodine, 128
Sodium Iodide, 128
Piedra, in Brazil
Parasite of, 127, 135
Treatment by Salicylic Alcohol Solution, 127
Pinta, in British Honduras, 385
Pyosis corletti, Causal Agent, 383
Incidence
Class, 383
Geographical; Sudan, 383
Race, 383
Organisms of, 123, 383
Reactions of, 133
Pyosis mansoni; Sudan (epidemic), 384
Rashes from Acarus in Cargoes of Barley and Cotton, 131
Rhinopharyngitis mutilans, *see* Gangosa, *supra*
Ringworms, *see* Tinea
Scabies; in China (Chungking), 318
Small-pox, in Serbia, 137
Parasite (presumed), Isolation of, 98

**Skin Diseases, Tropical**—*cont.*
DISEASES—*cont.*
Small-pox—*cont.*
Prophylactic Inoculation, by Nigerian Natives, 332, *Table*, 333
References to Literature, xxxvii
Treatment by
Carbolic Oil [to Skin], 332
Salol, 332
Syphilitic Affections, to be Differentiated from Blastomycoses, 124, 125
Tinea, Various forms
China (Chungking), 318
Capitis tropicalis
Eruption in, 384
in Anglo-Egyptian Sudan, 123, 384
Treatment by Tobacco Soap, 123
Circinata, in Bismarck Archipelago, 317
References to Literature, lxvi
Imbricata, in Bismarck Archipelago, 317
Ulcers and Sores, *see also* TROPICAL SORE, *under* **KALA AZAR**
Bay Sore; British Honduras, Probable cause, 385
Chronic, of Leg: Severe Anaemia with, and Remarkable Erythrocytes in U.S.A., 329–30
Phagedenic, in
Brazil; Causation: Age-Incidence, 129–30
Dutch East Indies
Treatment by
Fowler's Solution of Arsenic, 130
Iodoform, 130
Sublimate Dressings, 130
Salvarsan, 130
as Late Phase of Tropical Sore, 313
References to Literature, xxvii, lxvi
Ulcus tropicum
Incidence
Age, 317
Geographical
Bismarck Archipelago, 317
British Honduras, 385
China (Chungking), 318
Treatment by
Neosalvarsan, 317
Permanganate of Potassium, 130
Salvarsan, 317
Variety of Forms, 385
Urticaria, from Food; Etelenfor, 391
Zymonematosis, of Brazil, Disease Resembled by, 124

**Skin Diseases, Tropical**—*cont.*
PARASITES, FUNGI, &c., Associated with the above DISEASES
Acarus, causing Copra Itch, *see Tyroglyphus longior, infra*
Irritating Skin Troubles, *see Pediculoides ventricosus, infra*
*Achorion schoenleini*, Common Favus of Sudan, 384
*Aspergillus*, in Otomycosis, 127
*Aurococcus mollis*, from Nile Boils, 133
as Cause of Epidemic Pyosis corletti in White Troops ; Sudan, 383
Blastomycetae of, and in
Buccal Blastomycosis, 136
Cutaneous Infections, 123–4
Systemic Infections, 124–5
Characters of Fungus, 124
*Calyommabacterium granulomatis*, as Cause of Granuloma ulcerosum, 131
*Cryptococcus corselli*, Blastomycosis due to, 124
*C. primmeri*, Blastomycosis due to, 124
Donovan's Round Corpuscles, in Granulomas in Brazil, 135, 136
Fungus associated with Actinomycosis, 128
*Leishmania tropica*, probable Cause of Bay Sore, 385
"Micrococcus Pelletieri," 129
*Nocardia madurae*, Red Grains, or Spores of, 129
*Oospora pelletieri*, Red Grains, or Spores of, 129
*Pediculoides ventricosus*, as cause of Barley Itch, Cotton Seed Dermatitis, &c., 131
*Penicillum glaucum* (*P. crustaceum*), with Black Grains in Mycetoma pedis, 129
*P. mycetogenum*, n. sp., in the Black Grains in Mycetoma pedis, 129
Piedra-causing
Form unlike the usual, in Brazil, 135
Monograph on, 127
*Polderus* Beetle, of the *Staphylinidae*, as Cause of Vesical Dermatitis ; Belgian Congo, 132
*Treponema pallidum*, and *T. pertenue*, never found in Gangosa in Guam, 134
*T. pallidula*, in Cuchipe or Pian, 124

**Skin Diseases, Tropical**—*cont.*
PARASITES, &c.—*cont.*
Tricophyton
Forms associated with Ringworm ; Sudan, 384
*T. currii*, Differentiation of, from *T. violaceum*, var. *Khartoumense*, 123
in Sudan Ringworm, 384
*T. discoides*, in Sudan Ringworm, 384
Growing on Equines, but not on Bovines, &c., 384
*T. violaceus* var. *Khartoumense*, in Tinea Capitis : Characters of, 123
in Sudan Ringworm, 384
*Tyroglyphus longior*, as Cause of Copra Itch, 132
Vincent's Bacillus and Associated Spirillum, in Phagedenic Ulcers, 130
References to Literature, xxvii–viii, lxvi–vii

**Syphilis**, *see also* **YAWS**
in relation to Gangosa, in Guam, 134, 135
Incidence
Geographical
Belgian Congo, 329
China (Chingking), 318
India, 387
Sierra Leone, 290
West Africa, 289
Race, 387
in relation to
Infant Mortality, Sierra Leone, 290
Still-births, &c., 290
Meningeal Symptoms in Congo Native, after Neo-Salvarsan Treatment, 329
Treatment by
Grey Oil and Potassium Iodide, 329
Sodium Salts of K3, 105

**SLEEPING SICKNESS**, 101–19, 275–84
GENERAL
Animals, Domestic, in Nyasaland as Reservoirs of Infection, 101–2
Experimented on, and Naturally Infected, *see* TRYPANOSOMIASIS, ANIMAL, *and* EXPERIMENTAL, *infra*
Armadilloes as Hosts of *T. cruzi* ; How Infected, 116
Auto-agglutination of, Erythrocytes as Sign of presence of Trypanosomes, 117

**Sleeping Sickness**—*cont.*
GENERAL—*cont.*
Atoxyl as used in, *see under* Prophylaxis, *and* Treatment of Trypanosomiasis, Human, *infra*
*Bombyliid* Fly, Parasite of *G. morsitans*, 111
Chalcidoidea bred from
*G. morsitans* (*ill.*) in
Nyasaland, 284
Northern Rhodesia, 284
*Chalcid* Parasites of *Mutilla glossinae* as hyperparasites, 111
Dogs, Nyasaland, Trypanosomes Harboured by, 101
Frogs, Trypanosome of, 118–19
Goats, Nyasaland, Trypanosomes Harboured by, 101
Insect Vectors, *see* Bugs, Glossina, Triatoma
Lanfranchii Virus: Origin: Experiments with, on Trypanosomes, 280–1
Leeches as Vectors of Frog-Trypanosome, 118
*Mutilla glossinae*
Enemy of *G. morsitans*, 111
Hyperparasite of, 111 *& n*
Rat, Black, Trypanosome of: Affinities of, 117–18
Refs. to Literature, xxviii–xxx, xxxvi, lxvii–viii
Report (16th) of Sleeping Sickness Commission of the Royal Society, on its Work in Nyasaland, 101–3
*Syntomosphyrum glossinae*, in relation to *G. morsitans*, 111 *n*
Tsetse-flies, *see* GLOSSINA, *infra*
Vincuchas as Hosts of *T. cruzi*, 114
War, The, Influence on Commercial Movements in Africa, in regard to Spread of Disease, 277
Water Courses and Swamps as Haunts of Glossina, 112, 113
Wild Animals and Game, in relation to, 101

GLOSSINA
Breeding Places, Nyasaland, 111–12
Distribution in
Congo, Belgian, 112–13, 275, 276
French Equatorial Africa, 277, 278
Ivory Coast, 278–9
Nyasaland, 101, 103, 110–12
Uganda, 113

**Sleeping Sickness**—*cont.*
GLOSSINA—*cont.*
Distribution in—*cont.*
Flight Experiments, 112
Habitat
Palm Groves, 278
Woody Areas, 275
Habits Observed, 112
Investigations as to, Nyasaland, 110–12
Larvae; Protective Secretion on, 111
Sex-proportions among, 110
*G. brevipalpis*, Dense Breeding of, 112
Distribution in Belgian Congo, 113
Low Flight, Time of Appearance and Habitat, 113
Sex-proportion: Belgian Congo, 113
*G. fusca* group, Belgian Congo, 275, 276
*G. morsitans*, Breeding-places, 112
Common everywhere, 278
Distribution in
Belgian Congo, 112–13, 275, 276
Middle Shari, 278
Dragon-fly preying on, 110
Experiments with, and *T. gambiense*, 102–3
Feeding described, 101
Haunts of, 112
Parasites of, 111, 284
Traps for, suggested, 282, *diag.*, 283
*G. palpalis*, Distribution in
Belgian Congo, 112–13, 275, *et sqq.*
French Equatorial Africa, 277
Moula River, 278
Ivory Coast, Lower, 278
Bingerville, 278, 279
Habitat, 112, 113
Trypanosomes in, Ivory Coast, 279
*G. tachinoides*, 278

TRYPANOSOMES
Action on of Injectio Antimonii oxidi, 106
African; Three Groups: Nine Species in each, 102
of Black Rat, at Accra: Affinities of, 117–18
in Blood: Irido-Cyclitis due to, 279
Devoid of free Flagellum, in Epizootic of Horses, Morocco, 116
in Equine Trypanosomiasis, Morocco: Two types of, 116
Immunisation Experiments with, on Animals, 107–8

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
of Mazagan, Found in Horse: Dimorphism in, 282
*Schizotrypanum cruzi, see Trypanosoma cruzi, infra*
Susceptibility of, to Normal Human Serum, 280–1
Virulence - Diminution in those Long kept up in Same Species of Animal: Experiments concerning, 281–2
*T. berberum* of Debab, in Algeria, 117
Slow Incubation in Dog, 117
Mazagan Horse, Trypanosome Differentiated from, 282
*T. brucei*; Inoculation Experiments with, 109–10
Life-Cycle of, in Rat, and in Rat Plasma, 109–10
New, Endemic, form of Disease due to, Nyasaland, 102 *& n*
Question of Identity of, and *T. rhodesiense*, 102
Rhodesian form of Disease due to, 102 *n*
Zululand Strain: Action on, of Human Serum, 102
*T. brucei* vel *rhodesiense*, in Dogs, Nyasaland, 101
Serum Experiments on Two Strains of, 102
28 Strains of, in Nyasaland, 101, 102
*T. caprae*, 102
in Goats, Nyasaland, 101
*T. cazalboui*, in Animals passing through French Equatorial Africa, 278
in Cow, Ivory Coast, 279
in *G. palpalis*, Ivory Coast 279
*T. cephalophi*, Description of, 103
*T. congolense*; Diminution of Virus when Long kept up in one Species of Animal; Experiments, 281
in Equines, and Domestic Animals, Gold Coast, 92–3
One resembling in Dog, 92
One Resembling, 278
*T. congolense* var. *equinum*, n.v. Gold Coast; Morphology: Infection by: Symptoms and Treatment: 93
*T. cruzi* (*Schizotrypanum cruzi*), Animal Hosts of, 114, 116
Crithidia found with, in Triatoma, 113, 114

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
*T. cruzi*, &c.—*cont.*
Diminution of Virulence; Experiments, 282
Disease due to in Man, *see* CHAGAS' DISEASE, *under* TRYPANOSOMIASIS, HUMAN, AMERICAN, *infra*
Forms resembling, in Triatoma; Argentina, 113–14
in Triatoma, Argentina, 114
Triatoma as Vector
*T. geniculata* (to Armadilloes), 116
*T. megista* (Larvae: Cannibalism of, 116
*T. dendromysi*, n. sp., in Climbing Mice: Described, 98
*T. dimorphon*, Experiments with, on Dogs, &c., 270
in Domestic Animals, 278
in *G. palpalis*, Ivory Coast, 279
in Sheep, Ivory Coast, 279
*T. dimorphon* group; One belonging to, in French Equatorial Africa; Morphology and Experiments with, 278
*T. eburneense*, Trypanosomes Resembling, in Black Rat, 118
*T. elegans*; Synonyms, 118
*T. equi*, One Resembling, in Mules, Gold Coast. 93
*T. equiperdum*; Inoculation Experiment with, 106
*T. gambiense*, as Cause of one Rhodesian form of the Disease, 102 *n*
Diminution of Virus when Long Kept up in one Species of Animal: Experiments, 281–2
Inoculation Experiments with, 102–3
on Unusual Animals, 108–9
from Lake Tanganyika, Three Strains of, 101
Susceptibility to Normal Human Serum, Duration of, 280, 281
Trypanosomes resembling; Experiments with, in French Central Africa, 277
*T. hendersoni*; Synonyms, 118
*T. inopinatum*, in Frogs: Leech-transmitted; Crithidial and other Forms: Ontogenetic Relations, 118–19
*T. lewisi*, Trypanosomes Resembling, in Black Rat, 117–18

**Sleeping Sickness**—*cont.*
TRYPANOSOMES—*cont.*
*T. longocaudense*, Trypanosomes Resembling, in Black Rat, 118
*T. marocanum*, Slow Incubation in Dog, 117
*T. nanum*, One resembling, 278
*T. nigeriense*, 277
*T. pecaudi*, in
Domestic Animals; French Equatorial Africa, 278
Equines, and other Domestic Animals, &c., Gold Coast, and One Resembling, 92, 93
Horse; Ivory Coast, 279
*T. pecorum*
in Nyasaland, 102
in Dogs, 101
in Goats, 101
One resembling, 278
*T. petrodromi*, Description of, 103
*T. rhodesiense*, 277
Susceptibility to Normal Human Serum, 280, 281
*T. simiae*; Nyasaland, 102
*T. soudanense*, Identity with that of Algerian Debab, 117
*T. undulans*: Synonyms, 118
in relation to *T. inopinatum*, 118–19
*T. vivax*, in Equines, and other Domestic Animals; Gold Coast, 92, 93

TRYPANOSOMIASIS
ANIMAL, in
Cattle
French Equatorial Africa, 278
Gold Coast, 92–3
Ivory Coast, 279
Equines
French Equatorial Africa, 278
Gold Coast, 92–3
Ivory Coast, 279
Sheep and Goats
French Equatorial Africa, 278
Ivory Coast, 279
Incidence, all forms
French Equatorial Africa, 278
Gold Coast, 92–3
Ivory Coast, 279
Splenomegaly in Rats with, 108
Vaccine from Spleen, for Immunisation, 108
Trypanosome of Mazagan, in Horse; Pathogenicity and Dimorphism, 282

DEBAB
in Algeria, 117
Trypanosome of, 117, 282

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
ANIMAL—*cont.*
DOURINE,
Disease Resembling, in Mules, Gold Coast, 93

EQUINE
in Gold Coast, 92–3
in Morocco, 116, 117

NAGANA
Dried Vaccine of; Immunisation Experiments, 107

SURRA
Mbori, a Variety of; Trypanosomes (possible), of, 116

EXPERIMENTAL
Action in, of
Arsenobenzol, 106
Copper, 106
Enesol, 106
Iodine, 106
Mercury, &c., 106
Neosalvarsan, 106
Salvarsan, 106
Sodium Cacodylate, 106
Attenuation of Virus in Strains Long Maintained in Same Species, 281–2
Immunisation Experiments, 107–8
with Nagana Strains, 107, 109
Inoculation Experiments, with
*T. brucei*, 109–10
*T equiperdum*, 106
*T. gambiense*, 102–3
on Lemur, and other Unusual Subjects, 108–9

HUMAN (AFRICAN)
in relation to Abortion, 103, 104
Action of Normal Human Serum, on Trypanosomes, 280–1
Altered Character in regard to Onset Cases, and those occurring Later, 282
Atoxyl as affecting Infant Mortality, 103–4
Carriers, *see under* Transmission, *infra*
Immunity; Possible manner of Attainment, 282
Incidence
Class
Fishermen, 276
Porters, 275
Soldiers, 275, 276
Geographical
Anglo-Egyptian Sudan (Lado Enclave), 277

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
HUMAN (African)—*cont.*
Incidence—*cont.*
Geographical—*cont.*
Congo
Belgian 103–4, 105, 275–7
Epidemic Foci, 275, 276, 277
Kisantu region, 103–4
French, 104
Epidemic, 275
French Equatorial Africa, 279
Middle Shari region, 277–8
Ivory Coast
Lower, 278
Upper, 278
Nigeria, 279
Nyasaland, 101–3
Rhodesia, 106
Sierra Leone (rare), 159
Soudan, 278
Switzerland (acquired in Nigeria), 279
Uganda, 275
West Africa, 289
in relation to Infantile Mortality, &c., 103–4
Nyasaland Form: Clinical Aspects, 102
Pregnancy &c., as affected by, 104
Prophylaxis, 276–7
Failures: Belgian Congo: Causes, 277
Measures
Atoxyl-Injections, 278
Blood-Sterilization by Salvarsan, &c., 279–80
Duration of Effect of a Single Injection, 279–80
Clearings, 276, 279
Removal of Villages, 276
Sanitary Passports, 279
Segregation Camps (Plan Condemned), 279
Tours to Carry out, 279, 280
Spread of, *see also* Transmission, *infra*
Causes, Administrative, Familial or Commercial, 275, 276
Symptoms, 278
Irido-cyclitis, 279
Relapses, 280
Transmission by
Human Carriers, 275, 276, 277
Insects, *see* Glossina, *supra*
Treatment by
Antiluetin with Atoxyl, 106
Antimonials, 88
Antimony and Atoxyl, 104, 105

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
HUMAN (African)—*cont.*
Treatment by—*cont.*
Antimony Tartrate, 106
Arsenicals, 88
Atoxyl, 103–4
and Antiluetin, 106
with Antimony, 104, 105
$K_3$, 105
Duration of Effect of One Dose, 279, 280
Sodium Salt of, 105
Martindale's Injectio Antimonii oxidi, 106
Neosalvarsan, 105
Duration of Effect of One Dose, 279, 280
Peripatetic Visits, 278, 280
Salvarsan, 104, 105
Duration of Effect of One Dose, 279, 280
Salvarsan-Copper, *see* $K_3$, *supra*
Schamberg-Kolmer-Raiziss's Arsenobenzol Preparations, 106
Sodium Salt of $K_3$, 105
Duration of Effect of One Dose, 279, 280
Tartar Emetic, *see* Antimony Tartrate, *supra*
True Nature of,—a Flagellosis, 88
Unknown to and Un-Named by, Natives of the Ivory Coast, 278

**Various Forms**
NYASALAND, *T. brucei* vel *rhodesiense* as Cause of, 102 *& n*
RHODESIAN, *T. brucei* as Cause of, 102*n*

HUMAN (AMERICAN), *T. cruzi* Infection, or Chagas' Disease
Animal Hosts of *T. cruzi*, 114, 116
Bugs as Vectors of *T. cruzi*, 113–14, 116
Diagnostic Methods, 115
Epidemiology, 116,
Feeding Experiments with Infected Bugs, 114
in relation to Goitre and Cretinism, 98, 115–6
Incidence: Geographical, Actual and Possible
Argentina, 113–16
Brazil, 98, 116
Insect Vectors
Bugs, 113–14, 115–16
Triatoma, 98, 114, 116

**Sleeping Sickness**—*cont.*
TRYPANOSOMIASIS—*cont.*
HUMAN (American)—*cont.*
Pneumocystis forms, in Lungs of Patients, 115
Prophylaxis (successful), 98
References to Literature, xxx
Symptoms, 115–16
Transmission by Insects, 98, 113–14, 115–16
Triatoma as Vectors
*T. cruzi*, 114, 116
*T geniculata* (to Armadilloes), 116
*T. megista* (to Man) 116

**Snake-Bite**, *see under* **MISCELLANEOUS**

**Spirillosis**, *see* **RELAPSING FEVER**

**SPRUE**, 4–7
Amoebae associated with, 7
Bacteria in, 7
Blood conditions in, 5, 7
Bread, Inferior, in relation to Frequency of, 5
Clinical Features, 5, 6
Diagnosis : Cardinal Symptoms needed for, 5
Diarrhoea in, and Associated with, 4, 5, 6, 7
Distribution, and Diet, in relation to, 5
Emetine in (*see also under* Treatment, *infra*), Action of, in relation to Oedema, 7
Endemic Foci, 7
Epidemiology Studied at San Juan, Porto Rico, 5
Familial Epidemics, 5
Flagellates associated with, 7
Fungi in, *see* Monilia, *infra*
Helminths in, 7
Incidence
Class, 7
Geographical
America U.S.
California (in Immigrants), 386
British Honduras, 385
Ceylon (Colombo), 7
Egypt, 7
French Cochin-China (Saigon), 6
India
Bombay, 7
Calcutta, 7
Italy
Calabria, 6, 7
Sicily, 6, 7, 170
Porto Rico, 4, 5
Syria, 6
Race, 386

**Sprue**—*cont.*
Monilia and ; Pathogenicity of those from the Tongue, to Rabbits &c., 4–5
*M. albicans*, Causative Agent of Thrush, 5
Not Found at Porto Rico, 5
*Monilia* Believed to be Etiological factor in ; Reactions of, and Pathogenicity to, Animals, 4–5
*Monilia* Believed to be n. sp., Found in 4, 5
Cultural Experiments with, 4–5
References to Literature, xxx, lxviii
Sugar Reactions of Monilia, 4
Symptoms, 5–7
Diarrhoeal, 4, 5, 6, 7
Gouty, 6
Renal Insufficiency, 7
Tongue in, *Monilia* from, believed n. sp., 4
Lesions of, Resembling Thrush, 5
Transmission by
Merchandise, Sea-borne, 7
Person to Person, 5, 7
Treatment by
Betanapthol, 7
Calomel, 7
Diet
Fresh Vegetables, 7
Milk, 6
Salt-free, 7
Emetine, 7
Ipecacuanha, 7
Lactic Ferments, 7
Light Baths, Abdominal, 7
Organotherapy, 7
Thymol, 7
Variant Forms, postulated, 5

**Strongyloidosis**, *see under* **HELMINTHIASIS**

**Three-Day Fever**, *see* **PAPPATACI FEVER**

**Trichinelliasis**, *see under* **HELMINTHIASIS**

**Tricocephaliasis**, *see under* **HELMINTHIASIS**

**Tropical Fevers**, *see* **FEVERS, UNCLASSED**

**Tropical Sore**, *see under* **KALA AZAR**

**Trypanosomiasis**, *see under* **SLEEPING SICKNESS**

**Tuberculosis in Native Races**
*Bacillus tuberculosis*, never found in Gangosa, in Guam, 134
in Jamaica, 380
Blastomycosis, Systemic, Mistaken for, 124, 125
Diagnosis, Early, Importance of, 59
Diarrhoea of, Etelen for, 391
Haemorrhages in Morocco, 390
Incidence
Class, 380
Lepers: Fatality of: Colombia, 184
Geographical
Bismarck Archipelago (rare), 317
China, 318
Colombia, 184
Honduras (rare), 355
India, 387
Jamaica, 380
Morocco, 390
Persian Gulf, 387
Race, 387
Otitis Media associated with, 318
References to Literature, xxx, lxviii
Symptoms: Diarrhoeal, 391
Treatment by Etelen, 391
Various Forms
Articular; China, 318
Cutaneous; China, 318
Glandular; China 318
Pulmonary, How Spread, 314
in Belgian Congo, in Towns, 314
in Jamaica, 380
Renal; Persian Gulf, 387

**TYPHOID and PARATYPHOID IN THE TROPICS**, 32–49
Bacteriology
Agglutination Test; Diagnosis by: Care needed, 48
Value of, in Vaccinated Persons, 47
Agglutinating Power of Serum after Inoculation with Tetravalent Vaccine, (Castellani's), 46–7
Bacilli
from Excreta of Carriers, Observations on, and on Recovery from Soil, &c., 33
Found in Suspected Cases, 39–40
Viability of, in and on, Various Substances, 33
*B. enteritidis*, Gaertner, in Dardanelles Dysentery, 229
*B. typhosus*, Agglutinated by Widal Test, 380
and *B. paratyphosus* A., from Jamaican Cases, 380
in Blood: Demonstration of, as affected by Inoculation, 44–5

**Typhoid**—*cont.*
Bacteriology—*cont.*
Bacilli—*cont.*
*B. typhosus*—*cont.*
in Cases at Batavia, 36
in Cases with no Evidence of Enteric, 37
Group Reaction for, Observations on, 33
in Horse Pond, 221
New Method of Demonstrating in Water, 48
Short Life of, in Experimental Flies, 34
from Suspected Cases, 39
Bedside Modification of Widal (Bass-Watkin) Method, 49
Blood, Antibodies in, in relation to Immunity, 260
Diagnostic Methods: Lead Acetate, for Differentiation of Bacilli, 49
New Differential Nutrient Medium of Schmitz, 49
Widal Reaction or Test in
Bedside Modification of, with Serum, 49
Unreliable in Inoculated Persons, 47
Work on, in Jamaica, 380
Carriers, *see also under* Transmission, *infra*
Convalescents as Possible, 32–3
Examination of; Methods, 32–3
Importance of, 32–3, 35
Intermittence in, 32, 40
Case-Rate Decline: Indian Army, 32, 33–4
Clinical and Serological Reactions in Various Types of Anti-Typhoid, and Paratyphoid Vaccines, 47–8
Complications met, during, 43
Convalescents as Possible Carriers; Observations on, 32–3
Diagnosis
Bacteriological by
Agglutination alone, Care needed to Establish, 48
Gruber-Widal Reaction: Limits of Practical Utility, 48
Lead Acetate, 49
Modified Widal Test, 49
Serum Examination, Repeated, 33
Dust as Disseminating, 36
Epidemiology (*see also* Incidence, *infra*), 34, 36, 37
Theories on, Historical Account of, 35
Etiology, 35
Flies as Vectors, 32, 34, 36
Immunisation Experiments on Rabbits, 45

**Typhoid**—*cont.*
Immunity, in relation to Antibodies in Blood, 260
Skin-Reaction Test for, 45
Incidence
Class
Inoculated Civilians, California, 46
Prisoners of War; German; Toulouse, 43
Sailors, British, 308
Italian Naval, 47
Troops; India, 32–4
Geographical
America, U.S. (California), 46
Brazil (San Paulo), 37
China (Chungking), 318
Dutch East Indies, 34, 35, 36
Billiton, 35
Java, 35
Sumatra (Deli), 34
France (Toulouse), 43
French Indo-China (Annam, Northern), 36
India, 32, 33, 34
Italy (Navy), 47
Jamaica (Kingston), 36–7, 380
Serbia, 137
Sierra Leone, 290
West Africa, 289, 290
Race, 35, 36, 290
Season, 36
Inoculated Persons, Agglutination Tests and, 47
Inoculation, *see also under* Prophylaxis, *and* Treatment; *see also* Vaccines, *infra*
Immunity conferred by, due to Antibodies in Blood, Experiments on, 260
Mild or Unrecognised Cases, Rare in Deli, 34-5
Mixed Infection with Bacillary Dysentery, 221, 224, 226, 229, 234
Mortality, Fall in, Indian Army, 33-4
in relation to Inoculation, 35, 46
Prophylaxis
Improved Trenching for Night-soil, 34
Inoculation (Vaccination) 32, 34, 35
Agglutinating Power After, of Serum, 46–7
Effect on Demonstration of *B. typhosus* in Blood, 44–5
Malarial Relapse after, 271
Spleen-Enlargement after, 44
Retention of Gastric Acidity; in regard to Drinking, 250
References to Literature, xxx–i, lxviii–ix
Relapses in: Action on, of Besredka's Vaccine, 43
After Inoculation, 271
Sera Tests, 32, 33
Sero-diagnosis, 33
Skin-Reaction devised by Gay for Test of Immunity, 45
Spleen-Enlargement after Inoculation, 44
Symptoms
Cerebral, 45
Dermal, 45
Following Use of Vaccines, 41, 42, 44, 271
Temperature as affecting Viability of Bacilli, 33
Transmission by
Carriers (*q.v.*), 32–3, 35, 36
Unrecognised, 380
Contamination of Water-Supplies, 36
Dust, 36
Faulty Conservancy, 380
Insect Vectors, 32, 34, 36
Treatment by
Etelen, 388
Inoculation or Vaccination, 35, 36, 37, 41–3, 43–4, 45
Intravenous Methods, 41, 42, 43–4
Neosalvarsan, 43–4
Oral Method, 43
Vaccines employed
Besredka's, 41, 42, 43, 45
Chantemesse's, 35
Gay's, 45
Ordinary Vaccine, 41
Russel's, 37
Vincent's, 41, 42–3
Urine, Bacilli from, Viability of, in, and on, Various Substances, 33
Vaccines, *see also under* Prophylaxis, *and* Treatment
Clinical and Serological Reactions in Various Types of, 47–8
for Dutch Indies, Suggestion on, 36
Various; Efficiency of, American Inquiry on, 46

**Paratyphoid**
Bacteriology
Widal Reaction in, 33
Variations in, 39–40
*B. paratyphosus* A., Common in India in Troops: Difference between infection by, and that of *B. paratyphosus* B., 38–9
Group Reaction for, 33
Rash associated with, 38
and Vaccine for Dutch Indies, 36
and B. as affected by Lead Acetate, 49

**Typhoid**—*cont.*
Paratyphoid—*cont.*
Bacteriology—*cont.*
*B. paratyphosus*—*cont.*
and B., &c.—*cont.*
in Dardanelles Dysentery, 229
in Jamaican Cases, 380
from Suspected Cases of Enteric, 39
*B. paratyphosus* B., in Bacillary Dysentery Cases, 214
Cholecystitis associated with, 40
Common in Europe, 38
Symptoms associated with, 38, 39
Found in Association with other Bacilli, 44
Intra-uterine, Infection with, 40
Large Intestine, as affected by, 40
in Shipboard Cases, 37
Carrier-condition, persisting, after *B. para.* B. Infection, 40
Carriers, Dogs as, 37
on Ships, 37
Cholecystitis, during and after, 40
Clinical Aspects, and Diagnosis, 38–9
Clinical Notes, 39–40
Convalescents from, Examination of, Urged, 33
Diagnosis, Serological, 39–40
Diseases Resembled by Mild Cases, 38
Dog as Carrier, 37
Dysentery Epidemic Resembling (Argonne), 226
Incidence
Class, 38
Geographical
Europe, Western, 38
India, 32, 33–4, 38
Java, 35–6
Shipboard ("Posen"), 37
Intestinal Involvement in *B. para.* B. Infection, 40
Maternal (pre-natal Infection of Child, 40–1
Pulse in, 38–9
Relapses in, 39
Associated with *B. paratyphosus* A. Infection, 40
Transmission, Actual and Possible, by Carriers, 40
Intra-uterine, 40–1
Symptoms, 38–9, 40
Haemorrhages, 39
Rash, 38, 39
Relapses, 39, 40
Sweating, Profuse, 40
Ulcerative Colitis, 40
Treatment by Bolus Alba, 37

**Typhoid**—*cont.*
Paratyphoid—*cont.*
Typhoid Inoculation not Protective against, 32
Vaccines; Reactions in Various Types of, 47–8

**TYPHUS FEVER,** 137–55
Abortion usually Induced by, 155
Altitude and Temperature in relation to, 144
Analogy with Weil's Disease, 141
Arterial changes in, 152
Atypical cases, 141, 146
Bacteriology of, *see also* Bacteriology of Pediculi *under* Pediculi, *infra*
*Bacillus typhi exanthematici*, as Causal Agent of Endemic and Epidemic Forms, 143
Diplobacillus associated with, 139
Diplococcus found in Patients' Blood, 139, 140
Results of Examinations at Kragujevatz, and elsewhere, 150–1, 152, 153
Blood-Conditions in, 139–40, 141, 152, 155
Blood-Cultures: Results, 140
Blood-Examination: Results, 150–3
"Brill's Disease" the American Endemic form of, 142–3
Convalescents as Carriers, 144
Possible Origin, 144
Bugs as Vectors, 142
Cardiac Conditions in, and after, 138
Cerebrospinal Fluid in, 140
Cultures of: Results, 140
Climatic Limits, 144
Complications, 137, 138, 140
Convalescence; Cardiac Weakness, during, 138
Diagnosis, Differential from
Influenza, 146
Measles, 146
Meningitis, 146
Miliary Tuberculosis, &c., 146
Plague, 146
Relapsing Fever, 120, 146
Diagnostic Signs
Early, 137
Lingual, 147
Polynuclear Leucocytosis (in Doubtful Cases), 155
as Dirt-Disease, 137, 142, 143, 146
Disinfectants Employed
Formaldehyde Vapour, 138
Naphthalene, 138, 142
Paraffin Preparations, 138, 139
Petrol, 139
Sulphur Dioxide, 138, 142
Ung. Hydrarg, 138

**Typhus Fever**—*cont.*
Duration Variations, 139, 140, 147
Endemic: Main Features, 143
Epidemic: Main Features, 143
Etiology, 137, 151–2
Petruschky's Theory, 153
Eau de Cologne as Anti-pediculus measure, 150
Experimental, in Rabbits, 154–5
Flies as Vectors: Destruction of, 142
Fleas as Vectors, 142
Heat for Destroying Lice on Clothes, 139, 142, 400
"High Tension"-type; Pulse and Temperature in, 145
Imported Cases, in U.S.A., 143–4
Incidence
Class
Prisoners of War, 138, 139, 141, 145
Seaman, 146
Geographical
Africa, 143
Asia, 143
America, U.S., 142–3, 144
New York City (Endemic), 142–3
Austria-Hungary (Pozsony), 140
Balkans (during War), 150
China (Chungking), 146
Egypt (Alexandria), 149–50
England, 144
Europe, 143, 144
Germany, 141
Mexico, 143, 144
Morocco (Tangier), 147
Serbia (Endemic), 137
Epidemic, (1915), 137–8, 139–40, 148, 150
Race, 138, 139, 140, 141
War as affecting, 137–141
Incubation periods, 140, 141
Infective Period after Convalescence, 145
Influenza preceding, 141
Insect Vectors, *see* Bugs, Fleas, Lice, Mosquitoes
Lice in relation to, *see* Pediculi, *infra & passim*, *also under* Transmission; *and see* Anti-Pediculi measures, *under* Prophylaxis, *infra*
Misdiagnosed as Influenza, 141
Mixed Infection with Relapsing Fever, 120
Mortality, Age as affecting, 138
Atmospheric Temperature as affecting, 140
Effect on of Fresh Air Treatment, 139
in Endemic and Epidemic Forms, Contrasted, 143
England, Mexico and U.S.A., compared, 144

**Typhus Fever**—*cont.*
Mortality, &c.—*cont.*
Serbian Epidemic, 139
Age-Incidence, 138
Seasonal Incidence, 140
Mosquitoes as Vectors, 142
Multiple Infections concurrent with, 120, 140
Pediculi in relation to
Bacteriology of
Bacilli seen in, 139
Microscopical Findings, 139
Measures against, *see under* Prophylaxis *infra*
as Vectors, 138 *et sqq.*, *passim*
*P. vestimenti*, Temperature for Destroying, 400
*Plasmodium vivax* in Blood in, 140
Post-mortem Findings, 146, 148–9
Prognosis, in regard to Alcoholics, 147
Prophylaxis
Anti-Pediculus Measures, 138, 140, 141
Clothing, Louse-proof, essential, 138, 140, 142, 149
Disinfection of, 138, 139, 140, 142, *et alibi*
Disinfection, General, 141, of Clothing, 138, 139, 140, 142, *et alibi*
Person, 138, 139
Railway Carriages, 138
Hair cutting &c., 138
Hot Baths, 150
Nit-destruction, Importance of, 150
Strong Odours, 150
Fresh Air and Free Ventilation, 145
Inoculation (Suggested) with
Brill's Disease, 144
Vaccine from Typhus Fever Germ, 144
Isolation or Quarantine of
Contacts, 140
Convalescents, 141
Patients, 140, 141
Travellers, 143
Removal of Persons from an Infected Site, 146
Rash, 137
Course of, 146
Intensity of, as Prognostic Sign, 138
Peculiar, in Unusual Type of Case, 146
References to Literature, xxxi–iv, lxix–lxx
Sanitation in relation to, 137, 142, 143, 146
Serum Reactions in, 153–4
Soaping Body to Remove Lice, 142
Sticky Substances to Keep out Lice, 142, 149

**Typhus Fever**—*cont.*
Symptoms During and After, 146
of Alcoholic Subjects, 147
Cardiac, 138, 139
Cerebro-Spinal, 138, 139
Dermal (Rash), 137, 138, 146
Headache, 137, 143
in High Tension Form, 145
Lingual, 147
Ocular, 137
Toxin in
Predilection of, 148
Time when Possible to Neutralize, 148
Transmission by
Air Dissemination, 145, 146, 152, 153
Carriers. 138, 144
Ill-ventilated Rooms, 145, 146
Insects (*see also* Pediculi), 142
Pediculi, 138-9, 141-2, 143, 144, 145, 146, 149, 150, 152, 153
Refugees, 137
Shed Epithelial Cells of Blood-Vessels, 152
Spray from Breath, 142, 146
Treatment by
Alcohol, 138
Antiseptic Baths, 138
Blood of Patients and Convalescents Variously Injected, 140, 148
Ether, 138
Cold Applications, 140, 147–8
Cold Baths, 141
Diet, 147–8
Exposure to Direct Sunlight, 147
Fresh Air, 139, 140, 145
Hexamethylene-tetramine, 147
Hydrotherapy, 138, 147–8
Iodine, 147
Isotonic, Citrated, and Iodised Solutions, 140
Position (Flat, long sustained), 138
Quinine (useless), 147
Rest in Bed, 138
Rubbing, 147–8
Salvarsan (useless), 147
Serum
Convalescents', 140
Normal Horse, 147
Physiological, Citrated, and Iodised, 140
Strychnine, 138
Turpentine, 140
Urotropin, 141, 147
Vaccine, 147
Two Types Postulated, Transmitted
Catarrhal, by Sputum, 153
Septic, by Insects, 153
Unusual Type on U.S.S. "Monocacy," 146
Virus of
Passage from Mother to New-born Offspring, 155
Researches on, 154–5

**Typhus Fever**—*cont.*
Water-Supply in relation to, 137
Why Co-incident with War, 143, 146

**Ulcers, Tropical,** *see under* **SKIN DISEASES, TROPICAL,** *see also* TROPICAL SORE, *under* **KALA AZAR**

**Uncinariasis,** *see* ANKYLOSTOMIASIS, *under* **HELMINTHIASIS**

**UNDULANT FEVER,** 166–73
Age-Mortalities Compared, 168
Animals, Domestic, Natural Infection by, possible, 167, 172
Bacteriology, *see also* Micrococcus of, *infra*
Organisms found in Italian case, 170
Blood Conditions in; S. Africa, 173
Camp Fever as Name for; S. Africa, 171, 173
Complications, 166
Diagnosis
Care needed, 171
Difficulties, 167
Blood Culture Method, 169
Serum, 166, 167, 170, 171–2
Domestic Animals, Liable to Infection with, 167, 172
Endemicity in Mediterranean area, 167
Genital Organs as affected by, 166
Goats and Goats' Milk, in relation to, 167, 172
Gynaecological Aspects, 167
Incidence
Age (Children), 168–9
Class; (Troops: Malta), 167, 173
Geographical
Anatolia (Smyrna), 167
Crete (Candia), 167
Cyprus, 167
Egypt
Alexandria, 167
Cairo, 167
Port Said, 167
Suez, 167
Greece, 167
Inland Places, 167
Italy, 168, 169–70
Malta, 167, 173,
Mediterranean Foci, 167
Peru, 173
Portugal (Obidos), 171
Sicily, 170
South Africa, 171–3
Spain (in Goats), 166
Syria (Beyrout), 167
in Pregnancy, 166
Season (S. Africa), 172

**Undulant Fever**—*cont.*
Infants as affected by Maternal Infection, 166
Infection, *see also* Transmission, *infra*
Maternal, 166
Route, 167
Source, Usual, 167
Intermittent Types: Warning as to, 167
Mastitis due to, 170
Micro-organisms of
*Micrococcus melitensis*
as used in Diagnosis, 171
Erroneously called *M. brucei*, 173
from Fresh Goats' Milk, 167
Infection, in Sicily, 170
Isolated from Blood of Patient, 167
One Year after Onset, 169
Mammitis [probably] due to, 170
in Milk of Nursing Woman, 166
Milk-Secretion as affected by, 166
Passage through Placenta, 166
Suppuration due to, 166
in Vaginal Mucous Membrane, &c., 166
*M. para-melitensis*, from Algerian Goats in Spain, 167
Milk (*see also* Goats' Milk), in relation to Supplies-Control, 167
*Monilia* Isolated from, 170
Nomenclature, 173
Pregnancy in relation to, 166
Prophylaxis
Control of Milk Supplies, 167
Disinfection of Urine and Stools, 167
References to Literature, xxxiv, lxxi
Symptoms, 167, 169, 170, 171
Abscesses, Cold, 171
Genital, 166
Meningeal, 168–9, 171
Mental, 168
Nervous, 173
Splenomegaly, 168
Unusual, 168
Tongue as Diagnostic Feature, 171
Transmission by
Dust of Infected Goat-Kraals, 172
Milk of Goats, 167
Treatment by
Corrosive Sublimate Injections, 169
Electrargol Injections, 169
Serum
Trambusto-Donzello's, 169
Vaccine, 173
Autogenous, 167–8
Dosage, 168
Sensitized, 167, 173
Urine as affected by, 167, 173
Disinfection of, and of Stools, Importance, 167

**Uta**, or Buccal Leishmaniasis, *Leishmania braziliensis* as Causal Agent, 86
Diagnostic Feature in, 86

**Verruga Peruviana**, References to Literature, xxxv, lxxii

**Vomiting Sickness**, in Jamaica, 381–2
Ackee-fruit Poisoning, in relation to, 381–2
Death-rate, 381
Differentiation of, from Diseases hitherto grouped as, 381
Incidence
Age (Disease of Childhood), 381, 382
Familial, 382
Race, 382
Seasonal, 382
Pathology, 382
Rapid Course, 381, 382
Symptoms, 381, 382

**YAWS**, 1–3
Agriculture in relation to, 2
Cuchipe or Pian: Causal Agent, 124
Decrease in, British West Indies; Causes, 2.
Disease Resembling in South Africa, also Resembling Syphilis, 2
Espundia as Name for, 86
Incidence
Geographical
Bismarck Archipelago, 317, 318
British West Indies, 2
Ceylon, 3
Guam, 2, 134
Tropics (limitation to), 1
Race, 318
Inoculation Experiment on Syphilitic, 1
Juxta-Articular Subcutaneous [Nodules in relation] to, Nyasaland, 134
Non-Venereal origin (general), 1
Organism of, not yet Found, 2
References to Literature, xxxiv, lxxi
and Syphilis
Disease resembling, in Northern South Africa, 2
Non-Venereal in
Philippine Islands, 1
Russia, 1
Question of Unity of, 1–2
Treatment by
Arsenical Preparations, 2
Castellani's Mixture, 3
Neosalvarsan, 3
Salvarsan, 2, 3, 317
Segregation, 2
Sodium Salt of Salvarsan-Copper, 105

**YELLOW FEVER,** 285–301
*Aedes calopus* Larvae, Extirpatory Measures against; Iquitos, 301
Albuminuria in relation to, 290, 292, 293
Australia and: Studies on, and Precautions in reference to Panama Canal Opening, 294 *et sqq.*
*Babesia xanthopyretica* in: Problem of True Nature, 93
Bilious Remittent Fever sometimes Concomitant with, 293
Blood in: Duration of Infectiousness, 286
Malarial Parasites in, 291, 293
Blood-Counts in, 289
Arneth Counts, 298
in Ecuador, 298
Guayaquil, 337, 338
in West Africa, 298
in Mild Cases, 298
Blood-Examinations in, 289, 291
Blood-Films from Guinea Pigs
(*a*) Normal, 294
(*b*) Inoculated, 294
(*c*) Inoculated with Blood of Normal, 294
(*d*) Naturally Infected, 294
Campaign against; Iquitos: Results, 300–1
Carriers, Healthy, of *Paraplasma flavigenum*, 285
Causal Organism: Latency postulated, 293
Clinical Description for Australian Quarantine Officers, 296
Test for, Needed, 294
Commission on, for West Africa: 3rd Report (for 1915). 285 *et sqq.*
Control of, in Immune Community without Fumigation, 300–1
Diagnosis Differential, from Bilious Remittent Fever, 293
Pappataci Fever, 293
Diagnostic Difficulties, 287
Signs: Three, 293
Endemicity questions, 291
Experimental, in Animals, 286, 287, 294
Parasitic forms in, 293
Experimental Work on, at Accra, 293
Fumigation of Ships: True Aim, 301
in Guinea Pigs; Naturally Infected, and Inoculated, 294.
Histology in Laboratory Animals, 294
"Icteroideta," term for, coined by Machado, 30
Immunity, 293
Permanent, after One Attack, 297

**Yellow Fever**—*cont.*
Incidence
Age, 288
Class, 288, 289, 292, 293
Coast-towns as Starting Points of Epidemics; Why, 292
Geographical
America
Central, 285
South, 285
United States
Florida, 297
Southern States, 296.
Brazil, 285
British Honduras, 385
Colombia, 285
Congo, French, 285
Cuba, 297
Havana, on Ships, 285
Ecuador,
Guayaquil, &c., 285, 288, 298
Gold Coast, 291–2.
Gold Coast Colony, 285
Lagos, 285, 293
Mexico, 285
Nigeria, 285, 288, 292–3
Peru, 285
Iquitos, 300–1
Portuguese Guinea, 285
Senegal, 285, 292, 294
Sierra Leone, 158–9, 288, 289
Spain (Catalonia), 301
Togoland, 285
Trinidad, 205
Venezuela, 285
West Africa, 285, 298
West Indies, 285
Race, 288, 289, 292, 293
Shipboard, 285
Inflammatory Fever of Antilles and probably Larvated form of, 297
Insect Vectors, *see Aedes calopus and Stegomyia fasciata, see also* Vermin
Kurloff Bodies, *see Lymphocytozoon*
Laboratory Methods of West African Commission, 289–90
Liver Histology in, 300
*Lymphocytozoon cobayae*, Some Seidelin bodies a Possible Early Stage of, 287
Malarial Parasites present in Blood in, 291, 293
Mild Cases
Albuminuria as Diagnostic Sign of, 292
Endemicity, 297
Misdiagnosis, 297
Mosquitoes, Infected, Risks of Introduction into Australia, 295
Never yet reported from, British East Africa, 295 *n*

**Yellow Fever**—*cont.*
Panama Canal Opening, as Possible Agent in Spread of, 295
*Paraplasma flavigenum*
Bodies resembling in Anaemic and in Foetal Blood, 298–300; *Table* 299
as Causal Agent, Views on, Discussed, 286–7
Division forms, in Experimentally-Infected Animals, 293
in Healthy Persons, Possible Carriers, 285
Experimental Infection of Animals with, 285
Insect Vector of, 286
in Normal and Inoculated Guinea-pigs, 286, 287, 288
in Post-Mortem Conditions, 288
Protozoal Nature Discussed, 286–8
Search for; Blood Counts Employed, 291
Parasite of, *see* Causal Agent, *see also Paraplasma flavigenum*
Plasmodia in, 291, 293
Prophylaxis
Anticipatory; Australia; *Stegomyia* Reduction, 296
Campaign against; Iquitos; Results, 300–1
Fumigation, 301
Quarantine, 296
Protozoal Nature of *P. flavigenum* Discussed, 287–8
References to Literature, xxxv, lxxi
Report of Commission on Medical Pyrexias, examined at Sierra Leone, 158–9
Risk of Introduction into
Australia, 295
Morocco, 294
Seidelin Bodies in relation to, 286, 287, 288.
in (*a*) Normal Guinea-Pigs, 293
(*b*) Inoculated Guinea-Pigs, 293
Others Resembling, in Anaemic and Foetal Blood in England; Probable Nature, 298-300; *Table*, 299

**Yellow Fever**—*cont.*
Seidelin Bodies, &c.—*cont.*
Others Resembling, &c.—*cont.*
Nature Discussed, 286–8
Conclusions on, of Yellow Fever Commission, 287–8
Seidelin's views on Transmission and Infection, 286
Spread of, Feared as Result of Panama Canal Opening, 295
*Stegomyia fasciata* in relation to, 190
Breeding-places, 292
Distribution in
Australia
Queensland, 295, 296, 297
Morocco; Predominance of, 294
Papua, 295
Flora and Fauna of, 291
as Vector, 286
Symptoms, 293
Albuminuria, 290, 292, 293
Epigastralgia, 293
Faget's Sign, 293
Oral: Pathognomonic, 296–7
Transmission, by
*Aedes calopus*, 301
Carriers (presumed), 285
Railways, 292
*Stegomyia fasciata*, 286
Dried Eggs, of: Windspread, 190
Trade Routes, 292, 295, 301
Vermin, on Ships [supposed], 301
Panama Canal Opening, in reference to, 295
Urethral Discharges as affecting Tests for Renal Albuminuria, 292
Urine Examination in, 290, 292
Vermin on Ships as Vectors: Fumigation to Dislodge, 301
Virus of; Nature as yet Undetermined, 287, 288
Present State of Knowledge; Views on, of Seidelin, in relation to his Bodies, 286
Water Storage Utensils, &c., Cleaning-up of, at Iquitos: Results, 300–1

# INDEX OF APPLIED HYGIENE IN THE TROPICS.

(Sanitation No. of *Tropical Diseases Bulletin*, Vol. 7, No. 7).

## CONTENTS.

### SECTIONS,


| | PAGES. |
|---|---|
| Disease Prevention | 402 |
| Lands and Buildings | 446–8 |
| Reviews of Books | 449–55 |
| Reports | 401 |
| Sanitary Organisation | 429–32 |
| Sanitary Rulings | 433–6 |
| Sanitary Works | 440–5 |
| Treatment of Waste | 437–9 |


### CHARTS.


Admission, Non-Effective, and Death-Rates per 1,000, all Causes, by years, among Employees of the I.C.C. and P.R.R. Co. *facing* 407


### ILLUSTRATIONS IN THE TEXT.


Rat Guards for Ships' Lines .. 409


### PLANS.


Blocks of Houses
- Layouts for Types of *facing* 446
- *Do.*, with Detail of Public Latrine in Centre „ 446

Channels and Linings for Waterproofed Canals 441

Latrine
- Fig. 1. Receptacle Drain *facing* 438
- Fig. 2. The same „ 438
- Fig. 3. Separate System, Private „ 438
- Fig. 4. Re-inforced Concrete „ 438

# INDEX OF AUTHORS.

Anderson, J. F., 423.
Arnold, 419.

Bentley, 402, 404.
Blackham, R. J. *See* Lukis & Blackham.

Christophers, 404.
Clare, H. L., 412.
Clemesha, 404.
Cornwall, 404.
Creel, R. H., Faget, F. M., & Wrighton, W. P., 407.
Crow, C. G., 410.

Davis, 419.

Ellis, W. G., 401.

Faget, F. M., *See* Creel, Faget, & Wrighton.
Fraser, 413, 418, 427.
Fry, 405.

Gabbett, E., 448.
Ghose, H. P., 405.
Gibson, 421.
Gorgas, W. C., 407, 541.

Howard, L. O., 453.

James, 413.
Joshi, L. L., 425.

Kennedy, 414.
King, W. G., 401, 430.

Le Prince, J. A., & Orenstein, A. J., 453.
Lloyd, 426.
Lukis, P., & Blackham, R. J., 450.

McCoy, G. W., 413.
Macdonald, 410, 429.
Manning, 409.
Mason, 407.
Moore, J. J., 411.

Orenstein, A. J. *See* Le Prince & Orenstein.
Ottolenghi, D., 428.

Patton, 421.
Procter, 405.

Ross, 407.

Seidell, A., 426.
Stanley, 419.
Stanton, 413, 418, 427.
Stewart, 405.
Stiles, C. W., 431.
Sullivan, 427.

Turner, 433.

Voegtlin, 427.

Watson, 433.
——, M., 430, 449.
Williams, C. E., 437, 446.
Wise, K. S., 412.
Woodward, W. C., 423.
Wrighton, W. P. *See* Creel, Faget, & Wrighton.

# INDEX OF SUBJECTS.


**HYGIENE, APPLIED, IN THE TROPICS,** 401–55

**Countries referred to**
America, United States
Diseases Prevalent
Pellagra: Vitamines and, 426–8
Plague, 407–8
Double Domestic Water Supply, Minnesota: Illness from, 443
Milk-grading; District of Columbia, 423–4
Rat-Destruction, by Hydrocyanic Acid Fumigation, 407–8
Seepage Checks: Washington, 440–1
Bahamas; Larvicidal Tadpoles in, 406
Australia
Queensland; Typhoid Prophylaxis, 411–12
British Guiana
Irrigation and Drainage in; relative Importance, 444
Typhoid in, 412
Burma
Cow-House Regulations: Rangoon, 433–4
Diseases Prevalent
Malaria, 404–5
Plague: Inoculation against, 410–11
Milk-grading (Rangoon), 423
Milk Protection (Rangoon), 433–4
Town Planning, 446–8
Ceylon; Plague at Colombo, 410
Egypt
Sewage Irrigation of Desert Land, 439
Typhoid in Cairo, 413
Hawaii, Typhoid and Paratyphoid Fever in, 413
India
Antimalarial Measures, 403
Floors of Reinforced Concrete for, 443
Milk Standards, 424–5
Bacterial and Chemical, 425
Rural Water Supplies, 444–5
Bengal
Anti-malarial Work, 404–6
Diseases Prevalent
"Fever": Increased Death-rate (1912–14), 406

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
India—*cont.*
Bengal—*cont.*
Diseases Prevalent—*cont.*
Malaria and Agriculture, 404–6
Sickness-Incidence, 406
Milk-grading: Ancient Hindu Method, 424
Milk Purity Protection; Calcutta, 433
Vaccination Report (1914–15) 420
Bombay
Lease of Reclaimed Land: Resolution *re*, 448
Malaria in St. George's Hospital, 402–3
Milk Purity Protection, 433
Milk Standard, Bacterial, 425
Calcutta, Milk-Precautions at, 424, 433
Lebong
Beriberi at, 413–18
Epidemic, in British troops, 414
Diarrhoea, at, 416
Madras
Birth-rate Reduction, due to *Emden* visit, 429
Canal- Seepage and Malaria, 440
Cow-House Regulations: Madras City, 433
Diseases Prevalent
Cholera, associated with *Emden* scare, 429
Infection from Rural Districts, 429–30
Malaria, 440
Epidemic (1809–10), 404
Plague: Madras City, 409
Indigenous Cases, 410
Milk - Protection; Madras City, 433
Rats: Plague-Susceptibility of, 410–411
Rubbish Sales: Sum realized, 439
Sewage Disposal as Irrigation: Grass-growing: Sum realized, 439
Vaccination Methods, 420
Southern: Helminthic Infections of School-children: Effects on Educability, 432

**Hygiene, Applied**—*cont.*
Countries referred to—*cont.*
Malay States, Beriberi in, 418–19
Panama Canal Zone
Mosquitoes of
Breeding-places, 407
Importation, 407
Transmission, 407
Sanitary Measures, 407
Straits Settlements
Antimalarial Measures: Influence on Death-, and on Spleen-rates, 442
Diseases Prevalent
Ankylostomiasis; Increase in, 401
Beriberi; Decline in, 401
Cholera, 401
Plague, 401
Typhoid, 401
Population Fluctuation: Causes 401
Vital Statistics, 401
Tobago: Typhoid in, 412
Trinidad: Typhoid in, 412
Uganda: Township Ordinance (1916), 434–6
West Indies; Typhoid in, 412

**Disease Prevention,** 404–28
Diseases referred to
Ankylostomiasis, 401, 431, 432
Beriberi, 401, 413–19
Cholera, 401, 429–30
Diarrhoea, 416
Dysentery, 443
"Fever," 406
Malaria, 402 *et sqq.*, 440–2
Pellagra, 426–8
Plague, 401, 407–11
Small-pox, 420
Syphilis, 435, 436
Typhoid, 401, 411–12, 413, 443

Methods Employed, *see also* Lands and Buildings; Sanitary Organisation, Rulings, Works, *infra*
Anti-Malarial and Anti-Mosquito Measures and Works, 402–7, 434–6, 442
Anti-Plague Measures, 407–8, 409–11
Haffkine's Vaccine, 410–11
Anti-Typhoid Inoculation, 411–12
Drainage, *see* Anti-Malarial Measures, *supra*
Food Protection
Milk
Grading of, 422–4
Purity: Protection of: Four Indian Cities, 433–4

**Hygiene, Applied**—*cont.*
Disease Prevention—*cont.*
Methods, &c.—*cont.*
Foods in relation to
Beriberi, 413–16
Pellagra, 427–8
Inoculation, or Vaccination
Anti-Plague, 410–11
Anti-Typhoid, 411–12
Isolation for Typhoid, 412
Jungle-Clearances, 404
Notification of Typhoid; Prompt, urged, 412
Quinine Prophylaxis, 403, 406
Rat-Destruction and Control, 407–11
Vaccination [for Small-pox], *see also* Inoculation, *supra*
Compulsory: India, 420
Cultivation of Animal Vaccine, 421
Vitamine Preparations, 426
Water-Supply Precautions
Protection of Catchment Areas, 430
Purification Methods, 428
Water-proofing of Irrigation Canals: Seepage-Prevention, 440–1
Yeast-Vitamine Preparation, 426

**General References**
Agriculture and Malaria: Malaria, 404–6
Animal Vaccine
Cultivation, 420–1
Variable Results on Individual Calves, 421
Vigour, 421
Yield of Vaccine Pulp, 421 (Table), 422
*Anopheles stephensi*, Bombay; Breeding-places, 402
*Ascaris lumbricoides* Infection, as affecting Educability; India, 432
Bacterial Standards for Milk; Bombay, 425
Children as affected by Domestic Sanitation and Intestinal Worms, 431–2
Chloride of Lime for Sterilization of Water, 428
Cowhouse Regulations in
Bombay, 433
Calcutta, 433
Madras City, 433
Rangoon, 433–4
Damp, Influence of, on Foods and Health, in relation to Etiology of Beriberi, 413, 416, 418
Dogs at Lebong: Disease of: Symptoms, 418

**Hygiene, Applied**—*cont.*
General References—*cont.*
Education as affected by Night-soil Conservancy, 431-2
Drainage, 404–6
in Town Planning, 447
Ducks as Larvicides, 406
Finance, and the Sanitarian, 403, 430–1
Fish, Larvicidal, 406
Fly-Proofing of Latrines, 439
Fumigation in Plague-Prophylaxis, with Hydrocyanic Acid Gas, 407–8
Safety-Period for Entering after, 408
Gutters, as Mosquito Breeding-places, 407
Haffkine's Anti-Plague Vaccine, 410–11
Helminthic Infections, Causing Educational Retardation; U.S.A., and India, 432
Houses, Blocks of, *see* Town Planning, *under* LANDS
Housing and Elevation in regard to Beriberi, 417–18
Hydrocyanic Gas Fumigation, as Plague Prophylactic, 407–8
Insect-Borne Theory of Beriberi, 413, 414, 419
Irrigation in relation to Malaria, 440–1
Jungle Clearances, 407
Larvicides, and Larvicidal Measures, 403, 406
Latrines, Public; Provision: Location: Access, 446, 447
for Separating, Solid from Liquid Excreta (with plans), 437–9
*Mansonia titillans*: Subaqueous Breeding-places, 407
Manu, on Sanitary Policy, 445
Milk
Standard of, for India, 424–5
Bacterial; Bombay, 425
Milk-Depôts, Municipal (proposed) for Calcutta, 433
Milk-Grading, (various lands), 423–4
Milk-Watering; where Permitted, 423, 434
Mosquito-Proofing of Hospital; Cost, 403
Mosquitos: Bombay, 402
Breeding-places, 402, 403, 407
*Necator americanus* Infection, as affecting Educability; U.S.A., 432
Night-soil Conservancy, in relation to Education, 431–2

**Hygiene, Applied**—*cont.*
General References—*cont.*
Oiling, as Larvicide, 406
*Oxyuris vermicularis* Infection, as affecting Educability; India, 432
Prophylaxis against Typhoid and Paratyphoid; Hawaii, 413
Quarantine for
Pilgrims, 401
Prisoners of War, 401
Rat-Control and Destruction, 407, 408, 409
Rat-Guard, for Ships' Lines, 409
Rats, Plague-susceptibility of; Madras, 410
as Vectors of Plague, 409, 410, 411
References to Literature, xxxvi, xliv–v, lxxix–lxxx
Reinforced Concrete for Indian Floors, 443
Rice, in relation to Beriberi, 413 *et sqq.*, 419
Sanitarians and Finance, 403, 430–1
Sewage Disposal
Conservancy *v.* Privies, in regard to Children's Welfare, 432
Shone System Installed at Cairo, 413
Ships; Anti-Rat Fumigation in, 408
Rat-Guards for, 409
Soil Aeration, Agricultural, as Malaria-Preventive, 405–6
Spleen-Indexes in Children; Bombay, 402–3
Sterilization of Water, by Chloride of Lime, 428
Tadpoles as Larvicides, 406
Vitamine-Theory of Beriberi, 413 *et sqq.*
Vitamines and Pellagra, 426–8
Water, Sheets of, on Land; Bentley's Theory as to, 404–6
Water-Contamination as Cause of Dysentery, 443
Water-Supplies, and Storage
Double Domestic Supplies: Risks of, 442–3
Protection of, at Catchment Areas, &c., 430
Protection of Wells, &c., 444, 445
Rural; India, 444–5
Wells, and Cisterns as Mosquito Breeding-places, 402, 403
Open, Covering, and Filling-in, 403

**Lands and Buildings**, 446–8
Lease of Reclaimed Land: Bombay, 448

**Hygiene, Applied**—*cont.*
Lands and Buildings—*cont.*
Town Planning : Burma, 446–8
Drainage, 446, 447
Houses, Blocks of : Area of Sites, 446
Frontages, 446, 447
Latrines ; Public, 446, 447
Roads, 446, 449

**Reports,** 401, *et sqq.* ; for Details, *see under* each Country

**Reviews of Books,** 449–55
Mosquito Control in Panama. The Eradication of Malaria and Yellow Fever in Cuba and Panama (Le Prince and Orenstein), 453–5
Rural Sanitation in the Tropics, being Notes and Observations in the Malay Archipelago, Panama, and other Lands (Watson), 449–50
Sanitation in Panama (Gorgas), 451–3
Tropical Hygiene for Residents in Tropical and Sub-Tropical Climates (Lukis and Blackham), 3rd ed., 450–1

**Sanitary Organisation,** 429–32
Cause and Effect [Madras], 429–30
Night-Soil Conservancy and Education, 430–1
Quarantine Stations, Straits Settlements, 401
Sanitarians and Finance, 430–1

**Sanitary Rulings,** 433–6
Conservancy Rules ; Uganda, 436
Milk Purity ; Protection of, in Four Indian Cities, 433–4
Syphilis, Rules *re* ; Uganda, 435, 436
Township Ordinance : Uganda, 434
Wells, &c. ; Mosquito-Breeding in, Precautions against, 434–5

**Hygiene, Applied**—*cont.*
**Sanitary Works,** 440–5
Anti-Malarial Measures : Singapore, Influence on Death-rate, and Spleen rate, 442
Canals : Water-proofing of, 440–1
Floors of Reinforced Concrete, 443
Irrigation and Drainage, relations between : British Guiana, 444
in relation to Malaria, 440–1
Water-Supplies, Double Domestic : Risks of, U.S.A., 442–3
Rural, in Tropics, 444–5

**Vital Statistics**
Birth-Rate
Madras ; as affected by *Emden*, 429
Straits Settlements, 401
Compulsory ; in India (Bengal, and Madras), 420
Death-Rates
Straits Settlements, 401
Beriberi ; Reduced, 401
Infantile, 401
Trinidad and Tobago, from Typhoid, 412

**Waste, Disposal and Treatment,** 437–9
Conservancy
Economics of, 437–9
Economy of, 439
in relation to Education, 431–2
Uganda Ordinance on, 434, 436
Excreta, Collection of, 437
Latrines for Separating Urine from Faeces (with plans), 437–9
Fly-Proofing of, 439
Open Earthen Channels, for Sewage for Irrigation, 439
Rubbish, Sale of ; Madras, 439
Sewage Disposal by Irrigation
Desert-Reclamation by, Cairo, 439
Grass-Growing by, Madras, 439